
LITERATURE REVIEW OF TIDAL CURRENTS AND MARINE SEDIMENT STUDIES IN REGARD. (U) EVANS-HAMILTON INC SEATTLE WA P J SPARKS-MCCONKEY ET AL. DEC 86 MD-R184 924 1/1 UNCLASSIFIED F/G 8/3 CND



MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A





OTIC FILE COPY

LITERATURE REVIEW OF TIDAL CURRENTS
AND MARINE SEDIMENT STUDIES
IN REGARDS TO THE PROPOSED
PHASE II DISPOSAL SITES





DISTRIBUTION STATEMENT A

Approved for public releases
Distribution Unlimited

Prepared by: Evans Hamilton, Inc.

Seattle, Washington

EPA Region 10



ECOLOGY

FINAL REPORT

LITERATURE REVIEW OF
TIDAL CURRENTS AND MARINE SEDIMENT STUDIES
IN REGARDS TO THE PROPOSED PHASE II
DISPOSAL SITES

рĀ

Pamela J. Sparks-McConkey Carol A. Coomes

Evans-Hamilton, Inc. 4717 24th Ave. NE, Suite 303 Seattle, WA 98105

Prepared for Seattle District Corps of Engineers

DECEMBER 1986



F		
Acces	ion For	
	CRA&I	A
DTIC		Ö
	rounced	
Justifi	cation	4
Ву С	ndon	n 50
Distrib	oution /	
Λ	vailability	Codes
Dist	Avail and Specia	/ or
	1	•
A-1		
'''		

							•	rai	BLI	E () F	C	ואכ	[E]	NTS	3							P	AGE
List of	Tab	les	•		•	•		•	•			•	•	•	•	•	•	•	•	•	•	•	•	11
List of	Fig	ures	3	•	•	•	•	•	•	•			•	•	•	•	•				•	•	•	111
Literatı	ire	Revi	ev	v 1	Rej	po:	rt	•	•	•	•	•	•			•	•	•		•	•	•		1
Cited Li	iter	atur	·e	•	•	•		•	•			•	•	•	•	•	•	•		•	•	•	•	31
Appendia	ĸ A		•		•	•		•	•	•	•					•		•		•	•	•	•	33
Appendia	z B			_								_	_				_					_		38

	LIST OF TABLES	Page
Table 1.	Current meter data of Rosario Strait	3
Table 2.	Current meter data of Strait of Juan de Fuca	8
Table 3.	Current meter data of southern Puget Sound	11
Table 4.	Granulometric data of Rosario Strait	13
Table 5.	Granulometric data of Strait of Juan de Fuca	14
Table 6.	Granulometric data of southern Puget Sound	15
Table 7	Cruice dates and investigator	16

公里

THE PROPERTY OF THE PROPERTY O

		LIST OF FIGURES	PAGE
Figure	1.	Rosario Strait showing ZSFs 1, 2, and 3 and current meter station locations	17
Figure	2.	Rosario Strait showing ZSFs 1, 2, and 3 plotted on sediment charts	18
Figure	3.	Rosario Strait showing ZSF 4 and current meter station locations	19
Figure	4.	Rosario Strait showing ZSF 4 and station location plotted on sediment charts	20
Figure	5.	Rosario Strait showing ZSFs 5, 6, and 7 and current meter station locations	21
Figure	6.	Rosario Strait showing ZSFs 5, 6, and 7 and station locations plotted on sediment charts	22
Figure	7.	Strait of Juan de Fuca showing ZSF 1 and current meter station locations	23
Figure	8.	Strait of Juan de Fuca showing ZSF 1 and station locations plotted on sediment charts	24
Figure	9.	Strait of Juan de Fuca showing ZSF 2 and current meter station locations	25
Figure	10.	Strait of Juan de Fuca showing ZSF 2 and station location plotted on sediment charts	26
Figure	11.	Admiralty Inlet showing ZSF 3 and current meter station locations	27
Figure	12.	Admiralty Inlet shwing ZSF 3 and station locations plotted on sediment charts	28
Figure	13.	Southern Puget Sound showing ZSFs 1, 2, and 3 and current meter station locations	29
Figure	14.	Southern Puget Sound showing ZSFs 1, 2, and 3 and station locations plotted on sediment charts	30

INTRODUCTION

investigations of tidal currents and marine sediment which pertained specifically to the following areas: Rosario Strait,

Strait of Juan de Fuca, Admiralty Inlet, and southern Puget

(Puget Sound Predged Dispose Analysis)

Sound. This review will assist the PSDDA work group in selecting Phase II ZSFs for further consideration.

(Lones of Siture Feesibility)

TIDAL CURRENT DATA

The currents both within and near the ZSFs are presented in three tables (Tables 1, 2, and 3) by geographic area; Rosario Strait, Strait of Juan de Fuca/Admiralty Inlet, and southern Puget Sound. The sites have been numbered consecutively from north to south for ease in identification on the accompanying station maps. Current data presented are in whole tidal days (e.g., one tidal day = 24.84 hours). Sources are listed for measurements not available at the time the tables were compiled.

GRANULOMETRIC DATA

The granulometric tables are divided into three geographic areas (Tables 4, 5, and 6). In each table each sample is identified by a cruise number and station number (see Table 7 for cruise dates and investigator).

Latitude and longitude are tabulated in degrees and minutes, and when known, the sampling device was noted.

The sediment parameters are expressed as percentage gravel, sand, silt, and clay. They are the results of granulometric analyses presented in Roberts (1974). The remaining data tabulated under the comments column pertain to the studies conducted by Shelford et al. (1935) and Harmon and Serwold (1982).

3

7

N.

8

S

 μ_{ij}

73

î. M

 \mathcal{Z}

ILLUSTRATION

The station maps (Figs. 1, 3, 5, 7, 9, 11, and 13) show the ZSFs and current stations plotted on NOAA/NOS charts (18421, 18465, and 18448) and Figure B.2 from Cox et al. (1984) at a scale consistent with the marine sediments. Each current site includes a station number (referenced to the tables), the rms speed (centimeters/second; square root of the variance), and the depth (meters) of this speed.

Figures 2, 4, 6, 8, 10, 12, and 14 show the ZSFs and station locations plotted on the surface sediment charts by Roberts (1979). For further references pertaining to these charts see Appendix A.

COMPUTER LITERATURE SEARCH

Four databases (NTIS, ASFA, GEOREF, and OCEANIC) were searched for abstracts concerning marine sediment parameters; the results are in Appendix B.

Data
=
ă
Ä
Ų
~
Meter
يد
Current
Ľ
ᆽ
O
•
_
(4)
3
TABLE
≤.
-

	Location	Site	700100	de Longitude	Pers	1.0	Investigator	Station	Reter	Bottom	1	Net Net	¥ }	ž į	Total	į
4.4.4.4 12.4.2.2 171-1/20 34 14444 35 44.4 35.9 35.9 35.9 45.8 44.4 44.4 12.4.2.2 171-1/20 34 14.4 35.4 14.4 35.4 14.4 35.4 <th></th> <th></th> <th>(E)</th> <th>(E</th> <th></th> <th>\$</th> <th></th> <th></th> <th>(</th> <th>•</th> <th>(CB/89C</th> <th>(Olrue)</th> <th>Ca/80C)</th> <th>(Ca/sec)</th> <th>(ca²/sec²)</th> <th>(ca/sec)</th>			(E)	(E		\$			(•	(CB/89C	(Olrue)	Ca/80C)	(Ca/sec)	(ca ² /sec ²)	(ca/sec)
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	Merio Strait	-	11.10.1	122.42.3	2/14-3/20	7	Yeager	20	∽	*		35	13.99		2530.0	50.3
4.4.4 12.4.2 2/4-2/16 3 14444 3 17 18 14454 12.4.2 2/4-2/16 14 14444 13 13 14444 13 14 14		••	11.10.1		2/14-3/20	*	Yeager	02	2	90						
4.3.1. 12.2.2. 3/4-2/11			48.40.4		2/14-3/20	*	Yeager	20	٦	6						
4.3.3. 12.4.2. 3/40-2/11 ii beque 19 77 93 100 12.1 200.0 4.3.3. 12.4.2. 3/40-2/12 ii beque 19 77 93 100 12.1 200.0 4.3.3. 12.4.3. 3/40-2/12 ii beque 19 77 93 100 12.1 200.0 4.3.3. 12.4.3. 3/40-2/12 ii beque 15 21 21 22 22 1.2 22 22 22 22 22 22 22 22 22 22 22 22 2		~	48.39.9		3/64-3/19	=	Yeager	=	s	68		~	19.05		4310.0	5.1
4.3.3.4 12.2.4.3. 3/46-1/31 14 Teager 15 77 93 160 12.1 320.0 4.3.3.4 12.2.4.3. 3/46-1/23 14 Teager 15 21 8 22.3 1.23 550.0 4.3.3.4 12.2.4.3. 3/46-1/23 14 Teager 15 21 8 8 8.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 </td <td></td> <td>~</td> <td>41.39.9</td> <td></td> <td>3/04-3/19</td> <td></td> <td>Yeager</td> <td><u>•</u></td> <td>23</td> <td>68</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>		~	41.39.9		3/04-3/19		Yeager	<u>•</u>	23	68						
4.3.14. 122.43.5 3/96-3/23 14 19ager 15 5 14 22 6.3 540.0 4.3.18. 122.43.5 3/96-3/23 14 19ager 15 2 1 14 22 6.3 640.0 4.3.18. 122.43.5 3/96-3/23 14 19ager 15 69 14 221 1.7 316.0 4.3.18. 122.33.5 3/96-3/23 14 19ager 15 69 14 221 1.7 316.0 4.3.18. 122.33.5 3/96-3/23 14 19ager 15 69 14 221 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.		~	41.39.9		3/04-3/19	:=	Yesger	5	T.	83		100	13.1		3280.0	\$1.3
44.34. 122.43. 3/We-3/23 14 Neager 15 21 44 222 6.3 4440.0 44.34. 122.43. 3/We-3/23 14 Neager 15 69 14 221 21 1.7 44.34. 122.33. 3/We-3/23 14 Neager 15 69 14 221 1.87 44.34. 122.33. 3/We-3/23 14 Neager 15 5 31 164 not processed 44.34. 122.33. 3/Ze-3/Ze 4 Neith 25 31 17 184 18.4 44.34. 122.33. 3/Ze-3/Ze 1 Neager 17 21 25 18 18 18.4 44.34. 122.33. 3/Ze-3/Ze 1 Neith 23 5 112 18 18.4 44.34. 122.33. 3/Ze-3/Ze 1 Neith 23 5 113 18.4 44.34. 122.34. 3/Ze-3/Ze 1 Neith 23 5 113 18.4 44.35. 122.34. 3/Ze-3/Ze 1 Neith 23 5 113 18.4 44.37. 122.34. 3/Ze-3/Ze 1 Neith 23 5 113 18.4 44.37. 122.34. 3/Ze-3/Ze 1 Neith 23 5 13 13 13.4 44.36. 122.34. 3/Ze-3/Ze 1 Neith 23 5 13 13 13.5 44.37. 122.34. 3/Ze-3/Ze 1 Neith 23 18 18 18.3 44.37. 122.34. 3/Ze-3/Ze 1 Neith 23 18 18 18.3 44.37. 122.34. 3/Ze-3/Ze 1 Neith 23 18 18 18.3 44.37. 122.34. 3/Ze-3/Ze 1 Neith 23 18 18 18.3 44.37. 122.34. 3/Ze-3/Ze 1 Neith 23 28 28 18 18 18.3 44.37. 122.34. 3/Ze-3/Ze 1 Neith 22 28 28 18 18 18.3 44.37. 122.34. 3/Ze-3/Ze 1 Neith 22 28 28 18 18 18.3 44.37. 122.34. 3/Ze-3/Ze 1 Neith 22 28 28 18 18 18.3 44.38. 122.34. 3/Ze-3/Ze 1 Neith 22 28 28 18 18 18.3 44.38. 122.34. 3/Ze-3/Ze 2 Neith 22 28 28 18 18 18.3 44.38. 122.34. 3/Ze-3/Ze 2 Neith 22 28 28 18 18 18.3 44.38. 122.34. 3/Ze-3/Ze 2 Neith 22 28 28 18 18 18.3 44.38. 122.34. 3/Ze-3/Ze 2 Neith 22 28 28 18 18 18 18 18 18 18 18 18 18 18 18 18		~	11.38.1		5/6-9/C 5/6-9/23	=	Yeager	22	~	3		345	1.23		5580.0	7.7
44.34. 122.34.3 3/46-1/23 14 Yaagar 15 69 64 221 6.7 3784.4 44.34.6 122.34.3 3/49-1/23 44.34.6 122.34.3 3/49-1/23 44.34.6 122.34.3 3/29-1/23 44.34.6 122.34.3 3/29-1/25 44.34.6 122.34.3 3/29-1/25 44.34.6 122.34.3 3/29-1/25 16 Yaagar 17 29 25 197 19.54 19.		-	41.31.6		3/06-3/23	=	Yeager	55	12	3		252	:		0.0797	9.6
44.345 122.345 9/28-19/2 faitth 25 5 11 Data not precessed 44.345 122.345 9/28-19/2 faitth 25 31 Data not precessed 44.345 122.345 9/28-19/2 faitth 25 31 Data not precessed 44.345 122.344 9/28-19/2 faitth 25 35 167 5.4 115.6 44.345 122.344 9/28-19/2 faitth 25 5 5 167 5.4 116.8 44.345 122.344 9/28-19/2 faitth 25 5 5 167 5.4 116.8 44.345 122.344 9/28-19/2 faitth 25 6 37 12.344 9/28		~			3/66-3/23	=	Yeager	S 1	5	3		122	1.1		3760.0	5
44.38.5 122.38.5 5/79-176		•	41.30.6		9/28-10/2		Keith	×	•			5	1.8			
44.36. 122.36.3		-	11.34.6		2/01-92/6		Ke ith	22	33		Ceta not	processed				
48.36.6 122.38.8 3/21-4/85 16 Yeager 17 21 55 56 167 5.6 710.0 1994 46.30.5 122.38.8 3/21-4/85 16 Yeager 17 21 55 55 11.5 640.0 1994 46.37.3 122.38.7 3/21-4/85 16 Yeager 17 21 55 55 11.5 640.0 1994 46.37.3 122.38.7 3/21-4/85 16 Yeager 17 21 55 5 17 17 60 55 11.5 640.0 1994 46.37.3 122.38.7 3/21-4/85 4 Kichards 20 5 7 17 17 17 17.50 19.20 46.37.3 122.38.7 3/21-4/25 1 Zaylor 20 5 7 12.5 12 12 12 12 12 12 12 12 12 12 12 12 12		•	44.38.5		\$2/9-12/9		Jeffries	2	•			901	3.5			
48.36.6 122.38.6 3/21-4/45 16 Yeager 17 21 55 143 16.7 640.0 48.37.3 122.38.1 3/21-4/45 16 Yeager 17 40 55 143 16.7 640.0 48.37.3 122.38.7 3/21-4/45 4 Match 23 5 13 15.0 640.0 48.37.3 122.38.7 3/21-18/22 4 Match 23 64 Date not processed 13.50 640.0		•	41.30.6	122.38.8	3/21-4/85	*	Yeger	=	50	\$\$		5	5.1		110.6	3 .6
48.37.3 122.38.8 3/21-4/65 16 Veeqer 17 40 55 149 16.7 640.0 48.37.3 122.38.7 9/28-10/02 4 Keith 23 5 17 7.50 48.37.3 122.38.7 9/28-10/02 4 Keith 23 84 18.3 17 7.50 48.37.3 122.38.7 9/28-10/02 4 Keith 23 84 18.3 13.90 48.37.5 122.44.8 3/22-3/26 4 Kichards 20 5 7 226 16.17 4028.2 48.37.5 122.44.8 3/22-3/26 4 Kichards 20 37 212 12.19 4628.2 48.37.5 122.44.8 3/22-3/26 3 Kichards 20 37 212 12.19 4581.5 48.37.5 122.44.1 9/21-9/25 1 Teylor 7 5 7 186 40.28 2530.1 48.36.1 122.38.9 4/24-4/29 3 Full 22 50 34 353 84.99 48.36.1 122.38.9 4/24-4/29 3 Full 22 50 36 34.99 48.36.1 122.38.9 3/20-4/29 15 1eeqer 16 5 62		•	41.31.6		3/21-4/05	*	Yeager		12	S		155	11.5		6.03	38 .1
48.37.3 122.36.7 9/20-10/62 4 Martin 23 5 17 7.50 48.37.3 122.36.7 9/20-10/62 4 Martin 23 84 Bate not processed 48.37.3 122.36.7 9/20-10/62 4 Martin 23 84 Bate not processed 48.37.3 122.36.7 9/20-10/62 4 Martin 23 84 Bate not processed 48.37.3 122.36.7 9/20-10/62 4 Martin 23 84 Bate not processed 48.37.5 122.44.8 3/22-3/26 3 Krchards 20 37 212 12.79 4591.5 48.37.5 122.44.1 9/21-9/25 1 Taylor 7 5 136 40.29 357.1 1955 48.37.5 122.44.1 9/21-9/25 1 Taylor 7 5 195 11.83 48.36.1 122.38.9 4/24-4/29 3 Mull 22 5 5 195 11.83 48.36.1 122.38.9 4/24-4/29 3 mull 22 50 Bate not processed 48.36.1 122.38.9 4/24-4/29 3 mull 22 50 Bate not processed 48.36.1 122.39.0 3/20-4/29 3 mull 22 50 30 Bate not processed 48.36.1 122.39.0 3/20-4/29 3 mull 22 50 30 Bate not processed 48.36.1 122.39.0 3/20-4/29 3 mull 22 50 5 353 86.99		•	11. H. 6		3/21-4/05	=	Yeager	11	2	\$		149	16.7		640.0	25.3
48.37.3 122.36.7 9/20-18/02 4 Metch 23 49 Date not processed 48.37.3 122.36.7 9/20-18/02 4 Keith 23 84 6 13.90 48.37.5 122.44.8 3/22-3/26 4 Richards 20 37 226 16.17 4028.2 48.37.5 122.44.8 3/22-3/26 4 Richards 20 37 226 16.17 4028.2 48.37.5 122.44.8 3/22-3/26 3 Kichards 20 37 226 16.17 4028.2 48.37.5 122.44.8 3/22-3/26 3 Kichards 20 37 226 16.17 4697.5 48.37.5 122.44.8 3/21-3/25 1 Taylor 7 5 136 40.28 2530.1 48.36.1 122.38.9 4/24-4/29 3 Hull 22 5 14.36 17.63 48.36.0 122.39.0 3/24-4/29 3 1.60 <		~	48.37.3		9/28-10/02	-	Kaith	23	•				7.50			
48.37.3 122.36.7 9/28-19/22 4 Keith 23 84 60 13.90 48.37.5 122.44.8 3/22-3/26 4 Richards 20 5 226 16.17 4028.2 48.37.5 122.44.8 3/22-3/26 3 Kichards 20 37 212 12.79 4587.5 48.37.5 122.44.8 3/22-3/26 3 Kichards 20 37 212 12.79 4587.5 48.37.5 122.44.1 9/21-9/25 1 Taylor 7 5 156 40.28 2530.1 48.36.1 122.30.9 4/24-4/29 3 Hull 22 5 195 17.83 48.36.1 122.30.9 4/24-4/29 3 Lull 22 5 195 17.83 48.36.1 122.30.9 3/20-4/29 3 Leager 16 5 62 48.36.1 122.39.0 3/20-4/29 15 1eeger 16 5 62		-	18.37.3		20/01-02/6	-	Keith	23	=		Deta not	processed				
48.37.5 122.44.8 3/22-3/26 4 Richards 20 5 226 16.17 4028.2 1964 48.37.5 122.44.8 3/22-3/26 3 Kichards 20 37 212 12.79 4587.5 1964 48.37.5 122.44.8 9/21-9/25 1 Taylor 7 5 135 32.91 3557.1 1955 48.37.5 122.44.1 9/21-9/25 1 Taylor 7 5 135 32.91 3557.1 1955 48.36.1 122.38.9 4/24-4/29 3 Hull 22 5 5 196 17.83 48.36.1 122.38.9 4/24-4/29 3 hull 22 50 30 Data not processed 48.36.1 122.38.9 4/24-4/29 15 10000000000000000000000000000000000		-	48.37.3		9/28-18/02	-	Keith	2	2			2	13.90			
48.36.1 122.34.8 3/22-3/26 3 Kichards 20 37 212 12.79 4587.5 1964 48.37.5 122.44.1 9/21-9/25 1 Taylor 7 5 135 32.91 3557.1 1855 48.36.1 122.38.9 4/24-4/29 3 Full 22 30 Data not processed 1964 48.36.1 122.38.9 4/24-4/29 3 Full 22 50 3353 84.99 44.36.0 122.39.0 3/20-4/25 15 reeger 16 5 62		-	48.37.5		92/E-22/E	-	Richards	50	s			528	16.17		1028.2	63.5
48.36.1 122.38.9		-	48.37.5		3/22-3/26	т	Kıchards	20	37			212	12.79		4507.5	61.7
48.36.1 122.38.9 4/24-4/29 3 Null 22 5 195 17.83 2530.1 152.38.9 4/24-4/29 3 Null 22 5 195 17.83 17.83 48.36.1 122.38.9 4/24-4/29 3 null 22 5 90 Data not processed 1964 48.36.1 122.38.9 4/24-4/29 3 null 22 30 Data not processed 1964 48.36.1 122.38.9 3/20-4/29 3 null 22 50 353 84.99 1964 18.36.0 122.39.0 3/20-4/25 15 teeger 16 5 62		•	40.37.5		9/21-9/25	-	Taylor		•			135	32.91		3557.1	93.6
48.36.1 122.38.9 4/24-4/29 3 Null 22 5 195 1964 48.36.1 122.38.9 4/24-4/29 hull 22 30 Data not processed 1964 48.36.1 122.38.9 4/24-4/29 3 r.J.l 22 50 353 1964 48.36.0 122.39.0 3/20-4/05 15 reeger 16 5 62			41.37.5		8/21-9/25 1955	-	ley lor	-	un.			991	40.29		2530.1	SB. 3
48.36.1 122.38.9 4/24-4/29 hull 22 30 Data not processed 1964 1923.38.9 4/24-4/29 3 rull 22 50 30 353 353 4/24-4/29 1964 15 reger 16 5 62 1974		2	18.36.1	122.38.9	4/24-4/29	m	ll un	33	s			195	17.83			
48.36.1 122.38.9 4/24-4/29 3 nulli 22 50 353 1964 48.36.0 122.39.0 3/20-4/05 15 reeger 16 5 62 1974		2	18.36.1		6/54-4/7		Full	33	30		Data not	processed				
48.36.0 122.39.0 3/20-4/05 15 teeger 16 5		2			4/24-4/29	m	7	22	3			353	24 .9			
		Ξ			3/20-4/05	5	reger	~	~	29						

TABLE 1. con't. Current Meter Data. Leasing Site Letitude Langitude Dates Tidel

	3			ì				Î	Î	3		3]	Sand Variance Car	į
					2		į			ļ					!
		3	€	9		1 0 1 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1		•	•	(ca/sec) (Olive) (ca/sec)	<u>§</u>	(ca/sec)	(36/8E)	(ca_/acc_)	(ca/sec)
beario Senit	=	44.35.8	122.39.0	3/20-4/05	2	Yeager	2	~	29		**	13.4		6230.0	2 .3
	=	48.35.0	122.38.0	3/28-4/05	~	feager	=	5	3		\$18	12.4		\$288.8	13.7
	2	41.36.9	122.38.4	18/18-16/22	-	[ay lor	•	ss.		Gaps in data	2				
	2	46.33.7	122.45.2	11/8-91/8		Zeskind	=	w		Lass than a tidal day	. tidel	Ī			
	2	11.13.6	122.45.2	16/6-52/6	_	Richards	2	s			151	¥.¥		6391.3	9:16
	2	44.33.6	122.45.2	1/25-3/2	•	Bichands	23	~			171	24.83		1673.1	=
	=	48.33.6	122.45.2	16/6-58/6	_	Richards	22	26			182	11.15		4551.9	61.5
	=	46.33.6	122.45.2	1/25-3/1	~	Richards	22	33			=	28.91		400.0	63.2
	z	44.33.6	122.45.2	16/1-52/1	-	Richards	2	5			Ξ	17.61		3930.0	17.6
	2	48.33.6	122.45.2	16/6-52/6	~	Picaeres	2	5			791	¥.		3950.3	62.8
	≈	46.33.9	122.38.6	36/E-51/2	=	1	22	w	82 82						
	2	44.37.9	122.39.6	3/15-3/46 3/15-3/46	=	, and a	2	2	5		121	12.0		1719.0	17.1
	2	41.33.9	122.39.6	2/15-3/96	,	Yeage	2	103	119	Noter lost					
	±	48.33.7	122.39.7	3/22-3/26	•	Richards	11	s,			=	29.75		3015.9	8.3
	=	44.33.7	122.39.7	3/25-3/26	-	Richards	=	23			*	3.16		2648.3	\$1.4
	=	48.32.0	122.33.8	12/4-62/4	m	=	=	₩.		Gaps in deta	Ę				
	=	48.32.0	122.33.1	1/23-4/27	-		=	31			123	1.81		8 .1	.
	11	48.32.0	122.33.0	4/23-4/27	-	?	=	31			Ξ	1.26		80.3	9.0
	"	48.32.8	122.33.0	4/23-4/27	-	.	=	31			155	5.47		126.1	12.5
	=	48.32.0	122.33.0	4/23-4/27	-	[*	<u>=</u>	62			≉	10.23		144.7	12.0
	=	48.31.9	122.33.7	9/28-10/02	-	Keith	2	w			176	2.20		3	7.8
	=	48.31.9	122.33.7	9/28-10/02	•	Keith	2	33			208	10.18		408.3	20.3
	=	48,31.9	122.33.7	9/28-10/02	m	Keith	š	62			198	1.50		360.1	3.3
	<u>5</u>	46.31.5	122.34.1	3/22-3/26	•	Richards	92	5.5			376	26.73			
	2	48.31.5	122.34.1	3/22-3/26	-	Richards	92	•							
	61	40.31.5	122.34.1	3/22-3/26	•	Richards	92	15			36	60.65			

Ä

8

M M

3

Z

7.0

7

X (X)

房

THE STATE OF THE PARTY OF THE P

	56
	Het Het
	ž
	\$
	Bottos
	Not or
	Station
	Investigator
ta.	Ţ
Data	
٠.	Deter
. Current Meter	•
nt Meter	Site Latitude Longitude Dates

**

8

!					•		rede.	Deoth	Death	7		Frank			
:					Deys S					· Page	Direction		Speed	Variance	£
************		€	(R)	1				•	3	(cm/sec) (Olrue) (cm/sec)	O True)	(CB/89C)	(cm/sec)	(cm/sec) (cm/sec ²)(cm/sec)	(CB/80C)
Rosario Strait	2	48.31.4	122.44.9	2/15-3/04	91	Yeager	•	S	2		197	6.57		7190.0	3
	20	48.31.4	122.44.9	2/15-3/04	92	Yeager	•	2	2		<u>=</u>	10.6		6120.0	78.2
	92	48.31.4	122.44.9	2/14-3/04		Yeager	•	88	65	Heter lost					
	≅	48.31.3	122.42.1	2/14-3/01	=	Yeager	9	•	39		592	5.5		1050.0	3
	≈	40.31.3	122.42.1	2/14-3/01		Yeager	2	23	33						
	≈	48.30.7	122.43.8	4/27-4/30	~	Nunson	201	S			320	2.72		3021.4	55.0
	æ	48.30.7	122.43.6	4/27-4/30	~	Muson	105	=			=	2.23		4977.7	10.6
	23	40.30.7	122.43.8	4/27-4/30	~	Nunson	105	23			136	2.59		2259.1	41.5
	2	48.38.3	122.42.3	4/21-4/30	~	Munson	5	s			186	7.65		\$266.3	12.6
	8	48.30.3	122.42.3	4/27-4/30	~	Munson	3 01	=		Gaps in data	2				
	æ	41.31.3	122.42.3	4/21-4/30	~	Runson	901	23			158	1.16		2448.1	49.5
	*	16.28.8	122.49.2	97.10-9/26	35	Yeaper	•	S	\$2	Data on file at NOS	le at 180	s			
	z	41.21.1	122.48.2	9/10-9/26	ž	Yeager	•	2	8	Data on file at MOS	5 5 5 5	vo			
	≈	48.26.8	122.49.1	1/23-4/21	~	£	-	•			\$2	12.76		\$965.0	11.2
	*	48.28.4	122.49.1	1/23-4/21	m	₹	-	2			=	8.28		1155.9	3
	≈	11.28.1	122.49.1	92/3-62/7	~	₩.	-	~			2	20.22		3734.2	5
	×	48.28.9	122.46.5	1/30-2/14	2 2	Yeagen	S	~	\$		539	13.72		\$120.0	11.6
	\$	48.28.9	122.46.5	1/20-2/14	52	Yeager	•	×	9		525	9.9		1150.0	3
	*	48.29.2	122.44.5	1/29-2/14	5	Yeager	•	S	121	Data on file at MOS)e at	vs			
	*	48.29.2	122.44.5	1/29-2/14	ŧ	Yeager	•	5	121	Data on file at MOS	ie at #0	S			
	*	48.29.2	122.44.5	1/29-2/14	2	Yeager	•	106	121	Date on file at NOS	le at 110	s			
	≈	48.29.0	122.44.0	3/24-3/28	m	Richards	2	5.5			215	23.36		\$029.6	30.9
	2	41.29.0	122.44.0	3/24-3/28	-	Richards	2	•			2	23.04		2929.6	<u>-</u>
	12	48.29.0	122.44.0	3/24-3/28	-	Richards	9	٠			178	30.16		2869.2	53.6
	12	46.29.0	122.44.0	3/24-3/28	~	Richards	2	2			111	11.18		3450.6	3
	38	48.29.4	122.42.0	\$/03-5/04	-	Boothe	134	•			262	13.43		5576.3	74.7

WOOD EXCOND TREESTOOD REPRESENTATION PROPERTY OF THE PROPERTY PROPERTY OF THE STREET PROPERTY PROPERTY PROPERTY

Deta.
Meter
Current
con't.
Ξ.
TABLE

(a) 6.28.4 6.28.7 6.28.7 6.28.8 6.27.8 6	199-5/06 199	* ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~			(E) 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	(8)	Speed Dir (ca/sec) (©	Off-ection Colorection C	Olivection Speed Speed Variance ray (**Olive*) (cut/red*) (cut/r	Variance (cm ² /4sc ²) 366.7 378.8 198.4 5188.6 2227.8 248.8 238.1 2821.0 1859.2 1162.1 2183.7	
		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	Richards Richards Richards Richards Richards Richards Richards Richards			I and the second se	at the state of th		2	366.7 366.7 1366.4 5186.6 2377.8 2380.1 2380.1 1859.2 1162.1 2183.7	
		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	Richards Ric		s	_		_		3664.7 1196.4 1196.4 5186.6 2327.8 2486.8 2388.1 2869.2 1162.1 2183.7	
6.23.3 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8		* * * * * * * * * * * * * * * * * * * *	Richards Richards Richards Richards Richards Richards Richards Richards	1	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~			_	\$	3776.8 1986.4 5186.6 2327.8 2386.1 2386.1 1859.2 1162.1 2183.7	
6.23.7 6.23.8 6.23.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8			Richards Richards Richards Richards Richards Richards	4 2 2 2 6 6 6 6 6	2				25	3776.8 1986.4 5186.6 2927.8 2386.1 2981.0 1959.2 1959.2 1959.2	
6.23.3 6.23.3 6.23.3 6.23.3 6.23.3 6.23.3 6.23.3 6.23.3 6.23.3 6.23.3 6.23.3 6.23.3 6.23.3 6.23.3 6.23.3 6.23.3			Richards Richards Richards Richards Richards Richards	5 2 2 a a a a a a a					4	2927.8 2486.8 2486.8 2288.1 2821.0 1859.2 1162.1 2183.7	
6. 23. 3 6. 27. 8 6. 27. 8 7			Booth Richards Richar	~ ~ ~ ~ ~ ~ ~ ~					25	2927.8 2480.8 2280.1 2021.0 1859.2 2869.2 1162.1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
6.21.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8		- ~ - # 9 ~ # ~	Michards Mic		w				12: 21: 25: 26: 36: 57: 52: 52: 52: 52: 53: 54: 54: 54: 54: 54: 54: 54: 54: 54: 54	2469.8 2489.1 2381.0 1859.2 2969.2 1162.1 2183.7	12. 6. 6. 6. 12. 22. 47. 6. 12. 12. 13. 14. 15. 15. 15. 15. 15. 15. 15. 15. 15. 15
6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8		~	Richards Richards Richards Richards		~ ~ ~ ~ ~ ~ ~				2	2380.1 2381.0 1859.2 2968.2 1162.1 2183.7	
6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8			Richards Richards Richards Richards	en en en en en	m n n u u u				86 88 Er 82	2380.1 2021.0 1859.2 2969.2 1162.1	#
6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8 6.27.8		m <u>9</u> ~ ~ ~	Richards Richards Richards		~ ~ • • •				26 36 26 29 73	2021.0 1859.2 2969.2 1162.1	\$5.5 \$4.5 \$4.5 \$6.5
46.27.8 46.27.8 46.27.8 46.27.8 46.27.8 46.27.8 46.27.8 46.27.8 46.27.8		ē ~ ~ ~	Richards Richards Richards		~ • • •				36 29 29 29	2969.2 2969.2 1162.1 2183.7	2. 2. 3. 3. 2. 5. 1. 3.
48.27.8 48.27.8 48.27.8 48.27.8 48.27.8 48.27.8 48.27.8 48.27.8		~ ~ ~	Richards	.	• • •				36 13	2969.2 1162.1 2183.7	2
40.27.8 40.27.8 40.27.8 40.27.8 40.27.8 40.27.8 40.27.8 40.27.8		~ ~	Richards	• •	• •				.73 26	2193.7	# # # #
40.27.8 40.27.8 40.27.8 40.27.8 40.27.8 40.27.8 40.27.8		~		•	•				38	2183.7	7.
48.27.8 48.27.8 48.27.8 48.27.8 48.27.8 48.27.8			Picherds								
40.27.8 40.27.8 40.27.8 40.27.8 40.27.8 40.27.8	*	-	Richards	•	•			241 27.	27.41	2200.1	16.9
48.27.8 48.27.8 48.27.8 48.27.8 48.27.8	12/6	-	Richards	•	•			212 36.	39.56	1127.4	69.1
48.27.8 48.27.8 48.27.8 48.27.8	3/21	=	Richards	•	•			25.	25.25	1523.9	39.0
61.27.8 61.27.8 61.27.8 61.27.8	3/21-4/21	-	Richards	•	=			199 7.	1.59	1150.1	33.9
48.27.8	12/6	-	Richards	•	38			155 6.	6.9	462.3	21.5
48.27.8 48.27.5	12/6	•	Richards	۵	2			226 22.34	z	3126.5	\$5.9
48.27.5	3/5	-	Richards	•	8			225 30.	30.63	\$120.0	11.6
48.27.5	3/51	~	Richards	•	8			201 11	17.21	1773.2	12.1
	3/03	5	Auson	×	•			186 22	22.37	3620.6	60.2
33 48.27.5 122.46.8	3/0	23	Auson	•	-			137 25.	25.14	3138.3	98.0
34 48,27,4 122,46,9	1/28	8	Yeager	•	~	~		200 14.	14.89	4510.0	67.2
34 48.27.4 122.46.9		82	Yeager	•	۲.	7.	Deta not processed	Cessed			
34 48.27 4 122 46.9	1/29-2/26	58	Yeager	•	~	~	Data not processed	pessex			

~ %

231 235

ar M

8

S

200 - 180 - 200 -

:...

SAM TOWNS CORPORED RECECULAR PRODUCTION SOCIOES SOCIES SOCIES SOCIES SOCIES SOCIES SOCIES SOCIES SOCIES SOCIES

TABLE 1. Location

¥.

*

Met Peak Total an Speed Speed Wariance 1 (car/sec) (car/sec) (car/sec) (car/sec) 24.10 4940.0 22.11 674.0 25.92 2943.1 24.96 4010.6 23.58 1747.5 23.58 1747.5 23.58 8093.9 23.65 6093.9 20.39 3251.4 605	IABLE 1. CON T.	00	٠,	Current Meter Data.	Meter	Data.										
(N) (N) (N) 34 48.77.1 122.47.0 3/12-4/05 23 Yeager 9 5 37 34 48.27.1 122.47.0 3/12-4/05 23 Yeager 9 21 37 34 48.27.1 122.46.9 3/12-4/05 23 Yeager 9 27 37 34 48.27.1 122.46.9 3/03-9/24 0 Yeager 9 27 37 34 48.27.1 122.46.9 9/03-9/24 0 Yeager 9 21 47 34 48.27.1 122.46.9 9/23-9/24 0 Yeager 9 21 47 34 48.27.1 122.46.9 9/23-9/29 7 Yeager 9 5 47 34 48.27.1 122.46.9 9/23-9/29 7 Yeager 9 5 47 34 48.27.1 122.46.9 9/25-9/29 7 Yeager 9 21 47	Location	Site		de Langitude	Detes	1 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Investigator	Station Number	Meter Deoth	Botton	Speed	Net Direction	Speed	Speed Speed	Total Variance	ž
34 48.27.1 122.41.0 31/2-4/05 23 Yeager 9 5 31 Buta not processed 24.10 4940.0 34 48.27.1 122.41.0 31/2-4/05 23 Yeager 9 27 37 165 22.8 3550.0 34 48.27.1 122.46.9 31/2-4/05 23 Yeager 9 27 37 Let a not processed 3550.0 34 48.27.1 122.46.9 31/4-3/24 0 Yeager 9 27 37 Let a not processed 3550.0 34 48.27.1 122.46.9 31/4-3/24 0 Yeager 9 21 47 Action processed 3550.0 34 48.27.1 122.46.9 31/3-3/24 0 Yeager 9 21 47 Action processed 25.27 2843.1 34 48.27.1 122.46.9 31/3-3-4/24 0 Yeager 9 21 41 Action processed 25.27 2843.1		;	*						•	•	(cm/sec)	(O1746)	(CB/89C)	(CB/89C)	(cm ² /sec ²)(ca/sec)
48.27.1 122.47.0 3/12-4/05 23 Yeager 9 21 37 Data not processed 48.27.1 122.46.0 3/12-4/05 23 Yeager 9 27 37 165 22.8 3550.0 48.27.1 122.46.9 9/04-9/24 0 Yeager 9 21 47 Data not processed 48.27.1 122.46.9 9/04-9/24 0 Yeager 9 21 47 236 22.71 674.0 48.27.1 122.46.9 9/03-9/21 18 Yeager 9 21 47 7 26 28.3.1 674.0 48.27.1 122.46.9 9/23-9/28 6 Yeager 9 21 47 7 166 25.32 283.1.4 48.27.1 122.46.9 9/23-9/28 7 Yeager 9 21 47 7 167.5 283.7.3 4010.6 48.27.1 122.46.9 14/20-16/16 12 Yeager 9 21	sario Strait	≖	48.27.1	122.47.0	3/12-4/05	23	Yeager	6	~	31		190	24 . 10		4940.0	70.3
48.27.1 122.45.9 3.1 4.6 and processed 1374 3.5 and page 3.7		*	48.27.1	122.47.0	3/12-4/05	23	Yeager	•	53	37	Data not	pessaooud	_			
48.27.1 122.46.9 9/04-9/24 0 Yeager 9 21 47 Data not processed 48.27.1 122.46.9 9/03-9/21 18 Yeager 9 21 47 166 25.37 5943.1 48.27.1 122.46.9 9/03-9/21 18 Yeager 9 37 47 166 25.92 2943.1 48.27.1 122.46.9 9/03-9/28 6 Yeager 9 5 47 70 26.96 26.16 26.37.5 2643.1 48.27.1 122.46.9 9/23-9/28 6 Yeager 9 21 47 70 70 26.16 26.16 26.10 26.13 26.14 26.19 26.19 26.13 26.14<		=	48.27.1	122.47.0	3/12-4/05	23	Yeager	•	23	31		165	22.8		3550.0	9.6
48.27.1 122.46.9 9/03-9/21 18 Yeager 9 21 47 296 22.71 614.0 48.27.1 122.46.9 9/03-9/21 18 Yeager 9 37 47 166 25.92 2843.1 48.27.1 122.46.9 9/23-9/22 6 Yeager 9 5 47 706 26.96 4010.6 48.27.1 122.46.9 9/23-9/22 6 Yeager 9 21 47 766 26.10 <td></td> <td>*</td> <td>48.27.1</td> <td>122.46.9</td> <td>9/04-9/24</td> <td>•</td> <td>Yesser</td> <td>•</td> <td>\$</td> <td>1.1</td> <td>Data not</td> <td>processed</td> <td></td> <td></td> <td></td> <td></td>		*	48.27.1	122.46.9	9/04-9/24	•	Yesser	•	\$	1.1	Data not	processed				
48.27.1 122.46.9 9/23-9/21 18 Veager 9 37 47 166 25.92 2943.1 48.27.1 122.46.9 9/23-9/28 6 Yeager 9 21 47 166 24.96 4010.6 48.27.1 122.46.9 9/23-9/28 6 Yeager 9 21 47 166 26.10 2837.5 48.27.1 122.46.9 9/23-9/28 6 Yeager 9 37 47 155 23.58 1747.5 48.27.1 122.46.9 10/05-10/16 12 Yeager 9 21 47 184 26.40 4550.0 48.27.1 122.46.9 10/05-10/16 12 Yeager 9 21 41 184 26.40 4550.0 48.27.1 122.46.9 10/05-10/16 12 Yeager 9 21 41 Data on file at MOS 48.26.9 122.46.9 122.46.9 122.46.9 2 44 Data on file at MOS		*	48.27.1	122.45.9	9/03-9/21	82	Yeager	o,	12	11		296	22.71		674.0	26.0
48.27.1 122.46.9 9/23-9/26 6 Yeager 9 5 41 206 24.96 4010.6 48.27.1 122.46.9 9/23-9/29 7 Yeager 9 21 47 166 26.10 2837.5 48.27.1 122.46.9 9/23-9/29 6 Yeager 9 37 47 166 26.10 2837.5 48.27.1 122.46.9 9/23-9/29 6 Yeager 9 21 47 184 26.40 4550.0 48.27.1 122.46.9 10/05-10/16 12 Yeager 9 21 47 184 26.40 4550.0 48.27.1 122.46.9 10/05-10/16 12 Yeager 9 21 47 187 20.30 3251.4 48.26.9 122.46.9 122.46.9 2/28-3/11 12 Yeager 9 21 44 Data on file at MOS 48.26.9 122.46.9 2/28-3/11 12 Yeager 9 21		*	48.27.1	122.46.9	9/03-9/21	=	Yeager	•	31	1.1		166	25.92		2943.1	\$7.5
48.27.1 122.46.9 9/23-9/29 7 Yeager 9 21 47 166 26.10 2837.5 48.27.1 122.46.9 9/23-9/28 6 Yeager 9 37 47 155 23.58 1747.5 48.27.1 122.46.9 10/05-10/16 12 Yeager 9 21 47 184 25.40 455.0 48.27.1 122.46.9 10/05-10/16 12 Yeager 9 21 41 13 23.65 4093.9 48.27.1 122.46.9 10/05-10/16 12 Yeager 9 21 41 164.20.30 3251.4 48.27.1 122.46.9 12/28-3/11 12 Yeager 9 21 41 Data on file at MOS 48.26.9 122.46.9 122.46.9 122.46.9 122.46.9 21 44 Data on file at MOS 48.26.9 122.46.9 122.46.9 22 44 Data on file at MOS 3251.4		*	48.27.1	122.46.9	8/23-9/28 1975	٠	Yesger	•	\$	Ş		206	24.96		4010.6	13 .3
48.27.1 122.46.9 9/23-9/28 6 Yeager 9 37 47 155 23.58 1747.5 48.27.1 122.46.9 19/05-10/16 12 Yeager 9 21 47 174 23.65 4093.9 48.27.1 122.46.9 19/05-10/16 12 Yeager 9 21 47 174 23.65 4093.9 48.27.1 122.46.9 19/05-10/16 12 Yeager 9 31 47 167 20.30 3251.4 48.27.1 122.46.9 12/28-3/11 12 Yeager 9 5 44 Data on file at MOS 48.26.9 122.46.9 122.46.9 122.46.9 122.46.9 3 44 Data on file at MOS 48.26.9 122.46.9 2/28-3/11 12 Yeager 9 21 44 Data on file at MOS		*	48.27.1	122.46.9	9/23-9/29	-	Yeager	•	~	÷		991	26.10		2837.5	53.3
48.27.1 122.46.9 10/05-10/16 12 Yeager 9 21 47 184 26.40 4550.0 1975 1975 1975 1975 1975 1975 1975 1975		75	48.27.1	122.46.9	9/23-9/28	ص	Yeager	•	£	:		155	23.58		1747.5	. .
48.27.1 122.46.9 10/05-10/15 12 Yeager 9 21 47 174 23.65 4093.9 1975 48.27.1 122.46.9 122.46.9 2/28-3/11 12 Yeager 9 37 44 Data on file at MOS 1974 48.26.9 122.46.9 2/28-3/11 12 Yeager 9 21 44 Data on file at MOS 1974 48.26.9 122.46.9 2/28-3/11 12 Yeager 9 21 44 Data on file at MOS 1974 1974 1974 1974 1974		*	48.27.1	122.46.9	1/05-10/01		Yesper	4 n	5 5	Ç		181	26.40		4550.0	\$7.4
48.27.1 122.46.9 18/05-10/16 12 Yeager 9 37 47 167 20.30 3251.4 1875 48.26.9 122.46.9 2/28-3/11 12 Yeager 9 5 44 Data on file at MOS 48.26.9 122.46.9 2/28-3/11 12 Yeager 9 21 44 Data on file at MOS 1874 48.26.9 122.46.9 2/28-3/11 12 Yeager 9 34 44 Data on file at MOS 1874 18.26.9 122.46.9 2/28-3/11 12 Yeager 9 34 44 Data on file at MOS 1974		*	48.27.1	122.46.9	1/01-50/01		Yeager	•	12	5		13	23.65		4093.9	3
48.26.9 122.46.9 2/28-3/11 12 Yeager 9 5 44 48.26.9 122.46.9 2/28-3/11 12 Yeager 9 21 44 48.26.9 122.46.9 2/28-3/11 12 Yeager 9 34 44 18.26.9 122.46.9 2/28-3/11 12 Yeager 9 34 44		*	48.27.1	122.46.9	1/05-10/01		Yeager	•		\$		167	20.30		3251.4	57.0
48.26.9 122.46.9 2/28-3/11 12 Yeager 9 21 44 1974 48.26.9 122.46.9 2/28-3/11 12 Yeager 9 34 44 1974		æ	48.25.9	122.46.9	11/6-92/2	2	Yeager	•	v,	=	Deta sa	file at AC	×			
48.26.9 122.46.9 2/20-3/11 12 Yeager 9 34 44 1974		35	40.26.9	122.46.9	11/6-82/2	2	Yeager	•	12	=	Deta on	file at M	æ			
		35	48.26.9	122.46.9	11/20-3/11	13	Yeager	.	7.	7	Deta 9	file at AC	×			

TABLE 2. Current Meter Data.

Second color Seco	IABLE 2. Current	3	rrent	meter	Data.											
10 10 10 10 10 10 10 10	Location	Site	Latitude	_	Detes	1 de 1		Station	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		<u> </u>	Met day	ĭ j	į	Total	Į
1, 10, 10, 10, 10, 10, 10, 10, 10, 10,	***************************************		(E)	(E)		Ì			3	•	(ca/sec)	O T/e)	(ca/sec)	(ca/sec)	(ca ² /sec ²)	(ca/sec)
1, 10, 10, 10, 10, 10, 10, 10, 10, 10,	reit of	*	11.09.6	123.24.6	4/20-4/28	S	5 44	-	~		19.7	328			2100	45.8
1,	a de Feca	*	41.09.6	123.24.6	1963	v	Keith	-	2		13.5	302			1600	0.0
Heat		*	11.09.6	123.24.6	1963	•	Ke ith	-	5		18.2	241			1408	37.4
Hand		6	48.11.2	123.17.3	1963 7/20-1/24	s	₹	2	₩.		35.5	224			3600	9 .0
1, 11, 12, 12, 13, 13, 14, 14, 14, 14, 14, 14, 14, 14, 14, 14		37	46.11.2	123.17.3	1961	w	(E7#	3	39		10.4	112			3200	58.6
1, 10, 11, 11, 11, 11, 11, 11, 11, 11,		33	48,11.2	123, 17, 3	1/20-1/24	.	[4	3	3		1.1	3			2100	\$2.0
1,		;			1961	•							1	7		
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		*	#.# #.#	122.23.5	7/x-9/x 1970		To lietson	-	89-2		All recor	28 less c	nem e tid	- 66y		
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		ž	1.01.1	123.22.6	11/03-11/06		Tollefson	-	2		All recort	ds less t	hen a cid	el dey		
14 (4.4) (12.3)		=	41.11.5	123.22.3	01/1-10/9	33	Ebbesseyer	±	S		3.1	160	6.16		97	3 1. 4
42 44.04.2 123.11.5 10/11/10 14 190900 14 1 17 25 04ct quentionable 19 12.2 1 1915 1915 1915 1915 1915 1915 1915 1		=	48.07.3	123.27.9	5/x-10/x		Tollefson		2-13		All recort	ts less t	han a cid	el day		
41 (4.04.2 123.11.5 1971-1973 15 Teager 16 17 25 Data questionable 1975 14 1975 14 Manson 19 5 5 1 1 2 1 1945 14 1945 14 Manson 19 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		~	41.04.2	123.17.5	10/21-11/02	=	Yesger	=	so.	×	13.3	66	12.24		3.7%	2
43 44.04.3 122.57.4 3/19-3/23 4 Nunson 13 23 5.7 3 33 5.71 354 5.46 18.3 3.0 18.3 1.10.3 11455 4 Nunson 13 23 23 23 23 23 23 23 23 23 23 23 23 23		~	46.06.2	123.11.5	16/16-10/31	æ	Yeager	=	=	\$2	Data quesi	t foneble				
43 44.05.3 122.57.4 3/19-3/23 4 Nunton 613 23 17 4.66 346 18.2 18.2 19.6 19.6 18.2 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6		5	41.09.9	122.57.8	3/19-3/23	-	Munson	2	w			330	5.71		519.3	₩.3
43 4.00 is 122.55.6 is 1719-1723 4.00 is 122.55.6 is 1719-1723 4.00 is 122.55.6 is 1719-1709 6.00 is 17.50 is 1719-1709 6.00 is 17.50 is 1719-1709 6.00 is 17.50 is 17		3	41.09.9	122.57.8	3/19-3/23	•	Muson	=	8			=	7.46		349.0	18 .7
44 44.11.0 122.55.6 19/31-11/99 10 Yeager 81 5 35 43.28 164 11.2 2081.7 31.31		E	11.09.9	122.57.8	3/18-3/23	-	Munson	2	30			334	5.46		334.0	=:
44 46.11.0 122.55.6 14/31-1159 4 5 46.11.4 122.54.8 3/20-3/24 45 46.11.4 122.54.8 3/20-3/24 45 46.11.4 122.54.8 3/20-3/24 46 46.09.3 122.49.3 3/10-3/39 47 46.07.0 122.53.8 3/10-3/23 48 46.07.0 122.53.8 3/10-3/23 49 46.07.0 122.53.8 3/10-3/23 40 46.07.0 122.53.8 3/10-3/23 41 46.07.0 122.53.8 3/10-3/23 42 46.07.0 122.53.8 3/10-3/23 43 46.07.0 122.53.8 3/10-3/23 44 46.07.0 122.53.8 3/10-3/23 45 46.07.0 122.53.8 3/10-3/23 46 46.07.0 122.53.8 3/10-3/23 47 46.07.0 122.53.8 3/10-3/23 48 46.07.0 122.53.8 3/10-3/23 49 46.07.0 122.53.8 3/10-3/23 40 46.07.0 122.53.8 3/10-3/23 41 46.07.0 122.53.8 3/10-3/23 42 46.07.0 122.53.8 3/10-3/23 43 46.07.0 122.53.8 3/10-3/23 44 46.07.0 122.53.8 3/10-3/23 45 46.07.0 122.53.8 3/10-3/23 46 46.07.0 122.53.8 3/10-3/23 47 46.07.0 122.53.8 3/10-3/23 48 46.07.0 122.53.8 3/10-3/23 49 46.07.0 122.53.8 3/10-3/23 40 46.07.0 122.53.8 3/10-3/23 41 46.07.0 122.53.8 3/10-3/23 42 46.07.0 122.53.8 3/10-3/23 43 46.07.0 122.53.8 3/10-3/23 44 46.07.0 122.53.8 3/10-3/23 45 46.07.0 122.53.8 3/10-3/23 46 46.07.0 122.53.8 3/10-3/23 47 46.07.0 122.53.8 3/10-3/23 48 46.07.0 122.53.8 3/10-3/23 49 46.07.0 122.53.8 3/10-3/23 40 46.07.0 122.53.8 3/10-3/23 41 46.07.0 122.53.8 3/10-3/23 42 46.07.0 122.53.8 3/10-3/23 43 46.07.0 122.53.8 3/10-3/23 44 46.07.0 122.53.8 3/10-3/23 45 46.07.0 122.53.8 3/10-3/23 46 47 46.07.0 122.53.8 3/10-3/23 47 46.07.0 122.53.8 3/10-3/23 48 46.07.0 122.53.8 3/10-3/23 49 46.07.0 122.53.8 3/10-3/23 40 46.07.0 122.53.8 3/10-3/23 41 46.07.0 122.53.8 3/10-3/23 42 46.07.0 122.53.8 3/10-3/23 43 46.07.0 122.53.8 3/10-3/23 44 46.07.0 122.53.8 3/10-3/23 45 46.07.0 122.53.8 3/10-3/23 47 46.07.0 122.53.8 3/10-3/23 48 46.07.0 122.53.8 3/10-3/23 49 47 48.07.0 122.53.8 3/10-3/23 40 48.08 3/10-3/23 40 48.08 3/10-3/23 40 48.08 3/10-3/23 40 48.08 3/10-3/23 40 48.08 3/10-3/23 40 48.08 3/10-3/23 40 48.08 3/10-3/23 40 48.08 3/10-3/23 40 48.08 3/10-3/23 40 48.08 3/10-3/23 40 48.08 3/10-3/23 40 48.08 3/10-3/23 40 48.08 3/10-3/23 40 48.08 3/10-3/23 40 48.08 3/10-3/23 40 48.08 3/10-3/23 40 48.08 3/10-3/23 40 48		=	48.11.0	122.55.6	10/31-11/09	5	Yeager	=	v	33	43.28	3	11.2		2888.7	53.7
45 46.11.4 122.54.8 3/26-3/24 3 Manson 84 5 5 6 73 17.69 654.9 25.6 1955 45 46.11.4 122.54.8 3/20-3/24 3 Manson 84 66 7 146 3.15 11.69 8.12 2.15 11.69 11.60		3	48.11.0	122.55.6	10/31-11/09	•	Yeeger	=	23	35	30.34	90	3.7		1365.7	37.0
45 48.11.4 122.54.8 3/20-3/24 3 Nunson 84 46 46 114 3.15 467.7 21.6 1965 46.11.4 122.54.8 3/20-3/24 3 Nunson 84 46 47 7 Nuter as 1 for 106 6.12 205.7 14.3 1855 46 48.09.3 122.49.3 3/17-3/30 0 Crawford 125 22 27 82 33.67 20.7 1815 47 48.07.0 122.53.8 3/19-3/23 4 Nunson 82 48 73 73 73 73 73 73 73 73 73 73 73 73 73		\$	4.11.4	122.54.8	3/20-3/24	6	Munson	2	•			263	17.60		6.4.9	3.6
46 48.09.3 122.49.1 3/10-3/24 3 Numeon 84 67 106 6.12 205.7 14.3 1965 46 48.09.3 122.49.3 3/11-3/30 0 Crawford 125 52 27 Nater aalfunction 46 48.09.3 122.49.3 3/11-3/30 15 Crawford 125 22 27 Nater aalfunction 47 48.07.0 122.53.8 3/19-3/23 4 Numeon 82 48 29 39 1.01 33.87 8.0 1.01 12.53.8 3/19-3/23 4 Numeon 82 79 29 39.6 29 1.01 29.6 29.6 29.6 29.6 29.6 29.6 29.6 29.6		\$	48.11.4	122.54.0	1965 3/20-3/24		Munson	2	•			7	3.15		1.734	31.6
46 48.09.3 122.49.3 3/11-3/30 0 Crawford 125 27 Meter malfunction 46 48.09.3 122.49.3 3/11-3/30 15 Crawford 125 27 92 33.87 3681.2 60.7 47 48.07.0 122.53.8 3/19-3/23 4 Nunson 82 48 5 219 3.46 48.6 7.0 47 48.07.0 122.53.8 3/19-3/23 4 Nunson 82 48 5 3.66 3.05 77.7 8.8 48 48.06.9 122.53.8 3/19-3/23 4 Nunson 82 79 30 1.01 24.4 4.9 48 48.06.9 122.53.8 8/01-8/05 1 Grunnell 82 79 30 1.01 24.4 4.9 228 100 100 100 100 100 100 100 100 100 100 100 100 100 100		\$	49.11.4	122.54.8	3/20-3/24	е.	Munson	=	5			•	1.12		205.7	14.3
46 48.09.3 122.49.3 3/11-3/30 15 Crawford 125 22 27 92 33.87 3681.2 60.7 171 171 171 171 171 171 171 171 171 1		\$	48 .09.3	122.49.3	3/17-3/30	•	Crewford	125	v		Mater as I	function				
47 48.07.0 122.53.8 3/19-3/23 4 Nunson 82 5 219 3.46 48.6 7.0 1965 47 48.07.0 122.53.8 3/19-3/23 4 Nunson 82 48 96 3.05 77.7 8.8 1965 47 48.07.0 122.53.8 3/19-3/23 4 Nunson 82 79 39 1.07 24.4 4.9 1965 48 48.06.9 122.53.8 8/01-8/05 1 Grunnell 82 5 297 6.08 3919 19.4 222 ESS ESS SS S		\$	48.09.3	122.49.3	3/17-3/30	21	Crawford	125	22	21		95	33.87		3681.2	60.7
47 48.07.0 122.53.8 3/19-3/23 4 Nunson 82 48 56 3.05 77.7 8.8 48 48.06.9 122.53.8 3/19-3/23 4 Nunson 82 79 33 1.01 24.4 4.9 49 48.06.9 122.53.8 8/01-8/05 1 Grunnell 82 5 297 6.08 391-9 19.8		=	48.07.0	122.53.0	3/19-3/23	-	Munson	8 5	vs			219	3.46		9 . 8 .	1.0
17 (8.07.0 122.53.8 3/19-3/23 (Munson 82 79 33 1.0) 24.4 4.9 11 11 18.05 32.3 12.53.8 8/01-8/05 1 Grunnell 82 5 39 5.00 3919 19.8 22.5 (2		:	48.07.0		£2/E-81/E	-	Munson	8	#			96	3.05		11.1	:
11 18.06.3 122.53.8 8/01-8/06 1 Grammell 82 5 20 8.00 8.00 3919 19.1 22.2 (22.3 (22.		;	48.07.0	122.53.8	3/18-3/23	•	Munson	83	79			33	1.03		31.4	4.9
(1973 1974 1975 1974 1975 1975 1975 1975 1975 1975 1975 1975		=	6 90 84	122.53.8	8/01-8/05	-	Grunnell	85	••			297	6.9		391 9	3.0
		3	88					9	N	8				8		

Data.
Meter
Current
con't.
5.
TABLE

Ċ

2

\$0 \$4

()

S

(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Location	Ste	Latitud	Site Latitude Langitude	Detes	T 46.	Tide) Investigator Dave	Station	Met er Death	Botton Death	\$ B	Net Direction	,	į	Tota) Varience	ŧ
4. 0.6. 9 122 53.8			2	(x)					•	•	(cm/sec)	(O T?E)	(CB/89C)	(ca/sec)	(ca ² /sec ²)	(CB/89C)
4 4. 41.4 122.34.5 3/39-4/16 15 Granford 131 5 25 18 19 19 19 19 19 19 19 19 19 19 19 19 19	it of	=	6.90.8	,	1966 8/01-8/05		Grunnell	28	s.			295			232.3	15.2
4 D.1.4 122.31.5 3/30-1/18 15 Creatford 131 22 28 9 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	S Fuca	6	48.01.4		1966 3/30-4/16	5	Crawford	131	s	92		2	37.10		5447.0	13.8
4.0.1. 122.31.3 1/14-1/71 19 Cannon 11 18 69 6 62 42 44.0.1. 122.31.3 1/14-1/71 19 Cannon 11 52 60 62 42 44.0.1. 122.31.3 1/27-1/16 1 baberts 1 5 198 21 44.0.1. 122.31.3 1/27-1/16 2 baberts 1 5 198 21 44.0.1. 122.31.3 1/27-1/16 2 baberts 1 5 198 21 44.0.1. 122.31.3 1/27-1/16 1 baberts 1 5 198 21 49 21 4.0.1. 122.31.3 1/27-1/16 1 baberts 1 5 198 21 49 21 4.0.1. 122.31.3 1/27-1/16 1 baberts 1 5 198 21 49 21 4.0.1. 122.31.3 1/27-1/16 1 baberts 1 5 198 21 49 21 4.0.1. 122.31.3 1/27-1/16 1 baberts 1 5 198 21 49 21 4.0.1. 122.31.3 1/27-1/16 2 baberts 1 5 198 21 49 21 4.0.1. 122.31.3 1/27-1/16 2 baberts 1 5 198 21 49 21 4.0.1. 122.31.3 1/27-1/16 2 baberts 1 5 198 21 49 21 4.0.1. 122.31.3 1/27-1/16 2 baberts 1 5 198 21 49 21 4.0.1. 122.31.3 1/27-1/16 2 baberts 1 5 198 21 49 21 4.0.1. 122.31.3 1/27-1/16 2 baberts 1 5 198 21 49 21 4.0.1. 122.31.3 1/27-1/16 2 baberts 1 5 198 21 49 21 4.0.1. 122.31.3 1/27-1/16 2 baberts 1 5 198 21 49 21 4.0.1. 122.31.3 1/27-1/16 2 baberts 1 5 198 21 4.0.1. 122.31.3 1/27-1/13 6 baberts 1 5 198 21 4.0.1. 122.31.3 1/27-1/13 6 baberts 1 5 198 21 4.0.1. 122.31.3 1/27-1/13 6 baberts 1 5 198 21 4.0.1. 122.31.3 1/27-1/13 6 baberts 1 5 198 21 4.0.1. 122.31.3 1/27-1/13 6 baberts 1 5 198 21 4.0.1. 122.31.3 1/27-1/13 6 baberts 1 5 198 21 4.0.1. 122.31.3 1/27-1/13 6 baberts 1 5 198 21 4.0.1. 122.31.3 1/27-1/13 8 baberts 1 5 198 21 4.0.1. 122.31.3 1/27-1/13 8 baberts 1 5 198 21 4.0.1. 122.31.3 1/27-1/13 8 baberts 1 1 5 198 21 4.0.1. 122.31.3 1/27-1/13 8 baberts 1 1 5 198 21 4.0.1. 122.31.3 1/27-1/13 8 baberts 1 1 5 198 21 4.0.1. 122.31.3 1/27-1/13 8 baberts 1 1 5 198 21 4.0.1. 122.31.3 1/27-1/13 8 baberts 1 12 5 198 21 4.0.1. 122.31.3 1/27-1/13 8 baberts 1 12 5 198 21 4.0.1. 122.31.3 1/27-1/13 8 baberts 1 12 5 198 21 4.0.1. 122.31.3 1/27-1/13 8 baberts 1 12 5 198 21 4.0.1. 122.31.3 1/27-1/13 8 baberts 1 12 5 198 21 4.0.1. 122.31.3 1/27-1/13 8 baberts 1 12 5 198 21 4.0.1. 122.31.3 1/27-1/13 8 baberts 1 12 5 198 21 4.0.1. 122.31.3 1/27-1/13 8 baberts 1 12 5 198 21 4.0.1. 122.31.3 1/27-1/13 8 baberts 1 12		=	7 10 97		31/3-8E/E	ž.	Crawford	131	~	5 8		•	24.87		4672.3	3
4.01.4 122.31.3 1/14-1//11 19 Cannon 11 18 19 19 19 19 19 19 19 19 19 19 19 19 19		: ;			1976	: :		. :	:	:		•	;			2
46.01.4 122.38.3 1/12-11/11 19 Cannon 11 52 50 60 62 14 64.01.4 122.38.3 1/27-1/16 1 1 Baberts 1 5 100 21 14 15 100 21 14 14 12 14 14 14 12 14 14 14 12 14 14 14 14 14 14 14 14 14 14 14 14 14		S	9.63		11/11-31/8	2	Cannon Cannon	=	=	2		-	8		123.	
44.01.4 122.38.3 1/27-3/16 1 hoberts 1 5 100 21 44.01.4 122.38.3 1/27-3/16 2 hoberts 1 5 100 34 44.01.4 122.38.3 1/27-3/16 1 hoberts 1 5 100 34 44.01.4 122.38.3 1/27-3/16 1 hoberts 1 5 100 34 44.01.4 122.38.3 1/27-3/16 1 hoberts 1 5 100 34 44.01.4 122.38.3 1/27-3/16 1 hoberts 1 5 100 35 44.01.4 122.38.3 1/27-3/16 1 hoberts 1 5 100 35 44.01.4 122.38.3 1/27-3/16 1 hoberts 1 5 100 35 44.01.4 122.38.3 1/27-3/16 1 hoberts 1 5 100 35 44.01.4 122.38.3 1/27-3/16 1 hoberts 1 5 100 35 44.01.4 122.38.3 1/27-3/16 1 hoberts 1 5 100 35 44.01.3 122.38.3 1/27-3/16 1 hoberts 1 5 100 35 44.01.3 122.38.3 1/27-3/16 1 hoberts 1 5 100 35 44.01.3 122.38.3 1/27-3/16 1 hoberts 1 5 100 35 44.01.3 122.38.3 1/27-3/16 1 hoberts 1 5 100 35 44.01.3 122.38.2 2/14-3/25 6 hoberts 1 5 100 35 44.01.3 122.38.2 2/14-3/25 6 hoberts 1 5 100 35 44.01.3 122.38.2 2/14-3/25 6 hoberts 1 5 100 35 44.01.3 122.38.2 2/14-3/25 6 hoberts 1 5 100 35 44.01.3 122.38.2 2/14-3/25 6 hoberts 1 5 100 35 44.01.3 122.38.2 2/14-3/25 6 hoberts 1 5 100 35 44.01.3 122.38.2 2/14-3/25 6 hoberts 1 5 100 35 44.01.3 122.38.2 2/14-3/25 6 hoberts 1 5 100 35 44.01.3 122.38.2 2/14-3/25 6 hoberts 1 5 100 35 44.01.6 122.38.2 3/14-3/25 6 hoberts 1 5 100 35 44.01.6 122.38.2 3/14-3/25 6 hoberts 1 5 100 35 44.01.6 122.38.2 3/14-3/25 6 hoberts 1 32 5 100 35 44.01.6 122.38.2 3/14-3/25 7 6 hoberts 1 32 5 100 35 44.01.6 122.38.2 3/14-3/25 7 6 hoberts 1 32 5 100 35 44.01.6 122.38.2 3/14-3/25 7 7 8 hoberts 1 32 5 100 35 44.01.6 122.38.2 3/14-3/25 7 7 8 hoberts 1 32 5 100 35 44.01.6 122.38.2 3/14-3/25 7 7 8 hoberts 1 32 5 100 35 44.01.6 122.38.2 3/14-3/25 7 7 100 35 44.01.6 122.39.0 3/23-3/20 3		3	48.01.6		9/14-11/11	=	Cannon	=	2	0.9		27	7.85		5437.1	13.7
48.01.4 122.38.3 1/27-3/16 2 Roberts 1 5 109 349 48.01.4 122.38.3 1/27-3/16 1 Roberts 1 5 109 349 48.01.4 122.38.3 1/27-3/16 1 Roberts 1 5 109 349 48.01.4 122.38.3 1/27-3/16 1 Roberts 1 5 109 349 48.01.4 122.38.3 1/27-3/16 1 Roberts 1 5 109 349 48.01.4 122.38.3 1/27-3/16 1 Roberts 1 5 109 349 48.01.4 122.38.3 1/27-3/16 1 Roberts 1 5 109 349 48.01.4 122.38.3 1/27-3/16 1 Roberts 1 5 109 10 48.01.4 122.38.3 1/27-3/16 1 Roberts 1 5 109 10 48.01.3 122.38.3 1/27-3/16 1 Roberts 1 5 109 10 48.01.3 122.38.3 1/27-3/16 1 Roberts 1 5 109 10 48.01.3 122.38.3 2/14-3/25 4 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 5 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 3 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 3 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 3 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 3 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 3 5 109 20 48.01.3 122.38.3 2/14-3/25 6 Roberts 1 3 5 109 20 48.01.3 122.38.3 3/12-4/37 39 Craeford 132 5 109 20 48.01.5 122.39.0 3/12-4/37 39 Craeford 132 5 109 20 48.01.6 122.39.0 3/12-4/37 39 Craeford 132 2 101 30 20 48.01.6 122.39.0 3/12-4/37 39 Craeford 132 2 101 30 20 48.01.6 122.39.0 3/12-4/37 39 Craeford 132 2 101 30 20 48.01.6 122.39.0 3/12-4/37 39 Craeford 132 2 10 30 20 48.01.6 122.39.0 3/12-4/		2	1.10.11		31/21-3/16	-	Roberts	-	•	9		2	24.69		6075.7	11.9
48.01.4 122.31.3 1/27-3/16 5 Roberts 1 5 109 349 48.01.4 122.31.3 1/27-3/16 1 Roberts 1 5 109 349 48.01.4 122.31.3 1/27-3/16 1 Roberts 1 5 109 359 48.01.4 122.31.3 1/27-3/16 1 Roberts 1 5 109 359 48.01.4 122.31.3 1/27-3/16 1 Roberts 1 5 109 359 48.01.4 122.31.3 1/27-3/16 1 Roberts 1 5 109 13 48.01.4 122.31.3 1/27-3/16 1 Roberts 1 5 109 13 48.01.4 122.31.3 1/27-3/16 2 Roberts 1 5 109 10 48.01.3 122.31.3 1/27-3/16 3 Roberts 1 5 109 10 48.01.3 122.31.3 2/14-3/25 4 Roberts 1 5 109 31 48.01.3 122.31.2 2/14-3/25 5 Roberts 1 5 109 22 48.01.3 122.31.2 2/14-3/25 6 Roberts 1 5 109 22 48.01.3 122.31.2 2/14-3/25 6 Roberts 1 5 109 22 48.01.3 122.31.2 2/14-3/25 6 Roberts 1 5 109 22 48.01.3 122.31.2 2/14-3/25 6 Roberts 1 5 109 22 48.01.3 122.31.2 2/14-3/25 6 Roberts 1 5 109 31 48.01.3 122.31.2 3/14-3/25 6 Roberts 1 5 109 31 48.01.3 122.31.2 3/14-3/25 6 Roberts 1 5 109 31 48.01.3 122.31.2 3/14-3/25 6 Roberts 1 5 109 31 48.01.3 122.31.2 3/14-3/25 6 Roberts 1 5 109 31 48.01.3 122.31.2 3/14-3/25 6 Roberts 1 5 109 31 48.01.3 122.31.2 3/14-3/25 6 Roberts 1 5 109 31 48.01.3 122.31.2 3/14-3/25 30 Creaford 132 4 109 103 48.01.6 122.31.0 3/22-3/09 8 Creaford 132 2 101 48.01.6 122.31.0 3/22-3/09 8 Creaford 132 2 1 101 334		5	48.01.4		31/21-12/1	~	Roberts	-	•	5		354	15.26		1047.3	H.2
44.01.4 122.34.3 1/21-3/16 1 hoberts 1 5 199 19 19 19 1942 44.01.4 122.34.3 1/27-3/16 1 hoberts 1 5 199 359 199 199 199 199 199 199 199 199 199 1		2	48.61.4		1/27-3/16	~	Roberts	-	~	<u>5</u>		2	24.41		6756.5	12.2
68.01.4 122.38.2 1/27-3/16 1 Noberts 1 5 106 359 68.01.4 122.38.2 1/27-3/16 1 Noberts 1 5 106 359 68.01.4 122.38.3 1/27-3/16 2 Noberts 1 5 106 13 68.01.4 122.38.3 1/27-3/16 3 Noberts 1 5 106 13 68.01.4 122.38.3 1/27-3/16 1 Noberts 1 5 106 13 68.01.3 122.38.2 1/27-3/16 1 Noberts 1 5 106 13 68.01.3 122.38.2 2/44-3/25 4 Noberts 1 5 106 13 68.01.3 122.38.2 2/44-3/25 6 Noberts 1 5 106 13 68.01.3 122.38.2 2/44-3/25 6 Noberts 1 5 106 12 68.01.3 122.38.2		2	41.01.4		31/21-12/1	-	Appents	-	•	5		=	63.91		1245.5	=
48.01.4 122.38.3 1/21-3/16 1 Noberts 1 5 188 359 48.01.4 122.38.3 1/21-3/16 2 Noberts 1 5 188 13 48.01.4 122.38.3 1/21-3/16 4 Noberts 1 5 106 13 48.01.4 122.38.3 1/21-3/16 1 Noberts 1 5 106 16 48.01.3 122.38.2 1/21-3/16 2 Noberts 1 5 106 10 48.01.3 122.38.2 2/14-3/25 4 Noberts 1 5 10 23 48.01.3 122.38.2 2/14-3/25 6 Noberts 1 5 10 23 48.01.3 122.38.2 2/14-3/25 6 Noberts 1 5 10 23 48.01.3 122.38.2 2/14-3/25 6 Noberts 1 5 10 1 48.01.3 122.38.2		2	4.11.4		1/27-3/16	-	Roberts	-	s	Ī		-	23.01		2586.5	3.
48.01.4 122.38.3 1/21-3/16 2 Noberts 1 5 199 13 48.01.4 122.38.3 1/21-3/16 4 Noberts 1 5 199 13 48.01.4 122.38.3 1/22-3/16 1 Noberts 1 5 199 13 48.01.3 122.38.2 1/22-3/16 1 Noberts 1 5 199 10 48.01.3 122.38.2 2/14-3/25 1 Noberts 1 5 199 23 48.01.3 122.38.2 2/14-3/25 4 Noberts 1 5 199 23 48.01.3 122.38.2 2/14-3/25 6 Noberts 1 5 199 23 48.01.3 122.38.2 2/14-3/25 6 Noberts 1 5 199 23 48.01.3 122.38.2 2/14-3/25 6 Noberts 1 5 199 23 48.01.3 122.38.2 2/14-3/25 6 Noberts 1 5 199 23 48.01.3 122.38.2 2/14-3/25 6 Noberts 1 5 199 23 48.01.3 122.38.2 2/14-3/25 6 Noberts 1 5 199 22 48.01.3 122.38.2 2/14-3/25 6 Noberts 1 5 199 23 48.01.3 122.38.2 2/14-3/25 6 Noberts 1 5 199 23 48.01.3 122.38.2 2/14-3/25 6 Noberts 1 5 199 23 48.01.3 122.38.2 2/14-3/25 6 Noberts 1 5 199 315 48.01.6 122.38.2 3/23-4/22 29 Creaford 132 4 199 183 48.01.6 122.38.2 3/23-4/22 29 Creaford 132 5 191 334 48.01.6 122.38.2 3/23-4/22 29 Creaford 132 5 191 334		5	4.01.4		31/2-12/1	-	Roberts	-	•	5		329	26. PE		3751.9	61.2
46.81.4 122.38.3 1/27-3/16 4 Roberts 1 5 100 18 46.81.4 122.38.3 1/27-3/16 1 Roberts 1 5 100 18 46.81.3 122.38.2 1/27-3/16 2 Roberts 1 5 100 10 46.81.3 122.38.2 2/14-3/25 1 Roberts 1 5 10 10 46.81.3 122.38.2 2/14-3/25 4 Roberts 1 5 10 23 46.81.3 122.38.2 2/14-3/25 4 Roberts 1 5 10 2 46.81.3 122.38.2 2/14-3/25 6 Roberts 1 5 10 2 46.81.3 122.38.2 2/14-3/25 6 Roberts 1 5 10 2 46.81.3 122.38.2 2/14-3/25 6 Roberts 1 5 10 2 46.81.5 122.38.2 2/		2	41.01.4		342 31/6-15/1	~	Poberts	-	•	Ē		2	¥.2		4458.5	3
1942 122.30.3 1/23-3/16 1 Roberts 1 5 100 10 1942 1942 1942 1942 1942 1942 1942 1942 1942 1942 1942 1942 1942 1942 1943		5	4.0.4		1942 1/27-3/16	-	Roberts	-	~	2		2	23.63		5705.5	75.5
1942 1942 1942 1944		2	1.01.1		1942 1,27-3/16	-	Poberts	-	•	90		2	29.11		1998.2	3.6
46.01.3 122.36.2 2/14-3/25 1 Roberts 1 5 100 20 46.01.3 122.36.2 2/14-3/25 4 Roberts 1 5 100 20 46.01.3 122.36.2 2/14-3/25 6 Roberts 1 5 100 20 46.01.3 122.36.2 2/14-3/25 6 Roberts 1 5 100 31 46.01.3 122.36.2 2/14-3/25 6 Roberts 1 5 100 20 46.01.3 122.36.2 2/14-3/25 6 Roberts 1 5 100 20 46.01.3 122.36.2 2/14-3/25 6 Roberts 1 5 100 20 46.01.3 122.36.2 2/14-3/25 6 Roberts 1 5 100 20 46.01.3 122.36.2 2/14-3/25 6 Roberts 1 5 100 20 46.01.3 122.36.2 2/14-3/25 6 Roberts 1 5 100 20 46.01.3 122.36.2 2/14-3/25 6 Roberts 1 5 100 20 46.01.3 122.36.2 2/14-3/25 2 Roberts 1 5 100 20 46.01.4 122.36.2 2/14-3/25 20 Crewford 132 54 100 350 46.01.6 122.38.0 2/22-3/03 8 Crewford 132 21 107 330		5	1.91.4		51/1-12/1	~	Roberts	-	~	3		2	27.24		4166.6	3.
48.81.3 122.38.2 2/14-3/25 6 Roberts 1 5 188 29 48.81.3 122.38.2 2/14-3/25 6 Roberts 1 5 188 31 48.81.3 122.38.2 2/14-3/25 6 Roberts 1 5 188 31 48.81.3 122.38.2 2/14-3/25 6 Roberts 1 5 188 17 48.81.3 122.38.2 2/14-3/25 6 Roberts 1 5 188 17 48.81.3 122.38.2 2/14-3/25 6 Roberts 1 5 188 17 48.81.3 122.38.2 2/14-3/25 6 Roberts 1 5 188 17 48.81.3 122.38.2 2/14-3/25 2 Roberts 1 5 188 17 48.81.3 122.38.2 2/14-3/25 2 Roberts 1 5 188 17 48.81.3 122.38.2 3/23-4/22 29 Crawford 132 54 188 183 48.81.6 122.38.2 2/22-3/33 9 Crawford 132 54 189 183 48.81.6 122.38.0 2/22-3/33 9 Crawford 132 21 187 338		\$	6.11.3		2/16-31/2		Roberts	~	•	90.		~	33.59		1024.5	3
48.01.3 122.38.2 2/14-3/25 6 fobberts 1 5 108 31 48.01.3 122.38.2 2/14-3/25 3 fobberts 1 5 108 4 48.01.3 122.38.2 2/14-3/25 6 fobberts 1 5 108 22 48.01.3 122.38.2 2/14-3/25 6 fobberts 1 5 108 22 48.01.3 122.38.2 2/14-3/25 6 fobberts 1 5 108 22 48.01.3 122.38.2 3/23-4/25 2 Roberts 1 5 108 22 1943 48.01.6 122.38.2 3/23-4/22 39 Crawford 132 4 108 352 48.01.6 122.38.2 3/23-4/22 29 Crawford 132 54 109 163 1976 48.01.6 122.38.0 2/22-3/03 8 Crawford 132 21 107 338		5	44.11.3		2/14-3/25	-	Roberts	-	•	š		*	25.03		1.86.1	2.4
1943 40.01.3 122.36.2 2/14-3/25 3 Koberts 1 5 108 6 40.01.3 122.30.2 2/14-3/25 6 Roberts 1 5 108 22 40.01.3 122.30.2 2/14-3/25 6 Koberts 1 5 108 22 40.01.3 122.30.2 2/14-3/25 6 Koberts 1 5 108 17 1943 40.01.3 122.30.2 2/14-3/25 2 Roberts 1 5 108 17 1944 40.01.6 122.30.2 3/23-4/22 39 Crewford 132 54 108 352 1975 40.01.6 122.30.0 2/22-3/03 8 Crewford 132 5 107 338		5	48.91.3		2/14-3/25	•	Roberts	-	~	2		=	28.46		333.9	13.0
### 1983 ### 1983 ### 1983 ### 1984 ### 1984 ### 1984 ### 1984 ### 1984 ### 1984 ### 1984 ### 1984 ### 1984 ### 1984 #### 1984 #### 1984 #### 1984 #### 1984 #### 1984 #### 1984 #### 1984 #### 1984 #### 1984 #### 1984 #### 1984 #### 1984 #### 1984 #### 1984 #### 1984 ##### 1984 ##### 1984 ##### 1984 ##### 1984 ##### 1984 ###### 1984 ####################################		5	41.01.3		1943 2/14-3/25	~	koberts	~	.	901		•	8.1		1312.4	\$.5
1943 48.01.3 122.38.2 2/14-3/25 6 koberts 1 5 108 17 1943 48.01.5 122.38.2 2/14-3/25 2 Roberts 1 5 108 2 1944 48.01.6 122.38.2 3/23-4/22 29 Crewford 132 54 108 352 48.01.6 122.38.0 2/22-3/33 9 Crewford 132 54 107 359 48.01.6 122.38.0 2/22-3/33 9 Crewford 132 5 107 334		S	40.01.3		1943 2/16-3/25	•	Roberts	-	•	2		≈	22.35		5790.2	76.1
1943 2 2/14-3/25 2 Roberts 1 5 108 2 1943 1943 2 1943 2 1943 2 1943 2 1943 2 1943 2 1943 2 1943 2 1943 2 1943 2 1954 2 1975 2 Crawford 132 54 199 153 1975 2 Crawford 132 54 199 153 1975 2 197 2 1975 2 1975 2 1975 2 1975 2 1975 2 1975 2 1975 2 1975 2 197 334 1977 3 197		5	48.01.3		1943 2/14-3/25	٠	koberts	-	•	2		=	17.50		1397.5	£.3
1943 48.01 6 122.38.2 3/23-4/22 30 Crewford 132 4 108 352 1976 48.01.6 122.38.2 3/39-4/22 29 Crewford 132 54 100 163 48.01.6 122.38.0 2/22-3/03 8 Crewford 132 5 107 358 48.01.6 122.38.0 2/22-3/03 8 Crewford 132 21 107 334		5	48.01.3		1943	~	Roberts	-	•	5		~	28. 22		6033.7	2
48.01.6 122.38.2 3/23-4/22 29 Creatord 132 54 100 163 1976 Creatord 132 5 107 350 48.01.6 122.38.0 2/22-3/03 8 Creatord 132 5 107 350 48.01.6 122.38.0 2/22-3/03 8 Creatord 132 21 107 334		2	41.01		1943	2	Crawford	132	-	2		352	27.09		135.1	8.3
1976 48.01.6 122.38.0 2/22-3/03 8 Crowford 132 \$ 107 350 1977 48.01.6 122.38.0 2/22-3/03 8 Crowford 132 21 107 334		2	48.01.6		3/33-4/22	ε	Creeford	132	3	ž		3	5		6149.7	7.
1977 48 01 6 122 38 8 2/22-3/03 8 Crewford 132 21 107 334		3	40.01.6		1976 2/22-3/03	-	Crestord	132	w	101		35	22.15		3900.7	₹.
		2	48 01 6	122.38.0	1977	•	Crawford	713	2	2		2	10,97		3599 8	5.0

TABLE 2. con't. Current Meter Data.

Leceties	Site		Latitude Longitude	Bec as	3	Tidel Innactigator		ž	Der ton	į	ž	ĭ	į	<u> </u>	
		€	3		ž		į	į	‡ 🖲	Seed Direction Seed Seed Variance res (cx/sec) (Olrus) (cx/sec) (cx/sec) (cx/sec)	Tree (es		j	Terians (a Vence)	1 × ×
Strait of	2	4.81.6	122.38.0	1977 3/03-3/14	=	Crassford	æ	~	=		-	21.66		7874.2	~
	\$	40.01.6	.01.6 122.38.0	3/3-3/14	2	Crastord	2	~	₹		32	12.3x		7965.5	~:
	5	4.01.6	.01.6 122.38.0	3/15-4/86	≈	Crestord	261	•	101		35	21.38		633.2	13.5
	5	4.11.6	.01.6 122 30.0	3/15-4/86	≈	Crawford	22	2			359	12.62		6532.5	8
	s	40.01.6	.01.6 122.39.0	11/7-90/7		Crestord	132	•	9	Date questionable	ionable				
	s	48.01.6	.01.6 122.30.0	11/4-96/3	-	Crawford	211	~	5		355	11.47		1541.3	17.7
	2	40.01.6	.91.6 122.36.8	3/15-4/11	38	Crewtord	132	5	101		E	12.24		1.3467	7.7
	3	46.88.0	.00.8 122.30.0	90/9-90/9		Collies	#	•	22	Gaps in data	2				
	*	# . # . # . # . # . # . # . # . # . # .	90.0 122.30.0	5/4-6/3 5/4-6/3		Colliss	=	2	22	Less then a tidal day	b tide) d	-			
	3 2	2.8.5		9561/58/9		Collias	# :	*		Less than a tide} day	ride) d	*			
	×		12C. M. P	551 751		8 2 3	=	=	22	Loss then a tidal day		2			
	S	47.58.8	59.8 122.38.3	2/06-2/11	-	Comple	~	•	3		5	27.40		2230.6	47.2
	æ	47.58.9		2/04/1950		Collias	~	•	3	Less than a tide day	1160	2			
		17.58.9	122.38.6	2/09/1950		Collies	~	2	3	Less then a tidel day	Cidel d	. >			
		17. 59. 1		3/01/1950		Soll ies	-	~		Less then a tidal day	tidel de				
		1.83.1		3/01/1950		દુકો કુક	-	=	3	less than a tidal day	Cidel de				
		47.59.0	122.37.2	86/6-42/6 881		Collins	=	s.	ē	Directions recorded as	recorded	at fload or	4 8		
	3	17.59.0	122.37.2	3/28-3/30		Collies	2	3	ē	Directions recorded as flood or ebb	recorded	# flood	をも		
				2											

7

8

88

N

255 F

Current Meter Data. TABLE 3. Location Sil

1 q2

X

() ()

1,5

Control Cont	יר חחתעו		Col rent	ייברבו י	nara.											
1, 10, 10, 10, 10, 10, 10, 10, 10, 10,		Site	Latitud	• Langitude	Det es	T (46)	Invest igator	Station	Peter Peter	Bottos	<u>\$</u>	Het Prest (or		ž	Total	į
54 (11.2) (22.1) (19-2/14) (boherts) 31 51 60 des not processed 55 (11.2) (22.1) (19-2/14) (50/14s) 53 1 150 dets not processed 56 (11.12) (22.1) (19-2/14) (50/14s) 53 1 150 dets not processed 56 (11.12) (22.1) (19-2/14) (11.14) 151 (11.14) (11.15) (11.15) (11.15) (11.15) (11.17) <t< th=""><th></th><th></th><th>€</th><th>3</th><th></th><th>Ì</th><th></th><th></th><th>•</th><th>•</th><th>(ca/sec)</th><th>(OTrue)</th><th></th><th>(ca/sec)</th><th>(cs 2/sec²)</th><th>(ca/sec</th></t<>			€	3		Ì			•	•	(ca/sec)	(OTrue)		(ca/sec)	(cs 2/sec ²)	(ca/sec
17.13 12.315 171-701	Southern Basin	×	41.12.9	:	2/10-2/14		Roberts	31	s	156	Gaps in d	at.				
11.13.2.11.2.2.11.2.12.11.2.12.11.2.12.11.2.12.1		æ	47.13.2	122.37.	1/31-2/01		Collies	83	•	150	Deta not	pessacoud	_			
(1.13.1 122.31) 1795-378 (1.1 a) affricas		23	47.13.2		1/31-2/01		Collies	23	30	150	Date not	processed	_			
(1.13.1 122.31.2 3/89-5/78 (1.13.1 122.31.2 3/89-5/78 (1.13.1 122.31.2 3/89-5/78 (1.13.1 122.31.2 3/89-5/78 (1.13.1 122.31.2 3/89-5/78 (1.13.1 122.31.2 3/89-5/78 (1.13.1 122.31.2 3/89-5/78 (1.13.1 122.31.2 3/89-5/78 (1.13.1 122.31.2 3/89-5/78 (1.13.1 122.31.2 3/89-5/78 (1.13.1 122.31.2 3/89-5/78 (1.13.1 122.31.2 3/89/1890) - Collisis 23 35 Amount of date less than a cital day (1.13.1 122.31.2 3/89-3/78) (1.13.1 122.31.2 3/89-3/78) - Collisis 23 35 35 36 Amount of date less than a cital day (1.13.1 122.31.2 3/89-3/78) 36		S	47.13.1		3/09-3/24	7	Jeffries	11	•	142		#	4.05		153.3	12.4
11.13.1 122.35.2 17/9/1950 - Golliss 23 5 75 Amount of date less than a cital day 1.13.1 122.35.2 17/9/1950 - Golliss 23 5 75 Amount of date less than a cital day 1.13.1 122.35.2 17/9/1950 - Golliss 23 5 75 Amount of date less than a cital day 1.13.1 122.35.2 17/9/1950 - Golliss 23 5 75 Amount of date less than a cital day 1.13.1 122.35.2 17/9/1950 - Golliss 23 5 75 Amount of date less than a cital day 1.13.1 122.35.2 17/9/1950 - Golliss 23 5 75 Amount of date less than a cital day 1.13.1 122.31.2 3/5-2/20 2 Goldy 19 5 3 3 Amount of date less than a cital day 1.13.1 122.31.2 3/5-2/20 2 Goldy 19 5 3 3 Amount of date less than a cital day 1.13.1 122.31.2 3/5-2/20 2 Goldy 19 5 3 3 Amount of date less than a cital day 1.13.1 122.31.2 3/5-2/20 2 Goldy 19 5 3 3 Amount of date less than a cital day 1.13.1 122.31.2 3/5-2/20 2 Jaffries 178 71 8 6 Amount of date less than a cital day 1.13.1 122.31.2 3/5-2/20 3 Jaffries 178 71 8 6 Amount of date less than a cital day 1.13.1 122.31.2 3/5-2/20 3 Jaffries 178 71 8 6 Amount of date less than a cital day 1.13.1 122.31.2 3/5-2/20 3 Jaffries 178 71 8 6 Amount of date less than a cital day 1.13.1 122.31.2 3/5-2/20 3 Jaffries 178 71 8 6 Amount of date less than a cital day 1.13.1 122.31.2 3/5-2/20 3 Jaffries 178 71 8 4 Amount of date less than a cital day 1.13.1 122.31.2 3/5-2/20 3 Jaffries 178 71 8 Jaffries 178 71 9 Jaffries 1		S	47.13.1		3/08-3/24	=	Jeffries	111	≈	24		23	1.97		134.5	1.6
17.13. 122.35.2 11/89/1956 - Colliss 23 5 75 Macount of dates less than a tidal day (17.13. 122.35.2 11/89/1956 - Colliss 23 25 75 Macount of dates less than a tidal day (17.13. 122.35.2 11/89/1956 - Colliss 23 25 75 Macount of dates less than a tidal day (17.13. 122.32.3 11/89/1950 - Colliss 23 25 75 75 Macount of dates less than a tidal day (17.13. 122.33.3 2/15-2/20 2 Createy 19 5 73 75 Macount of dates less than a tidal day (17.13. 122.33.3 2/15-2/20 2 Createy 19 5 73 75 Macount of dates less than a tidal day (17.13. 122.43.4 3/75-2/20 2 Createy 19 5 73 75 75 75 75 75 75 75 75 75 75 75 75 75		8	47.13.1		1978 3/09-3/24	2	Jeffries	Ē	121	27		=	1.4		85.8	.3
17.13 122.352 17/87/1503 Continue		ä			1978		5011320	;	J	¥	,			ride) day		
		2 3	13.13		11/03/1950	•		: 2	. 2	2 %	Amount of					
47.11.6 122.48.7 3 /5-3/20 2 Crosby 16 5 13 16 56.53 224.4 1 47.10. 122.40.7 3 /5-3/20 2 Crosby 19 5 33 65 6.53 224.4 1 47.10.1 122.40.7 3 /5-3/20 15 Jeffries 178 4 66 168 16.75 530.3 1 47.10.1 122.47.4 3 /5-3/20 15 Jeffries 178 4 66 225 2.72 252.8 1 47.10.1 122.47.0 2 /2-4/12 15 Jeffries 178 4 6 66 225 2.72 252.8 2 47.10.1 122.47.0 2 /2-4/14 - Roberts 38 4 6 6 6 252.8 2 7 7 7 7 7 7 7 7 7 8 8 6 6 7 13.1 6 13.1 8 <td< td=""><td></td><td>*</td><td>47.13.1</td><td></td><td>11/08/1950</td><td>•</td><td>Collies</td><td>23</td><td>8</td><td>75</td><td>Amount of</td><td></td><td>is the</td><td>tidal day</td><td></td><td></td></td<>		*	47.13.1		11/08/1950	•	Collies	23	8	75	Amount of		is the	tidal day		
47.10. 122.47.4 3/15-3/20 2 Crosby 19 5 33 65 6.53 224.4 47.10. 122.47.4 3/15-3/20 15 Jeffries 171 4 86 165 6.53 224.2 47.10. 1 122.47.4 3/15-3/20 15 Jeffries 171 86 225 2.72 275.8 47.10. 1 122.47.4 3/15-3/20 15 Jeffries 171 86 225 2.72 275.8 47.10. 1 122.47.0 2/27-4/12 15 Jeffries 171 86 325 2.72 275.8 47.10. 1 122.47.0 1/28-2/84 - Roberts 38 4 82 6aps in data 47.10. 2 12.45.4 1/28-2/84 1 Roberts 38 4 82 42 17.15 82 27.15 17.15 47.10. 2 12.45.4 1/28-2/84 1 Roberts 38 4 82 42 82 42 85.13 42 42 42 42 42		23	47.11.6		3/15-3/20	7	Crosby	2	S.	22		2	-		35	7.5
47.10.1 122.47.4 3/27.4712 15 Jeffries 178 4 66 16.76 16.75 330.9 47.10.1 122.47.4 3/27.4712 15 Jeffries 178 71 66 343 6.72 275.8 275.8 47.10.1 122.47.4 3/27.4712 15 Jeffries 178 71 66 343 6.72 275.8 275.8 47.10.1 122.47.0 1/24-2744 - Roberts 38 4 82 Gape in date 273.8 47.8 <td></td> <td>2</td> <td>47.11.0</td> <td></td> <td>3/15-3/20</td> <td>~</td> <td>Crosby</td> <td>6</td> <td>S</td> <td>33</td> <td></td> <td>2</td> <td>6.53</td> <td></td> <td>228.4</td> <td>15.0</td>		2	47.11.0		3/15-3/20	~	Crosby	6	S	33		2	6.53		228.4	15.0
(7.10.1) 122.47.4 3/21-4/12 15 Jeffries 178 21 66 225 2.72 255.8 (7.10.1) 122.47.4 3/21-4/12 15 Jeffries 178 71 66 343 6.92 55.8 55.8 (7.10.1) 122.47.0 1/24-2/44 - Roberts 38 4 62 123 12.12 273.6 (7.10.1) 122.47.0 1/30-2/04 2 Roberts 38 4 62 123 67.12 273.6 273.6 47.00.7 12.45 3.6 6.0 12.12 273.6 273.6 47.00.7 <td></td> <td>2</td> <td>47.10.1</td> <td></td> <td>3/27-4/12</td> <td>5</td> <td>Jeffries</td> <td>8L1</td> <td>•</td> <td>=</td> <td></td> <td>2</td> <td>16.76</td> <td></td> <td>330.9</td> <td>=</td>		2	47.10.1		3/27-4/12	5	Jeffries	8 L1	•	=		2	16.76		330.9	=
47,10.1 122,47.4 3/21-47/2 15 Jeffries 17 66 943 6.82 555.8 555.8 47,00.8 122,47.0 1/30-2704 - Roberts 38 4 82 123 12.12 273.6 47,00.8 122,47.0 1/30-2704 2 Roberts 38 4 82 153 12.12 273.6 47,00.8 122,47.0 1/30-2704 1 Roberts 38 4 82 153 12.12 273.6 47,00.2 122,47.0 1 Roberts 38 4 82 163 86.9 275.8 47,00.2 122,45.5 1/30-2704 1 Roberts 38 4 82 163 86.9 275.9 47,00.2 122,45.5 1/30-2704 1 Roberts 3 4 82 165 9.69 275.9 47,00.5 122,45.5 1/30-2704 2 1/30-2704 4 6 60 <t< td=""><td></td><td>55</td><td>17.10.1</td><td></td><td>3/21-4/12</td><td>51</td><td>Jeffries</td><td>178</td><td>2</td><td>*</td><td></td><td>225</td><td>2.12</td><td></td><td>275.8</td><td>5.6</td></t<>		55	17.10.1		3/21-4/12	51	Jeffries	178	2	*		225	2.12		275.8	5.6
47.09.8 122.47.0 2/24-2/04 - Roberts 38 4 82 Saps in date 273.6 47.09.8 122.47.0 1/39-2/04 2 Roberts 38 4 82 127.12 273.6 47.09.8 122.47.0 1/39-2/04 1 Roberts 38 4 82 157.12 273.6 47.09.2 122.47.0 1 Roberts 38 4 82 165 9.69 275.8 47.09.2 122.45.5 4/0-6/02 27 CH2M 4 34 60 337 0.43 281.3 47.08.5 122.45.5 6/2-6/02 27 CH2M 4 6 60 317 0.45.2 47.08.5 122.45.5 6/2-6/02 27 CH2M 4 6 60 317 0.45.2 47.08.5 122.45.5 6/2-6/06 27 CH2M 4 6 60 319 0.41 311.0 47.08.5 122.45.5 6/2-6/06 32 CH2M 4 6 60 319 0.41 311.0 47.08.5 122.45.5 6/2-6/06 32 CH2M 4 6 60 310 0.41 311.0 </td <td></td> <td>S</td> <td>47.10.1</td> <td></td> <td>3/21-4/12</td> <td>2</td> <td>Jeffries</td> <td>=</td> <td>F</td> <td>*</td> <td></td> <td>343</td> <td>6.32</td> <td></td> <td>\$25.8</td> <td>22.9</td>		S	47.10.1		3/21-4/12	2	Jeffries	=	F	*		343	6.32		\$25.8	22.9
47.09.8 122.47.0 1/39-2/04 2 Roberts 38 4 62 123 12.12 255.9 47.09.2 122.45.3 1/39-2/04 1 Roberts 38 4 62 153 12.12 255.9 47.09.2 122.45.4 1/39-2/04 1 Roberts 38 4 62 155 256.9 47.09.2 122.45.5 5/06-6/02 27 CHZM 4 34 60 337 6.33 201.3 47.09.5 122.45.5 6/02-6/26 23 CHZM 4 5 6 60 152 3.12 6.05.2 47.09.5 122.45.5 6/02-6/26 23 CHZM 4 5 6 60 152 3.12 6.05.2 47.09.5 122.45.5 6/02-6/26 23 CHZM 4 5 6 60 156 3.13 8.41 301.0 47.09.5 122.45.5 6/02-6/26 24 CHZM 4 5 6 60 154 4.41 301.0 47.09.5 122.45.5 6/02-6/26 24 CHZM 4 5 6 60 154 4.41 301.0 47.09.5 122.45.5 9/09-10/4 26 CHZM 4 34 60 310 8.13 27.10 47.09.5 122.45.5 10/13-11/28 45 CHZM 4 5 6 0 165 3.22 460.3 47.09.5 122.45.5 10/13-11/28 45 CHZM 4 5 6 0 165 3.22 460.3 47.09.5 122.45.5 11/29/1971 69 CHZM 4 6 6 0 165 3.00 310 3.04 20.3 47.09.5 122.45.5 11/29/1971 69 CHZM 4 6 6 0 165 3.00 310 3.04 20.3		2	17.09.1		1978	•	Roberts	*	•	28	Gaps in d	3				
47.09.5 122.45.6 1/30-1/34 1 Roberts 39 4 62 165 9.69 265.9 265.9 47.09.5 122.45.5 5/06-6/02 27 CHZM 4 34 60 337 6.33 201.9 1977 47.08.5 122.45.5 6/02-6/26 23 CHZM 4 34 60 337 6.33 201.9 307.0 1977 47.08.5 122.45.5 6/26-9/09 32 CHZM 4 5 6 60 156 4.39 301.0 1977 47.08.5 122.45.5 6/26-9/09 32 CHZM 4 5 6 60 156 4.39 313 8.41 234.9 1977 47.08.5 122.45.5 9/06-10/13 34 CHZM 4 5 6 60 310 8.13 8.13 27.10 1977 47.08.5 122.45.5 10/13-11/28 45 CHZM 4 5 6 60 330 3.04 20.3 1977 47.08.5 122.45.5 10/13-11/28 45 CHZM 4 6 6 60 330 3.04 20.3 1977 47.08.5 122.45.5 10/13-11/28 45 CHZM 4 6 6 60 330 3.04 20.3 1977 47.08.5 122.45.5 10/13-11/28 45 CHZM 4 6 6 60 330 3.04 20.3 10/13-11/28 45 CHZM 4 6 6 60 330 3.04 20.3 10/13-11/28 45 CHZM 4 6 6 60 330 3.04 20.3 10/13-11/28 45 CHZM 4 6 6 60 330 3.04 20.3 10/13-11/28 45 CHZM 4 6 6 60 330 3.04 20.3 10/13-11/28 45 CHZM 4 6 6 60 330 3.04 20.3 20.3 20.3 20.3 20.3 20.3 20.3 20.3		2	17.09.8		1/30-2/04	~	Roberts	=	-	~		123	12.12		273.6	16.5
47.08.5 122.45.4 - CM2N 5 Date not obtained 47.08.5 122.45.5 5/06-6/02 27 CM2N 4 34 60 337 6.33 281.9 47.08.5 122.45.5 6/02-6/26 23 CM2N 4 6 60 152 3.12 606.2 47.08.5 122.45.5 6/26-9/08 72 CM2N 4 6 60 156 4.90 387.0 47.08.5 122.45.5 6/26-9/08 32 CM2N 4 6 60 156 4.90 387.0 47.08.5 122.45.5 9/08-10/13 34 CM2N 4 6 60 154 4.41 381.0 47.08.5 122.45.5 9/08-10/13 34 CM2N 4 6 60 154 4.41 381.0 47.08.5 122.45.5 9/08-10/13 34 CM2N 4 6 60 154 4.11 381.0 47.08.5		2	17.09.1		1/30-2/64	-	Roberts	#	•	~		391	9.63		265.9	16.3
47.08.5 122.45.5 5/06-6/02 27 CR2N 4 34 60 337 8.33 201.9 47.08.5 122.45.5 6/02-6/26 23 CR2N 4 6 60 152 3.12 606.2 47.08.5 122.45.5 6/26-9/06 72 CR2N 4 6 60 156 4.01 307.0 47.08.5 122.45.5 6/26-9/06 32 CR2N 4 6 60 156 4.41 301.0 47.08.5 122.45.5 9/06-10/13 34 CR2N 4 6 60 154 4.41 301.0 47.08.5 122.45.5 9/06-10/13 34 CR2N 4 6 60 154 4.41 301.0 47.08.5 122.45.5 10/13-11/28 45 CR2N 4 6 60 165 3.22 460.3 47.08.5 122.45.5 10/13-11/28 45 CR2N 4 6 60 <		=	47.00.2		<u>\$</u>	•	CHZM	••			Data not	obtained				
47.08.5 122.45.5 6/02-6/26 23 CM2M 4 6 60 152 3.12 406.2 1977 47.08.5 122.45.5 6/26-9/08 72 CM2M 4 6 60 156 4.90 381.0 47.08.5 122.45.5 6/26-9/08 32 CM2M 4 34 60 154 4.41 381.0 47.08.5 122.45.5 9/08-10/13 34 CM2M 4 34 60 310 8.13 271.0 47.08.5 122.45.5 10/13-11/28 45 CM2M 4 34 60 330 3.84 290.8 47.08.5 122.45.5 11/28/137- 69 CM2M 4 6 6 60 165 3.22 460.3 47.08.5 122.45.5 11/28/137- 69 CM2M 4 6 60 161 4.53 340.3		3	47.08.5		5/06-6/02	£	CH2M	•	*	2		331	8.33		201.9	5 .
47.08.5 122.45.5 6/26-9/09 72 CH2N 4 6 60 156 4.90 387.8 197.4 1987.5 122.45.5 6/26-9/09 72 CH2N 4 34 60 313 8.41 234.9 234.9 1977 47.08.5 122.45.5 9/08-10/13 34 CH2N 4 34 60 310 9.13 271.0 1977 47.08.5 122.45.5 10/13-11/28 45 CH2N 4 34 60 330 3.84 259.8 147.08.5 122.45.5 11/28/137- 69 CH2N 4 5 60 161 4.53 340.3 340.3 20.0 340.3 340.3 340.3 20.0 340.3		29	47.08.5		6/02-6/26	23	CH2M	-	•	2		252	3.12		106.2	29.5
47.08.5 122.45.5 6/26-9/08 32 CH2M 4 34 60 313 8.41 234.9 47.08.5 122.45.5 9/08-10/13 34 CH2M 4 36 60 154 4.41 381.0 47.08.5 122.45.5 9/08-10/3 34 CH2M 4 34 60 310 9.13 271.0 47.08.5 122.45.5 10/13-11/28 45 CH2M 4 34 60 165 3.22 460.3 47.08.5 122.45.5 11/28/137- 69 CH2M 4 6 60 161 4.53 340.3		29	47.06.5		6/26-9/00	22	CH2M	-	•	3		156	1.9		387.8	18.7
47.00 \$ 122.45.5 9/86-10/13 34 CH2N 4 6 60 154 4.41 301.0 1977 47.00.5 122.45.5 11/28/197- 69 CH2N 4 34 60 310 9.13 271.0 1977 47.00.5 122.45.5 11/28/197- 69 CH2N 4 6 60 161 4.53 340.3 271.0		3	47.06.5		6/26-9/08	33	CH238	-	2	2		313	5 .		234.9	15.3
47.08.5 122.45.5 9/08-10/4 26 CH2M 4 34 60 310 9.13 271.0 1977 47.08.5 122.45.5 10/13-11/28 45 CH2M 4 36 60 165 3.22 460.3 47.08.5 122.45.5 10/13-11/28 45 CH2M 4 34 60 330 3.84 298.8 1977 47.08.5 122.45.5 11/28/1977- 69 CH2M 4 6 60 161 4.53 340.3		29			\$/88-10/13	ಹ	CH2M	•	۰	3		154	1.41		381.0	19.5
47.08.5 122.45.5 10/13-11/28 45 CH2N 4 6 60 165 3.22 460.3 1977 47.08.5 122.45.5 10/13-11/28 45 CH2N 4 34 60 330 3.84 298.8 1977 47.08.5 122.45.5 11/28/1977- 69 CH2N 4 6 60 161 4.53 340.3		23			9/01-10/6	3 2	CH2M	-	z	3		310	9.13		271.0	16.5
47.08.5 122.45.5 10/13-11/28 45 CH2M 4 34 60 330 3.84 228.8 1977 47.08.5 122.45.5 11/28/1977- 69 CH2M 4 6 60 161 4.53 340.3		3	47.08.5		10/13-11/28	\$	CH2M	•	•	9		165	3.22		460.3	21.4
47.08.5 122.45.5 11/28/1977- 69 CHZM 4 6 60 161 4.53 340.3 2/06/1978		2			10/13-11/28	5	CH2M	-	*	9		330	3.8		290.1	17.3
		29	47.01.5		11/28/1977- 2/06/1978	59	CH2M	-	•	2		191	4.53		340.3	1.5

CONTRACTOR OF THE PROPERTY OF

TABLE 3. con't. Current Meter Data.

					3	INCRE INVESTIGATOR	2000	e F	00 C C C C C C C C C C C C C C C C C C		Ze.		Ž.	Tota	
		€	3		ž		Pressor	e ge	(E)	Speed Direction Speed (cn/sec) (OTrue) (cn/sec)	Direction S (OTrue) (cm		Speed Ca/sec)	Speed Variance res (ca/sec) (ca ² /sec ²)(ca/sec)	78 (CA/88C)
Southern Besin	3	47.00.5	122.45.5	11/28/1977-	2	CHZM	-	25	3	**	325	1.90		365.6	1.9
	3	47.08.9	122.64.8		•	CH3M	•		•	Data not obtained	, e				
	3	47.07.4		2/07-04/28	2	** **	~		=	-	<u>=</u>	3.		573.3	\$.5 \$.
	2	47.08.2	122.45.1	•		2	~		3	Date not obtained	ja Ped				
	=	17.08.7		3/28-4/13	2	Jeffries	=	æ	13	m		2.13		125.7	11.2
	3	17.09.7	122.34.9	3/20-4/13	5	Jeffries	174	119	135	*	251	S. 69		247.6	15.7
	2		122.34.1	E		CKS	22		15	Data not obtained	9				
	: 2	17.09.4		2/08-2/14	-	Roberts	86	S	=			22.85		552.8	23.5
	3	7. 60		56	•	CKSM	=		7	Data not obtained	9				
	=	17.09.1	122.39.2	2/69-2/14	-	Roberts	38¥	s.	=	<u> </u>		97.9		347.9	1.6
	2	17.09.1	122.39.2	2/08-2/14	~	Roberts	30V	S	9=		7	20.87		129.1	21.2
	2	17.09.3	122.39.4	29/9-19/5	22	CKZN	-	*	2	**	252	2.31		129.2	H.0
	2	17.09.3	122.39.4	6/02-6/28	23	CHSM	-	•	134		5	1.3		203.7	E.3
	2	47.09.3	122.39.4	6/02-6/28	23	CHSM	-	*	134	**	258	1.91		117.8	9.
	2	17.09.3	122.39.4	1977	33	CH2M	-	•	134	-	•	8.89		289.2	17.0
	2	47.09.3	122.39.4	6/26-8/9	31	CHSM	-	*	13	~	569	1.36		142.7	≝. 9
	92	47.09.3	122.39.4	1977	8	CHSM	-	•	134	-	=	17.08		1860.7	13.1
	5	47.09.3	122.39.4	8/03-9/09	*	CH2M	-	*	35	75	298	2.26		88.2	3.6
	2	47.09.3	122.39.4	9/09-10/1	E	CH2M	-	•	134	Ħ.	354	8.		160.0	13.0
	2	47.09.3	122.39.4	11/01-50/6	.	CH2M	-	*	134	ಸ	293	3.56		3 5.5	:
	6	47.09.3	122.39.4	10/11-11/29	;	CH2M	~	•	134		-	(.33		216.4	1 .7
	5	47.09.3	122.39.4	10/11-11/29	=	5	-	*	13	Ñ	235	2.88		142.9	12.0
	= :	17.09.0	122.38.5		•	CH2H	2 :		E :	Data not obtained	P				
	15	9.80.7				5 5	=		=	Data not obtained	9				

T.

P

3

Secretary processors (newspapers)

, t.

K

8

F

GRANULOMETRIC DATA

		COARSE PRACTION LITTLE COARSE SAND		MUD/FINE SILT		COARSE FRACTION		
	Comments:	MICROSCOPIC EXAMINATION: COARSE FRACTION COBBLE, SHELL FRAGMENTS, LITTLE COARSE SAND		MICROSCOPIC EXAMINATION: MUD/FINE SILT		MICROSCOPIC EXAMINATION: COARSE FRACTION CORRES CHRIS ENGINE SAND		
	SAND/MUD Ratio							. 83
	KCLAY		19.50		9.00		0	13.04
	*SILT *		65.00 15.50 19.50		79.00 12.00 9.00		0	39.87 41.53 13.04
	KSAND		65.00		79.00		. 20 0	39.87
	*GRAVEL		0		0		38.66	5.56
	DEPTH (M)		88		53		100	
	LONGITUDE (W)	DREDGE 48-40.0 122-42.6	122-42.2	122-36.5	122-46.0	48-32.9 122-40.6	122-35.2	48-37.7 122-37.9
	LATITUDE (N)	48-40.0	48-39.8	48-38.3	48-36.1	48-32.9	48-37.6	48-37.7
H	SAMPLE	DREDGE		DREDGE		DREDGE		GRAB
ROSARIO STRAIT	TATION	16		8 3		79		G
ROSARI	CRUISE STATION SAMPLE LATITUDE LONGITUDE DEPTH AGRAVEL ASAND ASILT ACLAY DEVICE (N) (M)	SHELPORD	MH605	SHELPORD	WH605	SHELFORD	BB262	BB 262

State | | Constitution | Constitutio

Table 5.

GRANULOMETRIC DATA

CRUISE	STATION	SAMPLE LA	CE LATITUDE LOCE (N)	OMGITUDE (W)	DEPTH (M)	AGRAVE L	XSAND	*SILT	ACLAY	SAND/MUD RATIO
WK605		7	1-10.6	123-28.0	113	0	70.00	18.00	12.00	
MH605		7	1-10.6	123-10.2	72	0	87.00	5.00	9.00	
WK605		7	9-10.6	123-10.8	89	0	81.50	10.50	8 .00	
0 4 035		7	8-08-8	123-20.4		16.81	81.13	. 79	1.28	47.42
MR609		7	1-06.4	122-57.3	•	0	69.00	21.00	10.00	
04386	910	MULTIPLE48-00.8 12 Gravcorer	₽-00-	122-38.0	120	14.39	75.81	8.08	4.73	9.20
UV52D	\$12	3	1-01.3	122-37.1	137	45.02	53.69	.74	. 53	76.52
UV52A	504	∵•	7-55.5	122-29.6	201	86.66	0	0	0	
CH017	H14	GRAVCORE47-56.1	7-56.1	122-38.0	117	96.9	86.26	4.05	2.75	13.71

X

2

5

3

8

8

8

Š

A. Ti

88

3

X

8

Ĭ,

という

*

3

A.

£

GRANULOMETRIC DATA

	COMMENTS:			PINE SAND	SAND	60% PINE SAND	60% PINE SAND	GOX PINE SAND	/EL BOX COARSE	FINE SAND 90% COARSE SAND 10%	SAND 70%	SAND 70% MUD	SAND BOS MUD	FINE SAND BOX MUD 20%		FINE SAND BOX COARSE SAND 40% GRAVEL 10% BILL SAND 10% MED 10%	tor date service to date		FINE SAND SON COARSE SAND 10%	SAND 90% COARSE SAND	SAND 90% COARSE SAND		FINE SAND BOX COARSE SAND 10%		FINE SAND 97% COARSE SAND 3%		PINE SAND SOK COARSE SAND 40% MUD 10%	SAND 50% COARSE SAND 40% HUD				FINE SAND BOX MUD 20X	CAND 154 COARSE SAND	SAND BOX COARSE SAND	SAND BOX COARSE SAND	SAND 85% COARSE SAND 15%							
	SAND/MUD RATIO	4.04	27.01												1.52		5.01		9			9 .00		69.82			•		4.74	96.₹	3.76						86.	1.49	1.12		3.88	1.03	3.65
	KCLAY	8.09	1.48												6.02		3.01		67.07			3.60		. 73	;	2.43			2.71	2.25	6.10						13.36	10.79	13.79	5.50	90.8	•	7.72
	KSILT	11.77	5.09												33.71		13.62	, ,	?			10.69		99.		7.02	90.7		14.70	•	14.81						37.20	29.36	33.44	26.73	12.42	35.15	12.88
	KSAND	51.20	96.43												60.27		A3. 26	700	66.21			85.54		98.31		51.76			82.59	83.23	79.08						19.61	59.64	52.77	54.91	62.46	50.39	79.10
	*GRAVEL	28.94	0												0		11	: .	>			,17		. 28	;	38.77			0	0	0						0	. 22		12.79	17.06	₹.	. 30
	DEPTH (M)	179	163																767					55		3.1											94		96			ï	110
	LONGITUDE (W)	122-38.3	2-38	-38.	122-39.0	122-39.9	122-40.6		-38		-40	122-39.9	122-39.4		-39	122-40.8			122-41.5	122-40.3		122-41.1	122-40.3	122-40.6	122-40.0	9	122-43.0	122-43.3	÷	122-45.2	122-45.4	122-45.5	122-45.2	•	122-44.3			122-47.5	- 12	-48	122-48.7	2	122-47.7
	LATITUDE (N)	R47-10.7	-10	-10	47-10.4	-10	47-10.6	-10		47-09.1	47-08.9	-08	47-08.1	-08	47-08.5	47-08.3		11-01-0	47-07.9	-07	47-07.6	47-07.7		47-07.5		47-07.4	47-08.9	47-07.7	-07	47-07.2	47-07.3	47-07.3	7.70-74	47-08.0		47-08.9		47-10.5	-10.	-10.	-10.	-11.	47-11.2
T SOUND	SAMPLE	GRAVCORE47		GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	!	GRAB		CO-CYAGOONYGO	GRAB	GRAB	GRAB		GRAB	!	GRAB		CRAR	GRAB															
SOUTHERN PUGET	STATION	W 06	017	SCC43	SCC 4 4	SCC45	3CC46	SCC47	SCC38	SCC32	SCC33	SCC34	SCC38	SCC36	RIO	SCC25	2002 R16		SCC28	SCC23	SCC31	R15	SCC22	808	SCC30	9 6	SCC 7	SCCB	ROS	R 04	016	SCC1	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1008 1008	8008	8CC6	600	015	038	900	800	028	037
SOUT	CRUISE	CHO19	OA262	NIS82	MIS82	MIS82	MIS82	NIS82	N1S82	NIS82	NIS82	NIS62	NIS82	NIS82	88298	NIS82	BB272	91020	NIS82	NIS82	NIS82	BB272	MIS82	BB259	NIS82	\$67 99	MISA	NIS82	BB 259	BB259	0A262	NISBZ	2001M	KISBO	X1582	NIS82	HH677	OA262	HH677	HH054	OA262	HH677	HH677

The second

See hereered processes bettered the


	Dates	Investigators
Rosario Straits		
Cruise		
Shelford	July-August 1929	Shelford et al.
WH605	28 March-8 April 1966	IOUBC
BB262	21-22 May 1960	Sternberg
Strait of Juan de	Fuca and Admiralty Inlet	
Cruise		
CH017	16 June 1952	Wang
UV52A	17 July 1952	Wang
UV52D	2 August 1952	Wang
OA035	15 May 1965	Sternberg
WH605	28 March-8 April 1966	IOUBC
OA386	17 Feb. 1970	Nichols
Southern Puget Son	und	
Cruise		
CH019	11 Sept. 1952	Wang
BB259	2-6 May 1960	Brundage
BB272	14-20 Dec 1960	Brundage
HH054	2-3 May 1963	Lie
OA262	24 Feb5 Mar. 1969	
нн677	10 August 1972	Sternberg and Collias
Nis82		Harmon and
		Serwold

K

8

X

7



X

S

Figure 1. Rosario Strait showing ZSFs 1, 2 and 3. Current meter station locations near the ZSF are marked with a station number (white number), rms speed (cm/s, cop number), and depth (m; bottom number in parentheses).





Figure 2. Rosario Strait with ZSF's 1, 2, and 3 plotted on Roberts 1979 surface sediment charts.



CONTRACTOR SERVICES (CONTRACTOR)

Figure 3. Rosario Strait showing ZSF 4. Current meter station locations near the ZSF are marked with a station number (white number), rms speed (cm/s; top number), and depth (m; bottom number in parentheses).





Figure 4. Rosario Strait with ZSF 4 and station location plotted on Roberts 1979 surface sediment charts.




おうないしょう 産 しんくんくくから 18

Figure 5. Rosario Strait showing ZSFs 5, 6, and 7. Current meter station locations near the ZSF are marked with a station number (white number), rms speed (cm/s; top number), and depth (m; bottom number in parentheses).

CONTROL OF THE PROPERTY OF THE

Figure 6. Rosario Strait with ZSF's 5, 6, and 7 and station locations plotted on Roberts 1979 surface sediment charts.



8

8

N.

X X


2

X

8

C

sediment station surface pue e Fuca with ZSF on Roberts 1979 de Fuca with Juan de plotted Strait of locations charts. Figure 8.



...

location plotted on Roberts 1979 surface sediment Strait of Juan de Fuca With ZSF 2 and station charts. Figure 10.

I CHAMMACO

......




Figure 11. Admiralty Inlet showing ZSF 3. Current meter station locations near the ZSF are marked with a station number (white number), rms speed (cm/s; top number), and depth (m; bottom number in parentheses).

i i


3

8


Ϋ́

Y,

Figure 12. Admiralty Inlet with ZSF 3 and station locations plotted on Roberts 1979 surface sediment charts.



Current meter station locations near the ZSF are marked with a station number (white number), rms speed (cm/s; top number), and depth (m; bottom Southern Puget Sound showing ZSFs 1, number in parentheses). Figure 13.



Southern Puget Sound With ZSF's 1, 2, and and station locations plotted on Roberts 1979 surface sediment charts. Figure 14.

REFERENCES

- Brundage, W.L. 1961. Recent Sediments of the Nisqually River

 Delta, Puget Sound, Washington. University of Washington

 M.S. Thesis. Seattle, Washington. 178 pp.
- Cox, J.M., C.C. Ebbesmeyer, C.A. Coomes, J.M. Helseth, L.R. Hinchey, G.A. Cannon, and C.A. Barnes. 1984. Synthesis of Current Measurements in Puget Sound, Washington Volume 1: Index to Current Measurements Made in Puget Sound from 1908-1980, with Daily and Record Averages for Selected Measurements. NOAA Technical Memorandum NOS-OMS-3.
- Ebbesmeyer, C.C., J.M. Cox, J.M. Helseth, L.R. Hinchey, and D.W. Thompson. 1979. Dynamics of Port Angeles Harbor and Approaches, Washington. EPA-600/7-79-252.
- Harmon, R.A., and J.C. Serwold. Laboratory notes from the Marine Lab, Shoreline Community College, Seattle, Washington. 250 pp.
- IOUBC. 1962. Sediment Grain Size Analyses. University of British Columbia, Institute of Oceanography. Data Report No. 20.
- Lie, U. 1968. A Quantitative Study of Benthic Infauna in Puget Sound, Washington, U.S.A., 1963-1964. Fisk. Dir. SKR 14:229-556.
- National Ocean Survey, U.S. Department of Commerce. 6009

 Executive Boulevard, Rockville, Maryland 20852.

Nichols, F.H. 1972. Carbon and Energy Flow through Populations of a Numerically Dominant Macroinvertebrate, <u>Pectinaria</u>

<u>califorienis</u> Hartman, in Puget Sound, Washington, with references to Larger, Rarer, Co-existing Species.

University of Washington Ph.D. Thesis, Seattle, Washington.

164 pp.

Ю

N.

X

5

S.

Υ.

- Roberts, R.W. 1974. Marine Sedimentological Data of the Inland
 Waters of Washington State (Strait of Juan de Fuca and
 Puget Sound). University of Washington, Department of
 Oceanography Spec. Report 56 Ref. M74-74. 120 pp.
- Shelford, V.E., et al. 1935. Some Marine Biotic Communities of the Pacific Coasts of North America. Ecol. Mono. 5:250-332.
- Sternberg, R.W. 1961. Recent Sediments in Bellingham Bay.

 University of Washington M.S. Thesis. Seattle, Washington.

 183 pp.
- Sternberg, R.W. 1968. Friction Factors in Tidal Channels with Differing Bed Roughness. Mar. Geol. 66:243-60.
- Sternberg, R.W., and E.E. Collias. 1973. Deposition of Dredge Spoils in Dana Passage, Washington. Report submitted to State of Washington Department of Fisheries.
- URS Corporation and Evans-Hamilton, Inc. 1986. Circulation and Flushing in Southern Puget Sound. Washington State

 Department of Ecology, Southern Puget Sound Water Quality

 Assessment Study.
- Wang, Feng-Hui. 1955. Recent Sediments in Puget Sound and Portions of Lake Washington. University of Washington Ph.D. Thesis Seattle, Washington. 160 pp.

APPENDIX A:

REFERENCES FOR SURFACE SEDIMENT CHARTS

- Anderson, F.E., 1967. Stratigraphy of Late Pleistocene and Holocene sediments from the Strait of Juan de Fuca. Ph.D. Thesis, University of Washington, Seattle, 168 p.
- Anderson, F.E., 1968. Seaward terminus of the Vashon Continental Glacier in the Strait of Juan de Fuca. Mar. Geol. 6:419-438.
- Balch, N., D. Ellis, and J. Littlepage, 1973. Macauley Point Outfall monitoring program May 1970 October 1972. Final Report, Vol. 2, Appendices. Department of Biology, University of Victoria. Submitted to the Capital Regional District of British Columbia.
- Barnes, C.A., 1953. Oceanographic survey of submarine portion of Snohomish-Kitsap 230 KV line. Final Report Part I. University of Washington, Department of Oceanography, 173 p.
- Barnes, C.A., E.E. Collias, J.H. Lincoln, P.M. McLellan, and M.P. Wennekens, 1956. Preliminary oceanography report of channels through the San Juan Islands between Fidalgo and Vancouver Islands. University of Washington, Department of Oceanography Spec. Rep. 21, Ref. 56-3, 163 p.
- Brown, D.W., A.J. Friedman, D.G. Burrows, G.R. Snyder, B.G. Patten, W.E. Ames, L.S. Ramos, P.G. Prohaska, D.D. Gennero, D.E. Dungan, M.Y. Uyeda, and W.D. McLeod, Jr., 1979. Investigation of petroleum in the marine environs of the Strait of Juan de Fuca and northern Puget Sound. Prepared for the Office of Energy, Minerals, and Industry, U.S. Environmental Protection Agency, EPA-600/7-79-164, 107 p.
- Brundage, W.L., 1961. Recent sediments of the Nisqually River Delta, Puget Sound, Washington. M.S. Thesis, University of Washington, Seattle, 178 p.
- Burnett, T.L., 1968. Bottom sediment data from the continental shelf of Washington-Grays Harbor to Cape Flattery, 1964. Vol. III, University of Washington, Department of Oceanography Spec. Rep. 39, Ref. M68-27.
- Burns, R.E., 1962. A model of seimentation of small sill-less embayed estuaries of the Pacific Northwest. Ph.D. Thesis, University of Washington, Seattle, 177 p.
- Collias, E.E., and A.C. Duxbury, 1971. Bibliography of literature; Puget Sound marine environment. University of Washington, Department of Oceanography Spec. Rep. 49.
- Crecelius, E.A., 1974. The geochemistry of arsenic and antimony in Puget Sound and Lake Washington, Washington. Ph.D. Thesis, University of Washington, Seattle, 133 p.

- Dunhill, R.M., 1968. A taxonomic and ecological investigation of the genus Macoma (Pelecyponda) in southern British Columbia. M.S. Thesis, University of Victoria, Victoria, British Columbia.
- Ellis, D.V., 1968. Quantitative benthic investigations, III. Locality and environment data for selected stations (mainly from Satellite Channel, Strait of Georgia, and adjacent inlets, February December 1967). Fish. Res. Bd. Canada, Tech Rep. 59.
- Gast, J.A., and W.V. Burt, 1954. Submarine photography in Puget Sound. University of Washington, Department of Oceanography Tech.Rep. 33, Ref. M54-19, 12 p.
- Goodwin, C.L., 1973. Subtidal geoducks of Puget Sound Washington, State of Washington, Department of Fisheries Tech. Rep. 13, 64 p.
- Goodwin, C.L., 1973. Distribution and abundance of subtidal hard-shell clams in Puget Sound Washington, State of Washington, Department of Fisheries Tech. Rep. 14, 81 p.
- Harman, R.A., 1978. Personnel communication (Shoreline Community College, Seattle, Washington).

: A:

. 7

C

- Harman, R.A., J.C. Serwood, and R.W. Sylvester, 1977. Distribution of subtidal benthic organisms, sediments and havitats near the West Point Outfall. In Puget Sound interim studies distribution and partial analysis of data of subtidal habitats near West Point. Final Reports to the Minicipality of Metropolitan Seattle, 1-115 p.
- Harris, J.A., 1965. A comparative study of a new bottom sampler with a Van Veen grab and an otter trawl. M.S. Thesis, University of Washington, Seattle, 94 p.
- Hobson, K.D., 1966. Ecological observations on Abarenicola species (Polychaeta) of the North Pacific. M.S. Thesis, University of Washington, Seattle, 75 p.
- Hom, W., 1979. Polychlorinated biphenyls in Northern Puget Sound. M.S. Thesis, University of Washington, Seattle, 201 p.
- IOUBC, 1962. Sediment grain size analyses. University of British Columbia, Institute of Oceanography Data Rep. 20, 12 p.
- IOUBC, 1963. Sediment size analyses, 1959, 1960, 1962. University of British Columbia, Institute of Oceanography Data Rep. 22, 6 p.
- Kellerhals, P., and J.W. Murray, 1969. Tidal flats at Boundary Bay, Frazer River Delta, British Columbia. Bull. Can. Petrol. Geol. 17:67-91.
- Krogslund, K.A., 1975. R/V Onar Cruises 552, 608, 615, and 665 and Hoh Cruise 902; hydrographic, chemical and biological measurements. University of Washington, Department of Oceanography Spec. Rep. 61, Ref. M75-134, 202 p.
- Lie, U., 1968. A quantitative study of benthic infauna in Puget Sound, Washington, U.S.A., in 1963-1964. Fisk. Dir. SKR (Ser. Havunders) 14:229-556.

- Lie, U., 1969. Cumacea from Puget Sound and of the northwestern coast of Washington with descriptions of two new species. Crustaneana 17 (1):19-30.
- Lie, U., 1969. Standing crop of benthic infauna in Puget Sound and of the Coast of Washington. J. Fish. Res. Bd. Can. 26:55-62.
- Malkoff, M.L., 1976. The relationship of sulphite waste liquor to marine infauna in Port Gardner, Washington. In Ecological baseline and monitoring study for Port Gardner and adjacent waters, a summary report for the years 1972 through 1976. State of Washington, Department of Ecology Rep. 76-20.
- Mathews, W.H., and F.P. Shepard, 1962. Sedimentation of Frazer River Delta, British Columbia. Am. Assoc. Pet. Geologists Bull. 46:1416-1443.
- Nichols, F.H., 1968. A quantitative study of benthic polychaete assemblages in Port Madison, Washington. M.S. Thesis, University of Washington, Seattle, 78 p.
- Nichols, F.H., 1972. Carbon and energy flow through populations on a numerically dominant macroinvertebrate, <u>Pectinaria Calitorlensis Hartman</u>, in Puget Sound Washington with reference to larger, rarer co-existing species. Ph.D. Thesis, University of Washington, Seattle, 164 p.
- Pamatmat, M.M., 1966. The ecology and metabolism of a benthic community on an intertidal sand flat (False Bay, San Juan Island, Washington). Ph.D. Thesis, University of Washington, Seattle, 243 p.
- Pharo, C.H., and W. Barnes, 1976. Distribution of surfical sediments of the central and southern Strait of Georgia, British Columbia, Canada. J. Earth Sci. 13:684-696.

(₹

- Popham, J.D., 1968. Analysis of distribution data for sub-littoral pelecypods, including a comparison of traditional and numerical methods. B.S. Thesis, University of Victoria, Victoria, British Columbia.
- Popham, J.D., and D.V. Ellis, 1971. A comparison of traditional, cluster and Zürich-Montpellier analysis of infaunal pelecypod associations from two adjacent sediment beds. Marine Biology 8:260-266.
- Robilliard, G.A., 1971. Natural history, niche exploitation and co-existence in genus dendronotus (Mollusca:Oposthobranchis) University Ph.D. Thesis, University of Washington, Seattle.
- Roberts, R.W., 1974. Marine sedimentological data of the inland waters of Washington State (Strait of Juan de Fuca and Puget Sound). University of Washington, Department of Oceanography Spec. Rep. 56 Ref. M74-74, 120 p.

- Roberts, R.W., 1974. Marine sedimentological data of the Washington continental shelf. University of Washington, Department of Oceanography Spec. Rep. 57, Ref. M74-75, 129 p.
- Ross, C.M., E.V. Kelly, J.C. Bowman, and J.J. Kravitz, 1973. A summary of sediment size, X-radiography, engineering and mass physical properties of seventeen cores and twenty six grabs from the North Pacific, USNS De Steiguer, August 1973. Geological Laboratory, Nearshore Survey Division, Oceanographic Surveys Department, U.S. Naval Oceanographic Office, Washington, D.C., Item 455.
- Ross, C., E.V. Kelly, J. Bowman, C. Ingram, and N.T. Stiles, 1975. Summary of sediment size of one core and thirty-three grab samples from the Strait of Juan de Fuca. USNS De Steiguer, August-September 1975. Geological Laboratory, Oceanographic Support Division, Oceanographic Department, Naval Oceanographic Office, Washington, D.C., Laboratory Item 491.
- Smith, J.E., 1977. A baseline study of invertebrate and environmental impact of lografting on the Snohomish River Delta. Final Report, Washington Coop. Fishery Research Unit, unpublished.
- Sternberg, R.W., 1961. Recent sediments in Bellingham Bay. M.S. Thesis, University of Washington, Seattle, 183 p.
- Sternberg, R.W., 1968. Friction factors in tidal channels with differing bed roughness. Mar. Geol. 66:243-260.
- Sternberg, R.W., and E.E. Collias, 1973. Deposition of dredge spoils in Dana Passage, Washington. Report submitted to State of Washington, Department of Fisheries.

Designation Established September 1

- U.S. Army, Corps of Engineers, Seattle District Office. Open file reports and charts.
- University of Washington, Department of Oceanography, 1953. Puget Sound and approaches, a literature survey, Vol. II, 118 p.
- University of Washington, Department of Oceanography. Miscellaneous student class assignment reports.
- Wang, F-H, 1955. Recent sediments in Puget Sound and portions of Lake Washington. Ph.D. Thesis, University of Washington, Seattle, 160 p.
- Wennekens, M.P., 1959. Marine environment and macro benthos of the waters of Puget Sound, San Jaun archipelago, southern Georgia Strait, and Strait of Juan de Fuca. Ph.D. Thesis, University of Washington, Seattle, 298 p.

- Westly, R., C. Linday, and C. Woelke, 1963. shellfish culture potential Swinomish and Lummi Reservation tidelands. State of Washington, Department of Fisheries, 121 p.
- Williams, J.G., 1978. The influence of adults on the settlement, growth, and survival of spat in the commercially important clam, Tapes

 Japonica Deshayes. Ph.D. Thesis, University of Washington, Seattle, 60 p.
- Woodin, S.A., 1972. Polychaete abundance patterns in a marine soft sediment environment; the importance of biological interactions. Ph.D. Thesis, University of Washington, Seattle.

Nautical Charts

- Canadian Hydrographic service Nautical Charts; 3488, 3489, 3422, 3451, 3452, and 3453.
- U. S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Survey Charts; 18400, 18421, 18523SC, 18424, 18425, 18427, 18428, 18440, 18441, 18443, 18444, 18445SC, 18446, 18447SC, 18448, 18449, 18450, 18452, 18453, 18456, 18457, 18458, 18461, 18464, 18465, 18467, 18468, 18480, 18484, and 18485.

APPENDIX B
COMPUTOR LITERATURE SEARCH

A **FIDITIOS** SEARCH FROM THE NTIS DATABASE

	If you have any questions, please call:	- CD-C
Address:	If you have any quest	Topic of search:

of a search of the The attached report is the result of a search of the NTIS database using the DIALOG Information Retrieval Service

eral agencies, their contractors or grantees. It is the means by which unclassified, publicly svailable, unlimited distribution reports, are made available for ness procedures and regulatory matters. Many broad subject areas are represented such as pollution, energy, technology transfer, behavioral/societal problems, and base consists of government-sponsored research. devel-opment, and enginearing plus analyses prepared by fed-NTIS includes material on technical applications, busi-The NTIS (National Technical Information Service) date-HUD, DOT, Department of Commerce and other government agencies. DOE. . 000 sale from such agencies as NASA. urban and regional planning.

SAMPLE RECORD

key fleids are shown in the following The positions of the sample record.

040466 UCRL-84559 Interaction of Moderately Dense Particle Concentra- tions in Turbulent Flow	Buckingham, A. C. : Siekhaus, W. J. Lawrence Livermore National Lab., CA.	Sponson Department of Energy, Washington, DC.	1981 COUNTRY of Publication: United States 19 Associate Mississis Meditor At Louis MD. USA	i	Document Type: Conference proceedings Languages: English Report No.: CONF-810106-3	Contract No.: W-7403-ENG-48 Numerical simulations are presented which describe fluctuating gas motions and effects of resulting forces on gas borne particulates. The effects in-	F - 8 F = 0	sists of inertial and volumetric effects as well as modeled acoustical coupling, where appropriate, Pre-liminary results of complementary wind tunnel experiments, measuring influences of perticle loading on turbulent structures, are also presented. (ERA Citation O6:009828) Dascriptors: *Aerosols: *Turbulent flow: Convectorors: *Aerosols: *Turbulent flow: *Convectorors: *Aerosols: *Turbulent flow: *Convectorors: *Turbulent flow: *Turbulent
Z H	3 06	Sec	8 6 2	5	228	N 80		<u>u</u>

tion: Dusts: Mathematical models: Numerical solution : Simulation: Theoretical date Identifiers: ERDA/640410; NTISDE Section Headings: 20D (Physics--Fluid Mechanics); 46B (Physics--Fluid Mechanics) (Copyright by Nationsl Technical Information Ser-2 S IS

Key to Data Fleids

Lenguege	Note	Publication Year	Report Number	NTIS Accession Numb	CAS Registry Number	Section Heading Cod	Sponsoring Agency	
5	Z	۵	Z	Z	Ž	IJ	S	7
Abstract	Author	Contract Number	Country of Publication	Corporate Source	Descriptor	Document Type	Identifier	+cesecutions Annual
8	Ą	S	8	S	90	7	0	Ą.

output formet requested end Date present in record depends on type of record.

Y

DIALOG File 6: NTIS - 64-86/ISS18 (Copr. NTIS)

DE86001632/XAB

Chemical and Geochemical Studies off the Co. Washington. Progress Report, September 1977-August 1978 Carpenter, R.

Washington Univ., Seattle, Dept. of Oceanography.

Corp. Source Codes: 005042022; 6808000

Sponsor: Department of Energy, Washington, DC Report No.: DDE/EV/70024-T3

44D Aug 78

microfiche are illegible in Portions of this document Languages: English products.

PC A03/MF A01 Journal Announcement: GRAI8605; Prices 11SA0000

Country of Publication: United States

Contract No.: ATO6-71Ev70024

determine sediment accumulation rates for the past 100 rs, the depth of the surface mixed layer, and a mixing fficient for the surface sediments; (3) studies of the ake and transfer of aup 210 Po, aup 210 Pb and related characterize underlying chemical and physical processes and their rates which control the distributions, concentrations and ultimate fate of some of the potentially hazardous agents associated with fossil fuel and/or nuclear power production or investigations involving both laboratory studies and field studies off the coast of washington. Most field work has been submarine canyons indenting the shelf north of the River. Our aim is to provide basic data required to transportation. The main lines of investigation are: (1) field studies of the behavior of sup 210 Po and sup 210 diments of the coast of Washington and the in Puget Sound or on the Washington continental shelf, slope the uptake and transport by zooplankton fecal sup 210 Po. sup 210 Pb and other trace inorganic well-defined surf zone ecosystem at Copalis Washington; and (4) investigations of aliphatic and This report summarizes progress from September 1977 through studied part of Puget application of the sup 210 Pb determinations in sediment cores aromatic hydrocarbons in some of the same samples of organisms and sediment cores whose accumulation histories for the past 1978 on a series of marine chemical and geochemical of Washington and and organic constituents in a well sediments elements in the 3 ō uptake and coefficient Ş Columbia pellets Sound: August ð 9

100 years we have determined with the lead-210 technique. Descriptors: *Continental Shelf: *Hydrocarbons: *Sediments; ystems: Coastal Waters; Continental Slope; Transport; Feces; Lead 210; Polonium 210; Migration; Sedimentation; Submarine Canyons; Tracer Techniques; Washington; Zooplankton Ecosystems: Environmental Radionuclide

ERDA/520200; contaminant; North Pacific Ocean; NTISDE ERDA/520302; Identifiers:

[Environmental Pollution and Control--Radiation Pollution and Control. Water Science Radioactivity): (Nuclear (Nuclear wastes and 77G [echnology - - Radioactivity]; Technology - Radioactive Headings Pollution and Control)

DIALOG File 6: NTIS - 64-86/ISS18 (CODF. NTIS)

DE86000519/XAB

Coast of Washington, Progress Report, September 1979-August 1980 off the and Geochemical Studies Carpenter, R. Chemical

Washington Univ., Seattle. Dept. of Oceanograph,

Corp. Source Codes: 005042022; 6808000 Sponsor: Department of Energy, Washington, DC

Report No.: D0E/EV/70024-T2

Aug 80

microfiche Portions of this document are illegible in products.

PC A02/MF A01 Journal Announcement: GRA18605 Languages: English NTIS Prices: PC. NSA0000

Country of Publication: United States

Contract No. ATO6-71EV70024

surface mixed layer, and a mixing coefficient for the surface sediments; (3) determinations of the /sup 239, 240/Pu and sup 238. Pu activities in sediments of the region in which we have This report summarizes progress from September 1979 through investigations involving both laboratory studies and field of the Columbia River. Our aim is to provide basic data ed to characterize underlying chemical and physical and other trace inorganic and organic constituents in a to determine sediment for the past 100 years, the depth of the determined sup 210 Pb activities, to learn more about Pu cycling in this region and to check the depth of surface sediment mixing and accumulation rates inferred from the sup measurements; and (4) investigations of aliphatic and anomatic hydrocarbons in some of the same samples of organisms and sediment cores whose accumulation histories for the past 1980 on a series of marine chemical and geochemical past few years has been on the Washington continental f. slope, and the submarine canyons indenting the shelf processes and their rates which control the distributions, concentrations, and ultimate fate of some of the potentially by zooplankton fecal pellets of sup 210 Po. sup 210 well-studied part of Puget Sound; (2) studies of the behavior studies off the coast of Washington. Most of our field work hazardous agents associated with fossil fuel and/or nuclear Po and sup 210 Pb in sediments off the coast of power production or transportation. The main lines investigation are: (1) field studies of the uptake a ,ears we have determined with the sup 210 Pb technique. dns the ō Sediment cores the application č accumulation rates and determinations snelf, slope. sup 210 Washington transport reguired already å north 2 10

Polonium 210; Radionuclide Migration; Sedimentation; Submarine .Continental Shelf; "Hydrocarbons: 'Sediments; Slope: Environmental Transport; Feces; Lead 210; Plutonium 238; Plutonium 239; Plutonium 240; Continental Waters. Descriptors

·Radioactive Canyons; Iracer Techniques; Washington; Zooplankton ERDA/520200; ERDA/520302: Identifiers

Pollution and Control--Radiation Pollution and **68F** Science Radioactivity); Science (Nuclear (Nuclear contaminants; North Pacific Ocean; NTISDE and 276 Wastes [echnology - - Radioactivity]; Technology - - Radioactive Headings Environmental Section

STORY REPORTED TO SECRET SECRETARY AND CASES OF THE SECRETARY AND SECRETARY SECRETARY SECRETARY.

Control); 68D (Environmental Pollution and Control--Water Pollution and Controll

8

Ä

8

Ž,

3

¥.

F)

8

DIALOG (VERSION 2)

35465 PE85-193381/AAB Sedimentation Rates in Puget Sound from (210)Pb Measurements

(Technical memo.)

Lavelle, J. W. : Massoth, G. J. : Crecelius, E. A. National Oceanic and Atmospheric Administration, Seattle

WA. Pacific Marine Environmental Lab.

Report No .: NOAA-TM-ERL-PMEL-61 Corp. Source Codes: 031375019

47p Jan 85

Journal Announcement: GRAIS518 Languages: English NTIS Prices: PC A03/MF A01 Journal Country of Publication: United States

Current-dominated basin. Bioturbated surface layers of cores five times areal average accumulation rates based on estimates of recent sediment input from rivering and shoreline sources. accumulating at rates of 0.26 to 1.20 g/sq cm/yr; these along accumulation rates have a range of from approximately one to Sixteen (210)Pb profiles from sites along the axis of the Sound show that bottom sediments are with seven rates earlier published suggest nigness accumulation nearly midway along the length of this tidal have also been found to be as deep as 40 cm, but biologic Individual are poorly determined. Main Basin of Puget rates **BIXING**

.Sedimentation; .Puget Sound; Tidal currents; Accumulation: Radioactive isotopes: Sediments: labeling: Rivers: Shores: Profiles Descriptors: Radioactive

Identifiers: Tracer studies; Lead 210; NTISCOMNOA

Oceanography -- Geology and Mineralogy): 8C (Earth Sciences and Oceanography -- Geology and Mineralogy): 8C (Earth Sciences and Oceanography): 47E (Ocean Technology and Schences Engineering--Marine Geophysics and Geology): Technolog, and Engineering--Dynamic Oceanography) (Earth Head ings

DIALOG File 6: NTIS - 64-86/ISS18 (Copr. NTIS)

PB85-174209 KAB 1125210

Sediment Related Criteria for Toxic Contaminants in Marine Waters (Puget Sound) Phase 2 Development and Testing of the Sediment-Water Equilibrium Partitioning Approach Evaluation of Alternatives for Development Initial

(Final rept.)

Paylou, S. P. : Weston, D. P.

URB Associates, Inc., Bellevue, WA Corp. Source Codes: 078466000

Sponsor: Environmental Protection Agency, Washington, DC

EPA/910/9-83/117 Report No.

98p 20 Apr 84 Languages: English

GRA 18514 Journal Announcement Country of Publication: United States NTIS Prices PC A05/MF A01

Contract No. EPA-68-01-6388; JRB-2-813-03-852-42

decisions facing these agencies concern the of permissible levels of contaminants in marine for example, in Commencement Bay the Washington in Commencement Bay the Washington with the increased use of our nation's coastal and inland waters, regulator, agencies are frequently confronted with difficult decisions in resolving conflicts between alternative uses of these vaters, while at the same time striving to protect overall environmental quality. A significant number of of Ecology and EPA are attempting to identify those environmental threat, with the ultimate intent of initiating contamination for sediments which are to be disposed of at the which sediment contamination poses the greatest remedial action in these areas. At the Four Mile Rock dredge site, regulatory agencies are confronted with an le vel permissible to establish need definition management sediments. **Department** areas in 1 mmed 1 a te disposal

Regression management: •Toxicity; •Puget Sound; •Water pollution. Commencement Ba;; Protection; Ocean environments; Oredging; Solid waste disposal Safety; Metals; Mathematical models, quality · Water anal, sis; Hydrocarbons: Biphenyl ·Sediments: Descriptors: Sites;

.Permissible level; .Sediment water interfaces |dentifiers:

NTISEPAESA

Sciences--Toxicolog,); 7D (Chemistry--Physical Chemistry); 690 (Environmental Pollution and Control--Water Pollution and Control); 68C (Environmental Pollution and Control--Solid and Biology--Toxicology); 99A (Chemistry--Analytical Chemistry) (Medicine and 57, (Biologica) Control); 61 and Headings Pollution

T T

8

3

S

N.

翠

8

Hydrocarbon Studies in Puget Sound and off the Washington Coast. Report of Progress, March 1980-February 1981 1101823 DE85001684/XAB

washington Univ., Seattle, Dept. of Oceanography. Carpenter, R.

orp. Source Codes: 005042022: 6308000 ponsor: Department of Energy, Washington, DC

Report No.: DOE/EV/70040-13

Feb 81

Portions are illegible in microfiche products

Languages: English Prices

PC A02/MF A01 Journal Announcement: GRAI8506;

from various chronic sources must be considered and taken into account when assessing potential impacts of any future oil spills or refinery or transhipment terminals proposed for Country of Publication: United States
Contract No.: ATO6-76EV-0040
This report summarizes the past year's progress in studies
the amounts, types and probable origins of aliphatic. identifying the relative importance of the various sources of these substances, the major pathways by are evident with depth in exp 210 from central Puget Sound. These are due both to natural diagenetic processes and to well inputs of fossil hydrocarbons from a variet, of related activities. The presence of these hydrocarbons urban areas, rather than in northern Puget Sound near the major refineries. We have found S-containing nydrocarbons in Puget Sound sediments which are largely due to largely due to anthropogenic inputs, probably from atmospheric dists rich in these compounds from combustion processes. The *-containing azaarenes are especially enriched in layers of sediment containing coal particles and may turn out to be good of coal dust contamination of sediments. Our the role of zooplankton fecal pellets in the which they are transferred through some parts of the marine their possible transformations into other chemical forms, and their ultimate We have found that changes in aliphatic, aromatic and polynuclear aromatic h, drocarbon fluxes are to central Puget Sound sediments near natural sources. In contrast, N.containing hydrocarbons appear trace chemicals in the sea have shown that fecal e an important vertical transport agent for aromatic. S- and N-containing hydrocarbons in sediments, organisms and waters of Puget Sound and the Washington coast. transfer. contamination greatest ō The their rates N-containing hydrocarbons indicators of coal dust cores development. Pb-dated sediment possible sources are web. ŏ ō leve! ma jor changes studies Cycling pellets VD nane future ŏ

*Mydrocarbons: *Puget Sound; Aquatic Organisms Chemical Composition; Coastal Waters; Combustion Products; Ecological Concentration; Environmental Sources: Feces; Plankton; Pollution Elodegradation; water Pollution Descriptors: Transport;

r, drocarbons. 5 figures. (ERA citation 10:003354)

Follution and Control--Water Follution and Control); 57M (Medicine and Biology--Erology), 47D (Ocean Technology and Engineering--Biological Oceanograph,)

ENTROPY

Cceanography--Biological Oceanography); 6F (Biological and Medical Sciences--Environmental Biology); 68D (Environmental

Sciences

1 Earth

84

Identifiers: ERDA/520200; NTISDE

Headings:

9Ct 10n

DIALOG File 6: NTIS - 64-86/ISS18 (Copr. NTIS)

1101822 DE85001683/x4B

in Puget Sound and off the Washington Coast. Report of Progress, March 1981-May 1982 Hydrocarbon Studies

Carpenter.

Washington Univ., Seattle, Dept. of Oceanography

Corp. Source Codes: 005042022; 6808000 Sponsor: Department of Energy, Washington, DC

Report No.: DOE/EV/70040-T2

Portions are illegible in microfiche products

PC A02/MF A01 Journal Announcement: GRAI8506; Languages: English Prices NSA 1000

Country of Publication: United States

Contract No.: ATO6-76EV70040

of the role of zooplankton of sediments. Our of the role of zooplankton fecal pellets in the of trace chemicals in the sea have shown that fecal are an important vertical trace. from various chronic sources must be considered and taken into account when assessing potential impacts of any future oil spills or refinery or transshipment terminals proposed for N-containing azaarenes are especially enriched in layers of sediment containing coal particles and may turn out to be good largely due to anthropogenic inputs, probably from atmospheric dusts rich in these compounds from combustion processes. The possible sources of these substances, the major pathways by possible We have found that changes in aliphatic, arcmatic and N-containing hydrocarbons are evident with depth in exp 210 due both to natural diagenetic processes and to related activities. The presence of these hydrocarbons future development. The greatest polynuclear aromatic hydrocarbon fluxes are to central Puget Sound sediments near urban areas, rather than in northern Puget Sound major refineries. We have found S-containing This report summarizes the past year's progress in studies importance of the various transferred through some parts of the marine transformations into other chemical forms, and their ultimate inputs of fossil hydrocarbons from a variety of hydrocarbons in Puget Sound sediments which are largely due to natural sources. In contrast, N-containing hydrocarbons appear of the amounts, types and probable origins of aliphatic, aromatic, S- and N-containing hydrocarbons in sediments, organisms and waters of Puget Sound and the Washington coast. central Puget Sound. their hydrocarbons, 4 figures (ERA citation 10 003353) transfer. the relative ō Pb-dated sediment cores from rates 1dentify ing their which they are changes are Keb. 10w 1evel the indicators the major Studies C/Cling pellets energy fates. dusts food

 Hydrocarbons: Puget Sound: Alkanes: Aromatics Environmental Transport; Feces; Plankton; Pollution Sources; Sediments; . water Pollution Concentration; Descriptors Ecological

Identifiers: ERDA/520200; NTISDE

(Mechanical, Industrial, Civil, and (Environmenta) Control); 680 Pollution and Section Headings: 138 (Mechanical, In rine Engineering--Civil Engineering); (Energy -- Environmental Studies) Pollution and Control--Water Marine

್ ದಾ

AND THE POSSESSE OF THE PROPERTY OF THE POSSESSE OF THE POSSES

3

 \overline{x}

nd

公

8

I tem

N.

S.

8

*

P

DIALOG File 6: NTIS - 64-86/ISS18 (Copr. NTIS)

DE84010949

Administration Proposed Fiscal Year 1979 Location Supplement. San Juan Islands Area Submarine Transmission Cable. Final Service, 115-KV Submarine Transmission Cable. rinar Supplement, Final Environmental Impact Statement Department of Energy, Washington, DC. Office of Environment. Bonneville Power Program. Facility

Corp. Source Codes. 052661195: 9512011 Sponsor: Department of Energy, Washington, DC

DOE/E1S-0005-FS Sponsu. Report No.: DE

Portions are illegible in microfiche products.

Languages: English

PC A04/MF A01 Journal Announcement: GRAI8420; Prices:

Country of Publication: United States

A proposal for transmission facilities to serve the San Juan described. The proposal consists of four (1) a 4.5 mile 115-kV submarine cable across Rosario Strait from Fidalgo Substation on Fidalgo Island to the eastern shore of Decatur Island; (2) a 1.5 mile 115-kV underground cable across Decatur Island; (3) a 2.2 mile 115-kV submarine cable across Lopez Sound from the western shore of Decatur Island to the Lopez Substation on the eastern shore of Lopez Island; and (4) replacement of approximately 1000 ft. of double-circuit wood-pole overhead line with two 34.5-kV underground cables on the eastern side of Decatur Island to move the existing terminal structure inland. 34 references, 2 figures. (ERA citation 09:027091) Š Subprojects:

Molluscs: Noise Air Pollution; Sedimentation: Pollution: Oil-Filled Cables: Puget Sound: Washington: Water Pollution; Wild Animals Transmission Lines: Impact Statements: Erosion: · Power • Environmental Descriptors:

ERDA / 290300: ERDA/520500; ERDA/530300; |dentifiers:

ERDA/200300; NTISDE

Section Headings: 138 (Mechanical, Industrial, Civil, and Marine Engineering: Civil, Engineering); :OA (Energy Conversion (Non-propulsive) -- Conversion Techniques); 97R (Energy -- Environ mental Studies) 97G (Energy.-Policies, Regulations, and Studies); 97E (Energy.-Electric Power Transmission); 68H (Environmental Pollution and Control--Environmental Impact

Seismic Structure of the Juan de Fuca Ridge: Ocean Bottom Seismometer Results from the Median Valley AD-A035 337, 2 832417

(Technical rept.)

Davis, E. E.; Lister, C. R. B.; Lewis, B. T. R. Washington Univ., Seattle, Dept. of Oceanography. Corp. Source Codes: 005042022; 370280

Report No.: TR-356

14 Aug 75

Pub. in Unl. of Geophysical Research, v81 n20 p3541-3555, 10 il 76. Prepared in cooperation with Massachusetts Inst. of each., Cambridge. Dept. of Earth and Planetary Sciences.

Tech., Cambridge. Dept. of Earth and Planetary Sciences. Sponsored in part by Grant NSF-DES73-06593. Languages English Document Type Journal article.

Journal Announcement: GRAI8113 Country of Publication: United States NTIS Prices PC A02 MF A01

Contract No.: NO0014-67-A-0103-0014

No abstract available.

Descriptors •Ocean ridges; North Pacific Ocean; Sediments; Oceanic crust; Seismic waves; Refraction; Reprints

Identifiers: Juan de Fuca Ridge: Seismic refraction profiles : NTISDODXR: NTISNSFG

Section Headings 8J (Earth Sciences and Oceanography--Physical Oceanography); 8K (Earth Sciences and Oceanography--Seismology); 47E (Ocean Technology and Engineering--Marine Geophysics and Geology); 47G (Ocean Technology and Engineering--Hydrography)

Š.

Ä

T)

SALES SELECTION OF THE PARTY OF

ئٽ

R

DIALOG File 6: NTIS - 64-86/ISS18 (Copr. NTIS)

PB81-103749

Biotic, Water Quality and Hydrologic Characteristics of Skyline Marina in 1978

76-Dec 80)

; Olsen, Scharleen J.; Carr, Mark I. (Technical completion rept. Ma, Cardwell, Rick D.; Olsen, S Sanborn, Eugene W

of Fisheries, Olympia Washington State Dept.

Sponsor: National Marine Fisheries Service, Washington, DC Corp. Source Codes: 060306000

Report No. TR-54; NOAA-80082009

Languages: English NTIS Prices: PC A06/MF A01 Jun 80

Journal Announcement: GRAI8101

Country of Publication: United States

Contract No.: NOAA-NMFS-1,127-R

Fish, zooplankton, and water quality characteristics of Skyline Marina in north Puget Sound were compared to the marina's source water in monthly surveys conducted from March to October 1978. The marina's fish populations were numerically larger, more diverse and rich in species than in the bay. Surface zooplankton in the marina were less dissolved oxygen (0.0.), chlorophyll, ammonia, copper in the sediments and copper and zinc in adult oysters, and lesser concentrations of nitrite-nitrate and ortho-phosphate than and rich in species than those in the bay. The amounts Skyline Marina water exchanging with the source water were Burrows Bay. Water quality was most variable from June through lowest of record for Puget Sound marinas. Skyline higher concentrations temperatures. had warmer ţ Marina those among dense ŏ

Descriptors Fishes; •Marinas; •Water pollution; •Puget Sound; Abundance; Zooplankton; Metals; Nutrients; Surveys; Temperature; Oxygen; Dissolved gases; Chlorophylls; Ammonia; Copper; Sediments; Zinc

Clupea harengus: Oncorhynchus; •Water quality data: NTISCOMNOA; NTISCOMNMF Identifiers

Oceanography--Biological Oceanography); 6f (Biological and Medical Sciences--Environmental Biology); 68D (Environmental Pollution and Control); 47D (Ocean Technology and Engineering--Eiological Oceanography); Sciences (Earth 57H (Medicine and Biology--Ecolog/) 8 Headings

DIALOG File 6: NTIS - 64-86/ISS18 (Copr. NTIS

in-Situ X-Ray Fluorescence Analyzer for Inorganic Pollutants in Sediments and Water Columns 5 Evaluation of WOOMBD.

Battelle Pacific Northwest Labs , Richland,

Corp. Source Codes 048335000, 9500022 Sponsor. Department of Energy, Washington, DC Sep 79 61p

Languages: English

PC A04.MF ACT Journal Announcement GRAI8015; Príces

NSA0500

United States Country of Publication

improved analyzer system included a detector assembly which could be towed, or allow continuous sediment surface analysis thereby recording the average composition of a large area. (ERA citation 05:012530) Contract No. - Ex-76-C-06-1930 The applicability of an energ, dispersive x-ra, fluorescence of trace elements in sediments has been and saltwater areas and included Puget Sound, Lake consisted of a solid cryogen-cooled Sillil detector and a e.p 109 Cd excitation source. Sediments and water columns were viewed through a 0.2 mm. Be window. This stud, showed the feasibility of measuring Window. This stud, showed the feasibility of measuring Measurements of this sensitivity with a 100 mC; exp 109 Colisource are possible for time intervals assistort as 5 grab samples of the sediment surface. Recommendations for an the stip canal in the State of elements at concentrations ranging from 20 to about 100 disturbance which is inherent in the collection of the problem capability permits <u>-</u> in water columns from Coast Guard vessels investigation was conducted mapping of pollution and avoids System in-Situ measurement Washington, Lake Union, and Washington. The spectrometer spectrometer for measurement This This investigated freshwater Sediment minutes. on-51te trace . Wdd

** - ray spectrometers; •Elements. •Sediments, •x-ray spectrometers; Evaluation, Experimental data; Isolated values; Quantitative chemical analysis; Irace amounts: Descriptors Cadmium

7D (Chemistry--Physical Chemistry); 680 Identifiers ERDA/520200; -Water poliution detection; NTISDE (Environmental Pollution and Control-Water Pollution Control): 99A (Chemistry--Anal, fical Chemistry) Section Headings

.

1

PASS S

DIALOG File 6: NTIS - 64-86/ISS18 (Copr. NTIS)

692589

692589 AD-A062 095/5 Regional Geological Maps of the Northeast Pacific - Standard Navy Ocean Area NP-9

(Fina) rept.)

Morton, William T.; Lowrie, Allen

Naval Oceanographic Office Nstl Station MS

Corp. Source Codes: 250450 Report No.: NOO-RP-16

490 978

Languages: English

Journal Announcement: GRAI7909 NTIS Prices: PC A03/MF A01

bath,metric. magnetic, seismic reflection, and core sample data from all available sources, and contain an estimated 90 percent of the existing data. Comparison of the maps for the Eleven geophysical and geological maps have been compiled in the central northeast Pacific. These maps are based upon dominant influence. Continental margin and abyssal plain emphasis could be placed on the criteria used for evaluating data and compilling maps. References have been cited in shows that basement structure controls topography. the continental margins where alluvial fans have deposits flank the actively spreading Gorda and Juan de Fuca Ridges. Interpretations have been deliberately limited so that provide a general reading guide for Ç further study. (Author) Sufficient number bath,metric. near region

data: "Bathymetry; Marine geology: •North Pacific Ocean: •Maps: Ocean bottom topography Seafloor spreading: Sediments *Oceanographic Descriptors:

Identifiers: *Geological maps: Alluvial fans; Gordo Ridge; Juan de Fuca Ridge: NTISDODXA

(Ocean Oceanograph,--Physical Oceanography); 8G (Earth Sciences and Oceanography--Geology and Mineralogy); 8B (Earth Sciences and Technolog, ingineering--Marine Geophysics and Geology); 47G Technology and Engineering--Hydrography) (Ocean (Earth 47E Oceanography -- Cartography); Headings: Engineering--Marine

Item

DIALOG File 6: NTIS - 64-86/ISS18 (Copr. NTIS

AD-472 260/9 642934

ŏ Portion Uceanographic Survey on Submarine Snohomish-Kitsap 230 Kv Line, Part I (Final rept.)

Hanold E. , Baden, Richard C. ; Bannes, Clifford A Bunt, Wayne V. ; Bush, James Babcock.

Washington Univ Seattle Dept of Oceanography

Corp. Source Codes: 370280

173p Dec 53

Journal Announcement, GRAI7814 Distribution limitation now removed.

NTIS Prices: PC AO8/MF AO1 - Journal Announcement. G Contract No.: N8onr-520(03); Nonr-477(01); NRO83 072

laying and subsequent operation of a power cable across This report contains the results of an oceanographic survey (Richmond Beach), located about 10 miles north of the of Seattle. The purpose of the survey was to examine and report upon all known oceanographic factors that would affect of the area in Puget Sound between President Point and Point the Sound in the above area. (Author) Wells 0117 the

Goean bottom sampling; Marine geology; Ocean bottom topography; Temperature; Salinity; Sedimentation; Maps, Marine biology; Ph factor; Ocean currents Descriptors. •Oceanographic data; •Puget Sound; Feasibilit, Washington(State); Electric cables; Tides; Oceanographic ships

Identifiers: NTISDODXD

Oceanography--Physical Oceanography); 8A (Earth Sciences and Oceanography--Biological Oceanography); 8G (Earth Sciences and Oceanography--Geology and Mineralogy); 8C (Earth Sciences and Oceanography--Dynamic Oceanography) Sciences (Earth Headings Section

STENESCO. 7

Y.

7

Item

8

DIALOG File 6: NTIS - 64-88/ISS18 (Copr. NTIS)

Geology of the Strait of Juan de Fuca (Technical rept.) 419409 AD-787 772/3

Mayers, Jan R. : Bennett, Ur. Lee C Washington Univ Seattle Dept of Oceanography

Corp. Source Codes: 370280 Sponsor: Office of Naval Research, Arlington, Va.: National Science Foundation, Washington, D.C.

Report No. 1R-309; CONTRIB-725

31p 19 Mar 73

Sponsored in part by Grant NSF-GU-2655

Pub. in Marine Geology, v15 p89-117 1973. Document Type: Journal article

Nonr-477(37); Journal Announcement: GRAI7426 N00014-67-A-0103-0014; Reprint Š NTIS Prices: Contract

NR-083-012

The results of interpretation and mapping of this project have been combined with previously published information in an attempt to synthesize the geology of the Straits of Juan de

de Fuca Strait; Oceanographic data; Stratigraphy: Tectonics; Bathymetry; Juan de fuca reflection; Descriptors Sedimentation Seismic FCC ON

Identifiers: Pleistocene epoch; NTISDODN; NTISNSF

Oceanography--Geology and Mineralogy): 8J (Earth Sciences and Oceanography--Physical Oceanography)

DIALOG File 6: NTIS - 64-86/ISS18 (Copr. NTIS)

Jii67 PB-231 248/6 Oxidation of Organic Matter in Sediments Pamatmat, Mario M.: Jones, R. Stephen: Sanborn, Herbert:

Washington Univ., Seattle, Dept. of Oceanography Bnagwat, Ashok

Source Codes: 370280

Report No.: W74-06528; EPA-660/3-73-005

116p Sep 73

Paper copy available GPO \$1.30 as EP1.23:660/3-73-005. NTIS Prices: PC-GPO/MF A01-NTIS Journal Announcement

Contract No. : EPA-16070-EXZ

between oxygen uptake, loss of carbon, and release of silicate, nitrate, ammonia, and phosphate by sediments. The oxygen consumption at 33 stations in Puget Sound was measured each season to provide baseline data for this estuary. The original working hypothesis, that total oxygen uptake represents a measure of total metabolism in the sediment e, and measuring oxygen uptake by intact sediment dehydrogenase activity of sediment bacteria, and metabolic heat release by benthic organisms. Laboratory experiments were conducted to determine the relationship between oxygen uptake, loss of carbon, and release of column appears erroneous, at least in organically rich sediment where anaerobic metabolism may greatly exceed aerobic Techniques were developed for sampling undisturbed sediment interface, metabolism.

Detritus; Aerobic processes; Anaerobic processes; Metabolism; Oxygen consumption; Water pollution; demand: oxygen ·Biochemical Nutrients: Estuaries: Puget Sound *Sediments: wastes: Descriptors:

Section Headings: 13B (Mechanical, Industrial, Civil, and Marine Engineering--Civil Engineering): 68D (Environmental Pollution and Control--Water Pollution and Control) identifiers: Sediment water interactions; NTISEPADRM

ره ده سخ

X

W W

8

7

8

R

88

DIALOG File 6: NTIS - 64-86/ISS18 (Copr. NTIS)

AD-734 557

Seamounts West of the Juan de Fuca Ridge, Northeast Pacific

Lister, C

Washington Univ Seattle Dept of Oceanography

Corp. Source Codes: 370280 Report No. 18-268; CONTRIB-609 2 Apr 71 19c

Pub. in unl. of Geophysical Research, v76 n20 p4824-4841, 10 Revision of report dated 23 Nov 70.

Document Tipe Journal article NTIS Prices Reprint

Reprint Journal Announcement, GRAI7204 NOO014-67-4-0103-0014; NR-083-012 Contract %5.

cores, three seismic profiles, and two camera stations provided additional data. Two abyssal hills 700 m high are topographicall, and magnetically delineated in considerable saturation survey of 800 sq km of ridge flank topography made near 47N, 132W Echo sounding depths at 12 kHz and total-field magnetic intensity were measured from a surface anomaly; the other is of complex morphology and is associated on a sense track line pattern. Inirteen long gravity one is smooth and associated with a negative magnetic with a positive anomaly. Neither anomaly can be due to simple bulk magnetization of the seamounts. The southeast seamount cliffs, steep pseudomassive faces, and rubble slide. in sequence downward from the summit. (Author) Shows massive flows detail. vesse!

·Pacific Ocean ; Ocean bottom topography: Anomaltes: Marine geophysics Sedimentation; Descriptors: *Terrestrial

Identifiers Seamounts: Abyssal plains: Juan de fuca Ridge: North Pacific Ocean: Seismic profiles: NTISN

Oceanograph, --Physical Oceanography): 8N (Earth Sciences and Oceanograph, --Terrestrial Magnetism): 78H (Ocean Sciences and Engineering--Physical Oceanography): 64G (Earth Sciences--Geom Sciences (Earth Head Ings Section

agnetism)

A CEMICO SEARCH FROM THE

AQUATIC SCI AND FISHERIES ABS DATABASE

	you have any questions, please call:		erch:		
of:	f you have any que	• 1 ephone :	opto of search:	••rcher:	ote:

The attached report is the result of a search of the AQUATIC SCIENCES AND FISHERIES ABSTRACTS database using the DIALOG Information Retrieval Service.

AQUATIC SCIENCES AND FISHERIES ABSTRACTS (ASFA) is a comprehensive database on life sciences of the seas and inland waters as well as related legal, political, and social topics. It includes information on aquatic Corresponding to the printed publication. Aquatic Sciences primary journals and such other source and 2, ASFA cites primary journals and such other source documents as books, conference proceedings, and technical negation reports.

SAMPLE RECORD

7

8

8

Į,

Ž,

8

No.

P

The positions of the key fields are shown in the following sample record.

1052467 210-02467	Despuster pipeline tie-in techniques described by Shell.	. Swenk . d. C	Shall UK Exploration and Production, London, UK	011 Gas J. 77(32), 81-86, (1979)		DOC TYPE: Journal Article	JOURNAL ANNOUNCEMENT: 8003	The Shell/Esso Northern North Sea flelds of Brent.	Cormorant, and Dunits are Dispused to commist initially	of eight structures handling up to 1 million b/d of oil	and 1 billion ou ft of natural gas through 14	Dipelines. Several procedures have been developed and	are used by Shell UK Exploration and Production (Expro)	in the connection, or tierin, of these large-disseter	pipelines to production facilities in approximately 500	ft of water. The procedures include stress analysis in	platform-riser connection designs, survey and	messurement techniques to accurately lay the pipelines	at the required position near the pletforms, and tie in	of the riser by both flanges and hyperbaric welding.	
	=	₽	S	کو م	۲	10	٩	AB													

of the riser by both flanges and hyperbaric welding.

DE DESCRIPTORS: pipelines: connections

GEOGRAPHIC DESCRIPTORS: ANE, North See

ID IDENTIFIERS: riser pipes: design; construction;

welding: natural gas; oil a: SECTION HEADING CODES: 2325 (Property of NOAA, 1984.)

S

oil and gas production

Key to Data Fletds

Journal Amouncement	Journal Name	Language	Publisher	Publication Year	Report Number	Section Heading Code	Summery Lenguage	T1110	
5	z	5	2	<u>~</u>	Z	S	ร	I	
Abstract	Author	Conference Location	Corporate Source	Conference Title	Conference Year	Descriptor	Document Type	Environment	Identifier
¥	₹	ರ	S	Ç	Ç	30	5	Z	2

Data present in record depends on output format requested and type of record.

PRINTS

DIALOG FILE 44: AQUATIC SCIENCE ABSTRACTS - 78-86/MAY

216-00879 116-03361: 1603361

A sediment quality triad: Mesures of sediment contamination, toxicity and infaunal community composition in Puget Sound.

Chapman, M.P. Long, E.R.;

Pac_Off Ocean Assess Div. U.S. NOAA, 7600 Sand Point Way. N.E. Seattle, WA 98115, USA MAR. POLLUT BULL, vol. 16, no. 10, pp. 405-415, (1985).

LANGUAGES: English

SUMMARY LANGUAGES: English

DOC TYPE: Journal Article JOURNAL ANNOUNCEMENT: 8602

correspondence among measures of the three components of the ing available data from several studies of Puget Good overall correspondence among the three components the Iriad was observed, based upon a comparison of average values from urban and rural portions of the Sound However. based upon comparison of data on a station-by-station basis the chemical data alone were not always reliable indicators of determine ţ 863 stud/ this of biological effects. purpose Sound

pollution: sediment pollution: marine Diogeochemistry DESCRIPTORS:

GEOGRAPHIC DESCRIPTORS: bioassays:

INE, Puget Sound

ENVIRONMENT: Marine IDENTIFIERS: sediment quality triad

SECTION HEADING CODES: 1503:

8

Ø

及

A m

Andreas (Marianassa) Andreassa (Marianassa) (Marianassa)

3

**

0

DIALOG File 44: AQUATIC SCIENCE ABSTRACTS - 78-86/MAY

The shape and form of Puget Sound 1553559 215-03559

PUGET SOUND BOOKS.
PUBL: WASHINGTON SEA GRANT PROGRAM, UNIV. WASHINGTON
SEATTLE, WA (USA), 1985., 114 pp

Incl. bibliogr. and index. Price: \$8.95 DOC TYPE: Bibliography;

REPORT NO 158N 0-295-96184-8

JOURNAL ANNOUNCEMENT: 8504

examined. Discussion includes the processes responsible for shaping it, present submarine features, and the ongoing changes in its shape and the processes that cause them.

sediment transport

GEOGRAPHIC DESCRIPTORS: INE, Puget Sound ENVIRONMENT: Marine

SECTION HEADING CODES: 2263;

SAMINACE AND POSSESSED IN CONTRACT OF THE PROPERTY OF THE PROP

DIALOG FILE 44: AQUATIC SCIENCE ABSTRACTS - 78-86/MAY

1519754 115-19754

Interlaboratory comparison of a sediment toxicity test. Ocean Dumping R and D Pacific Region. Department of Fisheries and Oceans, 1983 - 1984 Sidney, B.C. (Canada) 7 Dec 1984 Wearns, A.

Oceans Assess. Div., NOAA, Seattle, WA, USA

Institute of Ocean Sciences, Sidney, B.S. (USA) CAN. CONTRACT. REP. HYDROGR. OCEAN SCI., no. 20, pp. 31-36

(1985)

LANGUAGES English

Journal Article SUMMARY LANGUAGES: English DOC T/PE: Conference: JOC JOURNAL ANNOUNCEMENT: 8509

laboratories, four U.S. and one Canadian. This report summarizes some of the results of that experiment with laboratories to survey for sediment condity at several hundred sites in Puget Sound and elsewhere in the U.S. This interim criteria for the disposal of gredge-material into Puget Sound. During February, 1984, the Swartz et al. (1985) was subject to a referred experiment involving five et al. (1985) have proposed for monitoring and assessment a 10-day static sediment toxicity test using the infaunal amphibod Rhepoxynius accomius (Barnard Phoxocephalidael. The test has been used by five different laboratories to survey for sediment "0.101ty at several two principal procedures tentatively being used by U.S. EPA as is now being used by a sixth laborator, and it is one of emphasis on survival, one of three end-points investigated. Rhepoxynius bioassay comparison amph i pod Sediment interlaboratory bod! Home SWBTIZ Puget test

TAXONOMIC DESCRIPTORS: ocean dumping; survival; pollution Rhepoxynius abronius sediment pollution DESCRIPTORS: toxicity tests:

effects: controlled conditions: ENVIRONMENT: Marine IDENTIFIERS: test organisms SECTION HEADING CODES: 1502

STORES CARTION SERVICES

8

Ñ

8

3

3

150000 F

7 73

2332

Control proposed proposed proposed

X

8

8

3

DIALOG File 44: AQUATIC SCIENCE ABSTRACTS - 78-86/MAY

Geographic trends in toxicity of Puget Sound sediments.

Geographic trends in toxicity of Puget Sound sediments.

Docan Dumping R and D Pacific Region. Department of Fisheries and Oceans, 1983 - 1984 Sidney, B.C. (Canada) 7 Dec 1984

Long, E.R.

Long, E.R.

Institute of Ocean Sciences, Sidney, B.C. (Canada)

CAN. CONTRACT, REP. HiDROGR. OCEAN SCI., no. 20, pp. 37-39

(1985).

LANGUAGES: English

DOC TYPE: Conference: Journal Article

JOURNAL ANNOUNCEMENT 8509

DESCRIPTORS: sediment pollution; pollution surveys

GEOGRAPHIC DESCRIPTORS: toxicity tests; pollution dispersion site surveys: bloassays: INE, Puget Sound; ocean dumping ENVIRONMENT: Marine

2443

SECTION HEADING CODES 1501;

DIALOG File 44: AQUATIC SCIENCE ABSTRACTS - 78-86/MAY

115-04345 504345

Effects of Puget Sound sediments and their elutriates on the

11fe cycle of Capitella capitata . Chapman, P.M.; Fink, R. E.V.S. Consult. Ltd., 195 Pemberton Ave., North Vancouver. C., Canada V7P 2R4

BULL. ENVIRON. CONTAM. TOXICOL., vol. 33, no. 4, pp. 451-459 (1984)

SUMMARY LANGUAGES English LANGUAGES: English

JOURNAL ANNOUNCEMENT: 8502 DOC TYPE: Journal Article

In the present study, the authors examined the effects of contaminated marine sediments from Puget Sound, Washington, on capitata raised from the exposure to both sediment information on the toxic effects of the tested sediments and also provide comparative data regarding sediment bioassays conducted with whole sediments and with elutriates life cycle stages, abnormalities, growth rate, and time from and whole sediments. They examined survival at all trochophore larvae to reproduction. The results of this study trochophore larvae stage with exposure life-c,cle of C. prepared from those sediments. complete elutriates

DESCRIPTORS sediment pollution; pollution effects GEOGRAPHIC DESCRIPTORS INE, Puget Sound

TAXONOMIC DESCRIPTORS Capitella capitata

ENVIRONMENT: Marine

SECTION HEADING CODES: 1504

X

T.

N N

8

页

8

\$

O.

X

8

DIALDG File 44: AQUATIC SCIENCE ABSTRACTS - 78-86/MAY

1460561 214-10561

Particle transport processes in a small marine bay

Baker, E.T. Cannon, G.A.; Curl, H.C., Ur.
Pac. Mar. Environ Lab., NOAA, Seattle, WA. USA
U. GEOPHYS. RES. (C.OCEANS ATMOS.)., vol. 88, no. C14, pp.

9661-9669, 11983).

LANGUAGES: English

SUMMARY LANGUAGES: English Special issue MARSEN - Marine Remote Sensing Experiment. DOC TYPE: Journal Article

JOURNAL ANNOUNCEMENT: 8411

transmissometer current meter observations. Surface and bottom high-turbidity layers are present throughout the bay during both summer and winter seasons. Particles added to the surface layer by river input and phytonlankton and to the surface. Particle transport in Elliott Bay, a 20 km super(2) embayment in Puget Sound, Washington, was studied in an integrated program employing shipboard CID/transmissometer observations, moored sediment traps, and moored is maintained not by local resuspension but by particles advected into Elliott Bay with turbid deep water from the adjoining Main Basin of Puget Sound. A severalfold drop in out of the bay and provide only a minor contribution mean current speed as Main Basin water enters Elliott Bay results in increased particle fallout within the benthic nepheloid layer, a high sedimentation rate, and the embayment functioning as a sink for particles from throughout Puget the local sedimentation rate. The benthic nepheloid layer advected

matter; particulate Suspended DESCRIPTORS

processes: sediment transport
 GEOGRAPHIC DESCRIPTORS: INE, Puget Sound, Elliott Ba,

ENVIRONMENT - Marine

SECTION HEADING CODES: 2264

DIALOG File 44: AQUATIC SCIENCE ABSTRACTS - 78-88/MAY

214-08469

Surficial geology of the continental shelf, northwestern Vancouver Island.

Yorath, C. Bornhold, B.D.;

Surv. Canada, Sidney, B.C. VBL Geosci. Cent., Geol.

482, Canada MAR. GEOL., vol. 57, no. 1-4, pp. 89-112. (1984). LANGUAGES: English

Sedimentation on high-latitude continental SUMMARY LANGUAGES: English Special issue:

The Vancouver Island continental margin lies along the convergent boundary between the Explorer and Juan de Fuca predominance of lithic arenites and gra, ackes high wave and terrigenous sediments in fjords leading to low sediment accumulation rates on the shelf which in turn favor the formation of abundant glauconie, gravel lags, and extensive areas of biogenic sediments dominated by molluscs and bryozoa and the presence of Pleistocene glaciomarine sandy muds and muddy sands beneath the mid- and outer shelf. Plates and the America Plate. Surficial sedimentation reflects large oscillation bedforms to depths of 100-110 m trapping of both the tectonic and high-latitude settings of the area: restricting modern sedimentation to the outer than 110 m) and resulting in the formation of DOC TYPE: Journal Article JOURNAL ANNOUNCEMENT: 8409 Current energy (deeper shelf

margins: continental geology: marine DESCRIPTORS: sedimentology

Columbia

British

Canada.

INE. DESCRIPTORS: GEOGRAPHIC Vancouver 1.

ENVIRONMENT: Marine

SECTION HEADING CODES: 2261

2

3

8

3

位

(A)

8

S.

XX

8

X

3

N.

8

AND THE

ဗ္က •

PAGE:

I tem

USER 008800 14aug86 F154 PR 1453446/5 DIALOG (VERSION 2) PRINTS

DIALOG File 44: AQUATIC SCIENCE ABSTRACTS - 78-86/MAY

1453446 214-03446

Active hydrothermal vents and sulfide deposits on the southern Juan de Fuca Ridge.

U.L.; Koskii, R.A., Clague, D.A.; Normark, W.R.; Morton, Delaney, J.R.

Menlo Park, CA 94025. U.S. Geol. Surv., 345 Middlefield Rd

GEOLOGI., vol. 11, no. 3, pp. 158-163, (1983) LANGUAGES English

English

SUMMARY LANGUÄGES: English DOC TYPE: Journal Article JOURNAL ANNOUNCEMENT: 8404

sulfide. Most of the deposits coor at a series of hydrothermal vents within a relatively continuous depression in the center of a smooth 1-km-wide valley along the ridge axis. The depression appears to be formed by collapse of a Massive-sulfide deposits rich in zinc and silver were recovered from the Juan de Fuca Ridge 500 km west of Oregon in 1981. The samples recovered are composed largely of sulfide, with lesser amounts of iron, lead, and copper lava lake possibly modified by extensional faulting. The axial valle, floor outside the depression is underlain by fresh, September

glassy, ferrobasalt sheet and lobate flows.

DESCRIPTORS sulfide minerals; metalliferous sediments:
hydrothermal springs; hydrothermal deposits hydrothermal springs; hydrothermal deposits GEOGRAPHIC DESCRIPTORS: INE, Juan de Fuca Ridge

ENVIRONMENT: Marine

SECTION HEADING CODES: 2187

de de la stratistica (Paradologia Perdologia Paradologia Paradologia Perdologia (Paradologia Perdologia) Perdologia

DIALOG File 44: AQUATIC SCIENCE ABSTRACTS - 78-86/MAY

214-10390 1425562 114-25562;

estuarine vater shallow _ exchange Sediment-vater sediments.

Sch. Oceanogr., Univ. Washington, Seattle, WA 98195, USA J. MAR. RES., vol. 42. no. 3. pp. 709-730, (1984). KINMAROV.

SUMMARY LANGUAGES: English

JOURNAL ANNOUNCEMENT: 8411 DOC TYPE: Journal Article

transport by animal activity. Using an in situ super(3)H experiment and dissolved silicate profiles the authors evaluate the transport parameter due to animal activity in the surface 20 cm of sediments to be 1-5 \times 10 super(-7) s super(-1) which is in the range of similar parameters fluxes of salkalinity, ammonia and silicate across the sediment-water interface due to biological processes are greater than that be one-dimensional molecular diffusion. For mechanism depends upon the depth at which the metal is effect of biological activit, on metal remobilization is the removal of sulfide from the pore waters. nearshore environments in the U.S. The Cu. Ni and Cd the dominant transport Pore water profiles in shallow estuarine sediments of Puget Sound show the characteristics of enhanced interstitial-sater released to the pore saters. Probably the most important the metals Fe. Mn. in other determined

DESCRIPTORS: sediment-water interface; pore water; transport estuaries; **biogeochemistry**:

ENVIRONMENT: Marine

2187 SECTION HEADING CODES: 1482; 7

8

8

Second and second second in the second

2

300

82

8

8

DIALOG File 44: AQUATIC SCIENCE ABSTRACTS - 78-86/MAY

1356730

of clay-mineral stratigraphy by selective transport in Late Pleistocene-Holocene sediments of Northern Cascadia Basin -- Juan de Fuca Abyssal Plain: Implications for studies of clay-mineral provenance. Control

Dep. Geol. Sci., Lehigh Univ., Bethlehem, PA 18015, USA J. SEDIMENT, PET., vol. 53, no. 2, pp. 395-406, (1983). Arcaro, N.P. Carson, B.:

LANGUAGES . English

SUMMARY LANGUAGES: English

DOC TYPE: Journal Article JOURNAL ANNOUNCEMENT 8309

(7 angstrom) in Holocene lutites, whereas illite and Northern Cascadia Basin and Juan de Fuca Abyssal Plain were size-dependency in clay mineralogy and crystallinit, illite (10 angstrom) and dominate in Late Pleistocene deposits. The apparent inity of all clay-mineral groups declines from Semi-quantitative mineralogy and "crystallinity" were 90 subsamples. The results indicate a Cascadia Basin clay mineralog, Previous investigations of Cascadia Basin clay mineralogindicate a general trend in which montmorfilonoids (smectites to Holocene. Fifteen samples from which is consistent both areally and temporally. size classes. enriched relative to determinations of claymade on each of the into 6 crystallinity Pleistocene to fractionated definite chlorite

DESCRIPTORS: clay minerals; provenance; sediment transpor;

GEOGRAPHIC DESCRIPTORS. INE geological time

SECTION MEADING CODES: 2264

= Polytical

PRINTS

Item

DIALOG FILE 4: AQUATIC SCIENCE ABSTRACTS - 78-88/MAY

1258412 212-08412

Sediment Transport Study along a Delta Shoreline.

Scott, J.L.

CH2M HILL, 1500 114th Ave. SE, Bellevue, WA 98004, USA BULL. ASSOC. ENG. GEOL., vol. 19, no. 2, pp. 101-116

(1982)

LANGUAGES: English

SUMMARY LANGUAGES: English DOC TYPE: Journal Article JOURNAL ANNOUNCEMENT 8210

the factors affecting sediment transport along the and on the delta, and the directions and rates of transport. Sediment transport on the beach was by interpretation of beach profiles and sediment An estimate of sediment movement on the delta as obtained from sediment trap data and an the study are A sectiment transport study was conducted along the east to provide baseline data for an Environmental Statement and preliminary design criteria for a forest sexporting wharf. The study was concerned with beach and deltaic and by a beach grain tagging shoreline of the Nisqually River Delta. Southern Puget Sound, chart comparison. Results of ō characteristics Characteristics ţ **18** determining experiment. Washington, determined nistorical sediments. Shore line discussed products Dlatform Sediment textural Impact

DESCRIPTORS: sediment transport; deltas: surveys; baseline

GEOGRAPHIC DESCRIPTORS INE. USA, Southern Puget Sound,

Nisqually R. Delta SECTION HEADING CODES: 2264

STEATON STATES

X

8

S.

E.

N. X

Ž

8

DIALOG File 44: AQUATIC SCIENCE ABSTRACTS - 78-86/MAY

1054727 210-04727

the Puget Sound Organo-sulfur compounds in sediments of

Res. Lab., NOAA, 7600 Bates, T. S.; Carpenter, R. Pac. Mar. Environ. Lab., Environ. Res. Lab., Sandpoint Way N. E., Bldg. 32, Seatle, WA 98115, USA.

Geochim, Cosmochim, Acta, 43(8), 1209-1221, (1979) LANGUAGES: English

SUMMARY LANGUAGES: English DOC TYPE: Journal Article JOURNAL ANNOUNCEMENT: 8007

were analyzed for organo-sulfur compounds (OSC) to provide the first characterization of the amounts and types of these compounds in sediments of the greater Puget Sound basin. A gas chromatograph equipped with a sulfur specific flame alkylated homologs, and an unknown compound were the predominant OSC in most samples. Concentrations of total OSC and DBI ranged from 4 to 60 and 0.4 to 2 g/g organic carbon, respectively. The flux of OSC to the sediments at a station in The profile of total OSC concentration with depth showed three organic sulfur compounds that are apparently created in situ in the vicinity of where hydrogen OSC were relatively constant with depth. Although several anthropogenic sources of OSC were identified, there was no evidence that OSC from these sources were accumulating in the sulfide production begins. The concentrations of the aromatic Dibenzothiophene (DBI), its sediments is apparently atmospheric input from natural sources Sediment samples from a variety of different environments constant quantify individual OSC. Seattle was approx The major source of the aromatic OSC or was used to quantify indivisors 0.5C mixtures were essentially ð study area. West Sound photometric detector such as forest fires. ō the ng/cm SUP-2 /yr. Puget Compositions sediments. throughout

DESCRIPTORS: organic compounds; sulphur; sediment analysi;

GEOGRAPHIC DESCRIPTORS: INE, Puget Sound gas chromatography

ENVIRONMENT: Marine; Fresh

hydrogen sulphide IDENTIFIERS: vertical profiles; SECTION HEADING CODES: 2187 REPRESENTATION OF THE PROPERTY OF THE PROPERTY

DIALOG File 44: AQUATIC SCIENCE ABSTRACTS - 78-86/MAY

108-04444

Polychlorinated biphenyls in cottids, mussels, and sediment in Southern Puget Sound, Washington.

ป.: Calambokidis, ปี.: Musgrove, N.: Drager. B.: Beug, M.W.: Mowrer.

Evergreen State Coll., Olympia, WA 98505, USA Bull. Environ. Contam. Toxicol., 18(5), 588-594, (1977)

LANGUAGES: English

JOURNAL ANNOUNCEMENT: 7804 DOC TYPE: Journal Article

to a volume appropriate for injection. Sediment samples were freeze-dried, and then soxhlet-extracted and concentrated. Electron-capture gas chromatography was used to quantitatively determine the PCB present. The 6 sites showing the highest levels were located in harbour areas of the 3 largest urban The observed concentrations of PCB in the mussel, Mytilus including Leptocottus armatus and Oligocottus maculosus, and surface sediments in Southern Puget Sound, WA, USA, are reported. Ten grams of tissue (wet weight) were digested, extracted, and concentrated centres in Southern Puget Sound. The levels of PCB found here are comparable to those found in similar organisms from other several species of cottids edulis.

sediment pollution GEOGRAPHIC DESCRIPTORS USA, Washington, Puget Sound coastal and estuarine systems throughout the world. DESCRIPTORS: polychlorinated biphenyls;

Cottidae

TAXONOMIC DESCRIPTORS: Mytilus adulis; ENVIRONMENT: Marine

IDENTIFIERS: PCB: accumulation; Leptocottus armatus; Oligocottus maculosus; Southern Puget Sound; USA: Washingto: pollution levels; PCBs: fish; sediments; sediment analysis armatus:

STATES

X

3)

X

7

Š

A **PDIALOS** SEARCH FROM THE GEOREF DATABASE

	If you have any questions, please call: Telephone: Topic of search: Searcher:
For:	If you have Telephone: Topic of sea Searcher:

The attached report is the result of a search of the GEOREF database using the Dislog Information Retrieval Service.

GEOREF provides comprehensive access to more than 4,500 international journals, plus books, conference papers, government publications, dissertations, theses, and maps concerned with all aspects of geology, geochemistry, geophysics, mineralogy, paleontology, petrology, and selsmology. Approximately 40% of the indexed publications originate in the U.S. and the remainder from outside the U.S. Publications of international organizations make up about 7% of GEOREF.

SAMPLE RECURS

8

223

3

2223

888 378

222

The positions of the key fields are shown in the following sample record.

AN 1012344 BO-48454

Manganese and copper geochemistry of interstitial	fluids from manganese nodule-rich pelagic sediments of	the northeastern equatorial Pacific Ocean	Callender, E.: Bowser, C. J.	U. S. Geol. Surv., Reston, Vs., USA: Univ. Wis., USA				Country of Publ.: United States	Doc Type: SERIAL Bibliographic Level: ANALYTIC	Languages: English	Latitude: N000000; N200000 Longitude: W1800000;	Descriptors: .Pacific Ocean; .nodules; .manganese;	.metals: .sediments:	oceanography; geochemistry; pore water ; geneals;	secondary structures; sedimentary structures;	Pacific: Northess	solubility; desorption; precipitation	Section Headings: 07 . (MARINE GEOLOGY AND	OCEANOGRAPHY)	(Copyright by the American Geological Institute,	1984.)
			_		7	CO SN			01 BL	_	LICN							_			
F			3	S	5	ដ	2	8	5	3	7	9						ĸ			

Key to Data Floids

Journal Mase	Language	Longitude	Latitude	Publisher	Publication Year	Report Number	Subf 11e	Section Heading Code	Summery Lenguege	ISSN	11110	
Ę	5	3	ב	2	<u>~</u>	Z	SF	ĸ	SL	Z	1	
Abstract	GEOREF Accession Number	Author	81b11ographic Level	I Sex	Conference Location	CODEN	Country of Publication	Corporate Source	Conference Title	Conference Year	Descriptor	Document Type
A8	Z	₹	뮵	Z	ರ	8	9	S	5	င်	30	10

Data present in record depends on output format requested and type of record.

PAGE: Item

DIALOG File 89: GEOREF - 1785-1986/AUG (Copr. American Geological Institute)

Metals in estuarine bottom sediments; natural, enriched, and sedimentation rates; trace metals; deposition; Narragansett *sediments: geochemistry: meeting. Eos, Transactions, American Geophysical Union 63: 18, 351p., May 31-June 4, 1982 Biggs, R. B.
Univ. Del., Coll. Mar. Stud., Newark, DE. USA
The American Geophysical Union; 1982 Spring
The American Geophysical Union; 1982 Spring
Philadelphia, PA, United States, May 31-June 4, 1982 Plain; ·metals Doc Type: SERIAL; CONFERENCE PUBLICATION B'bliographic Level: ANALYTIC Coastal Country of Publ.: United States • sedimentation: *Atlantic anthropogenic fractions Languages: English 86-14127 ISSN: 0096-3941 CODEN: EDSTAJ Descriptors: Subfile: B ·Washington: 1364318 1982

Bay: Rhode Island: Chesapeake Bay: Maryland: Virginia: Hudson River: New York: New Jersey: Long Island Sound: Puget Soun; estuarine environment; coastal environment: distribution; pollution; models 02 . (GEOCHEMISTRY): 07 . (MARINE GEOLOGY Section Headings: AND OCEANOGRAPHY S S

Ä

7

. .

N.

(၂ (၂)

THE PERSON AND ADDRESS OF

AND STREET

8

\$\$\$. \$\$\$

80

88

```
DIALOG File 89: GEOREF - 1785-1986/AUG (Copr. American Geological Institute)
                                                                       Horizontal and vertical pore water gradients within the sediments of Puget Sound
Miller, L. G.; Murray, J. W.; Dezol, A. H.; Massoth, G. J.; Feely, R. A.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             organic materials; diagenesis cocanography; materiesediments; geochemistry; materials : estuaries; pore wateri
United States; Puget Sound; Pacific Coast; nutrients;
chemical composition; pH; sampling; advection; migration of
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             · manganese :
                                                                                                                                                                                                                                                                                                                                        Francisco, CA, United States, Dec. 7-15, 1982
Eos. Transactions, American Geophysical Union 63: 45, 999p.,
                                                                                                                                                                                                                                                                                                                Union, 1982 fall meeting.
8s. Dec. 7-15, 1982
                                                                                                                                                                                                              Univ. Wash., Seattle, WA, USA: NOAA, Seattle, USA
American Geophysical Union; 1982 fall meeting
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                Descriptors: "Washington; "Sediments; "Iron;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Doc Type: SERIAL; CONFERENCE PUBLICATION
                                                                                                                                                                                                                                                                                                                                                                                                                                    Country of Publ.: United States
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        Bibliographic Level: ANALYTIC
                                                                                                                                                                                                                                                                                                             Geophysical
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Languages: English
                                                                  85-73996
                                                                                                                                                                                                                                                                                                                                                                                                                                                               ISSN: 0096-3941
CODEN: EDSTAU
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Subfile: B
                                                                                                                                                                                                                                                                                Anonymous
                                                                                                                                                                                                                                                                                                                  American
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               sediments;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                organic-
```

Headings: 07 (MARINE GEOLOGY AND OCEANOGRAPHY); 02

ammonta compound

. I GEOCHEMISTRY)

Mixing and cycling of uranium, thorium and 210 Pb in Puget Sound sediments Descriptors: •Washington; •sediments; •uranium; •isatopes; thorium; •lead; geochemistry; U-238/U-234; ratios; Pb-21; United States; Puget Sound; Th-232/Th-228; Th-232/Th-230; WA. USA: Bowdoin Carpenter, R.; Peterson, M. L.; Bennett, J. T.; Somayajulu, 48: 10, 1949-1963p., 1984 Bibliographic Level: ANALYTIC Wash., Sch. Oceanogr., Seattle, cyclic processes; mixing Section Headings: 02 (GEGCHEMISTRY) Geochimica et Cosmochimica Acta Country of Publ.: International ISSN: 0016-7037 illus., 4 tables, sketch map CODEN: GCACAK 54 REFS Languages: English Doc Type: SERIAL 85 - 16079 Subfile: 8 COII. USA -thorium; 1283161 Sis.

K

7

8

COCCESSION RECESSION REPORT

Languages: English
illus., 3 tables
lidal boundary layer observations, 5 meters from bottom,
Puget Sound, Washington.--Modified journal abstract
Latitude: N471000; N483000 Longitude: W1221000; W1231500
Descriptors: "Washington: "Sedimentation: Pacific Ocean; oceanography; processes ; estuarine sedimentation; United States: Puget Sound; North American Pacific; fines: marine ediments: in situ; ercsion; rates; marine transport; theoretical studies; mathematical models; models Section Headings: 07 (MARINE GEOLOGY AND OCEANGGRAPH)) An in situ erosion rate for a fine-grained marine sediment Lavelle, U. W.; Mofjeld, H. O.; Baker, E. T. NOAA, Pac. Mar. Environ, Lac., Seattle, WA, USA UGR. Journal of Geophysical Research. C. Oceans 89 4, 1984 Country of Publ.: United States Bibliographic Level: ANALYTIC Doc Type: SERIAL ISSN: 0196-2256 Subfile: 8 43 REFS.

83-31804

Stratigraphy, sedimentology, and paleogeographic significance of Spieden Group, San Juan Islands, Washington

Univ. Wash., Seattle, WA, USA Johnson, S. Y.

1981 AAPG annual convention with divisions; SEPM/EMD/DPA 1981 AAPG annual convention with divisions; SEPM/EMD/DPA.

May 31-June 3, 1981 1981 San Francisco, CA, United States,

5, 942p., United States AAPG Bulletin 65: 5. Country of Publ.

ISSN: 0149-1423

CODEN: AABUD2

Subfile: B

DOC Type: SERIAL: CONFERENCE PUBLICATION Bibliographic Level: ANALYTIC

Languages: English

Descriptors: "Washington; *sedimentary rocks; *paleogeograph y : stratignaphy; Junassic; lithostratignaphy; San Juan County; Spieden Bluff Formation; Sentinel Island Formation; United States; San Juan Islands; Spieden Group; Upper Junassic; sandstone; clastic rocks; tuff; pyroclastics and clastic rocks; tuff; pyroclastics and conglomerate; volcanic rocks; Mesozoic; glasses: siltstone: Pacific Coast

Section Headings: 12 . (STRATIGRAPHY, HISTORICAL GEOLOGY)

<u>Q</u>

7

Ä

S

8

NAME OF THE SECRECATION OF THE PROPERTY OF THE

PAGE:

DIALOG File 89: GEOREF - 1785-1986/AUG (Copr. American Geological Institute)

Descriptors: •Washington; •geochemistry; •sediments; processes; marine sediments; nitrification; distribution; United States; Puget Sound; denitrification; pore water; oxidation; Eh; pH
Section Headings: 07 (MARINE GEOLOGY AND OCEANDGRAPHY) 11645:3 83-21227 Nitrification and denitrification in marine sediments from Puget Sound Longitude: W1222436; W1222436 1977 Doc 1/pe: SERIAL Bibliographic Level, ANAL/TIC Languages: English 11lus., 4 tables, sketch map Latitude: W1222436; Latitude: W474312, N474312 Grundmanis, V.; Murray, J. W.
Univ. Wash., Dep. Oceanogr., Seattle, WA, USA
Limnology and Oceanography 22: 5, 804-813p., Country of Publ.: United States ISSN: 0024-3590 CODEN LIDCAH 27 REFS. Subfile: B

82-33492

1112284

The use of 210 Pb in the comparison of sedimentation rates with sediment trap flux for the central basin of Puget Sound Mar. Res. Lab., Sequim, WA, USA AGU/ASLO meeting abstracts Crecellus, E. A. Anonymous

Eos. Transactions, American Geophysical Union 63: 3, 82p., San Antonio, TX, United States, AGU/ÁSLO joint meeting. Feb. 16-19, 1982

Country of Publ.: United States

155N: 0096-3941 CDDEN: EDSTAJ

Doc Type: SERIAL; CONFERENCE PUBLICATION Subfile: B

Bibliographic Level: ANALYTIC Languages: English

Descriptors: *Washington; *Sedimentation; *lead; *isotopes; sediments : sedimentary petrology: sedimentation rates; geochemistry : Pb-210; United States; Puget Sound; sinks; Latitude: N471000; N483000 Longitude: W1221000; W1231500 Sediments

Section Headings: 07 . (MARINE GEOLOGY AND OCEANOGRAPHY)

X

तु

0.5955

- ;

X N

N

S

Si

2

88

ile.

X

38

8

33

Sediment transport in the Duwamish Estuary

Sediment transport in the Duwamish Estuary

Edmondson. S. A.

Univ. of Washington. Seattle, WA. USA.

110p., 1973

Degree Level: Master's

Country of Publ.: United States

Subfile. B.

Doc Type: THESIS Bibliographic Level: MONDGRAPHIC

Languages: English

Descriptors: "Washington; "sedimentation; engineering

geology; transport; waterways; marine transport; United

States; Duwamish Estuary; Puget Sound; environment; estuarine

Section Headings: 22 . (ENGINEERING & ENVIRONMENTAL GEOLOGI)

Porter of the second of the se

~

American Geological Institute: 1785 1986 AUG (Copr ころろう :

1275. bedimentation rates in the Puget Sound Former Programmer Paper

· ·

1981 83b Service 3 States = 2 3

9440 960

Bib' tographic Level: ANALYTIC ranguages English SERIAL -1.1.

Descriptors •Washington, •Segimentation; oceanography; segimentation; USGS; United •edimentation; USGS; United •tates. North America Pacific; Puget Sound; rates; nearshore Longitude W122:000; W1231500 Latitude N471000, N483000 environment

Section Headings 07 (MARINE GEOLOGY AND OCEANOGRAPHY)

STEPHOOD IN

T

X

... [2]

8

9

8

88

X

8

(X)

8

3

DIALOG File 89: GEOREF - 1785-1986/AUG (Copr. American Geological Institute)

an anomalous piece of the Cordilleran 1086120 82-07346
The Spieden Group;
paleogeographic puzzle
Johnson, S. Y.

Seattle, WA, USA Sciences-Journal Canadien des 1694-1707p., 1981 Univ. Wash, Dep. Geol. Sci., Canadian Journal of Earth Canadian Journal of Earth Sciences de la Terre 18 11,

Country of Publ.: Canada 155N 0008-4077 CODEN CJESAP 37 REFS.

Subfile: B

Biblicgraphic Level: ANALYTIC DOC Type SERIAL

Summar, Languages: French anguages English

*sedimentary 111us., 2 tables, strat. col. geol. sketch map Latitude N483500, N484500 Longitude: W1225000; W1231000 · paleogeography: •Washington; Descriptors

ocks stratigraphy; Mesozoic; clastic rocks; durassic; Cretaceous; lithostratigraphy; San duan County; Spieden Sroup. Spieden Bluff formation; Sentinel Island Formation; United States; Spieden Island; Sentinel Island; San duan Oxfordian. slands; Upper Jurassic, Lower Cretaceous; Oxfordian; Kimmeridgian; Valanginian; Hauterivian; sandstone; siltston; pyroclastics; breccia, conglomerate; debris flows; marine United States; slands; Upper ! spue!s! Group.

environment, Phanerozoic, textures Section Meadings 12 (STRATIGRAPHY, HISTORICAL GEOLOGY)

American Geological Institute: Sedimentation rates in Puget Sound and their application to heavy metals pollution The use, study and management of Puget Sound, a symposium; proceedings. Seattle, WA, United States, March 23-25, 1977 study and management of Puget Sound; a symposium; Bingham, S (chairperson); DIALOG File 89: GEOREF - 1785-1986/AUG (Copr Doc Type BOOK: CONFERENCE PUBLICATION C (chairperson); United States Nevissi, A., Scheil, W. R. Univ. Wash., Seattle, WA, USA Bibliographic Level ANALYTIC Languages English illus., table, sketch map P (chairperson) Publ Univ. Wash. 81-17730 Country of Publ. ⋖ Supfile B 176 USB. proceedings 81-87p . Durbur, 1031213 6 REFS Machino.

environmental geology; rates;

*sedimentation;

Latitude: N471000; N483000 Longitude W1221000, W1231500

·Washington;

Descriptors.

-absolute

-Retels :

BOO. The Control of t

geochemistry: dates: pollution: interpretation; heavy metals: United States; Puget Sound: pollutants; Pb-210; age Section Headings: 22 (ENGINEERING & ENVIRONMENTAL GEOLOGY)

· sediments:

heavy

8

X

3

P.Z.

8

ý

ALC.C.C.C.

Charleston processing

K

1000000000 PM 10000

<u>.</u>

Ŷ

200

DIALOG File 89: GEOREF - 1785-1986/AUG (Copr. American Geological Institute)

Languages: English illus. geol. sketch map, strat. col. Latitude: N453000; W1244500 Latitude: N453000; W1244500 Loscriptors: "Washington: 'sedimentation: stratigraph; environment: Daleogene: marine environment: United States: the Tertiary: Cenozoic: Eocene. Oligocene: deltas: structural nalysis: transgression Section Headings 12 (STRLTIGRAPHY, HISTORICAL GEOLDGY) Ē deformation Marcus, K. L.
West, Wash, Univ., Dep. Gecl., Bellingham, WA, USA
Northwest Geol. 9, 52-58p., 1980
Country of Publ.: United States Bibliographic Level: ANALYTIC and Eccene-01(gocene sedimentation a northern Puget Sound area, Washington CODEN. NWGYAR 14 REFS. Doc Type: SERIAL 81-06656 ISSN: 0096-7769 Subfile B

a dredged disposal site in Geophysical characteristics of Elliott Bay, Washington Quinlan, E. A.; Pavlou, S. P. 80-17021 975895

1979 fall annual meeting. San 1979 Francisco, Calif., United States, Dec. 3-7, 1979 Fos (Am. Geophys, Union, Trans.) 60: 46, 848p. URS Co., Seattle, Wash., USA American Geophysical Union;

Country of Publ.: United States

ISSN: 0096-3941 CODEN. EDSTAJ

SERIAL: CONFERENCE PUBLICATION Subfile: 8 Doc Type:

Bibliographic Level: ANALYTIC

disposal; surveys; marine transport; King County; Klitsap County; United States; Elliott Bay; Seattle; Puget Sound; dredging; nearshore environment; bays; polychlorinated Descriptors: *Washington; *Pacific Coast; *sedimentation; engineering geology; geophysical surveys; transport; waste Long1tude: W1221500; W1223000 Languages: English Latitude: N473000; N474000 dredging; nearshore biphenyls; pollution

Section Meadings: 22 (ENGINEERING & ENVIRONMENTAL GEOLOGY)

N SERVICES, INC. STEED STEEDS

B

(N (E.)

8

<u>...</u>

940782 79-25845
Glacial-marine sediments of West Antarctica and Puget Sound Anderson, J. B.; Balshaw, K., Cole, M. L.; Domack, E.; Harlan, J.; Hokanson, C.; Kurtz, D. D., Milam, R.; Wright, B.

Rice Univ., Houston, Tex., USA AAPG-SEPM annual meeting.

Houston, Tex., United States, 410-411p. Am. Assoc. Pet. Geol., Bull. 63-3, Country of Publ.: United States ISSN: 0149-1423 April 1-4, 1979

CODEN: AAPGBS Subfile: B

Doc Type: SERIAL; CONFERENCE PUBLICATION Bibliographic Level: ANALYTIC Languages: English

'Washington: +paleoclimatology;
; stratigraphy; Pleistocene; Long: tude: W1221000; W1231500 Latitude: N471000; N483000 •Antarctica Descriptors:

analysis ; glaciomerine United States; Puget Sound; environment; Puget Lowland; marine environment; glacial environment; Puget Lowland; Quaternary; Cenozoic; paleo-oceanography Section Headings: 24 (SURFICIAL GEOLOGY,QUATERNARY GEOLOGY) environment: West Antarctica; *sedimentation; *sediments environment; environmental

Descriptors: "Washington: 'sediments: sedimentar, cetrolog geochemistry: phase equilibria; Pierce Count,: Kitsap County; King County; Thurston County; Pleistocene; Guaternar; Cenozoic: Puget Sound: United States
Section Headings: 02 (GEOCHEMISTRY) ţ Longitude W1215000: #1225000 ŏ sediments Bibliographic Level: MONOGRAPHIC 949481 79-00102 Geochemical equilibria in Pleistocene Southeast Puget Sound drainage basin Wildrick, L. L Univ. Wash., Seattle, Wash., USA unknownp., 1976 Degree Level Master's Country of Publ. United States Latitude: N470000; N480000 Languages: English Doc Type THESIS Subfile: B 11108.

X

8

2

11 12 12

3

<u>.</u>

Section of the section of

I tem

1

88

88

ès.

X

88

3

N

88

DIALOG File 89: GEOREF - 1785-1986/AUG (Copr. American Geological Institute)

77-05216

The erodibility of a fine-grained sediment deposit placed in a tidal channel

Nittrouer, C. A.; Sternberg, R. w. Univ. Wash. USA. Univ. Wash., Dep. Oceanogr., Seattle, Wash., USA. Section, Seci. Soc., Am., Abstr., Programs 8-3 Cordilleran Section, 2nd annual meeting. 400-401p., 1976. Country of Publ. United States.

72nd annual meeting. Country of Publ. U CODEN. GAAPBC

807265 76-33511

Organic matter decomposition and bioturbation in Puget Sound sediments

Grundmanis, V.; Murray, J. W.
Univ. Wash., Dep. Oceanogr., Seattle, Wash., USA
Eos (Am. Geophys. Union, Trans.) 57: 3, 151p., CODEN: EDSTAJ

1976 Bibliographic Level: ANALYTIC Doc Type: SERIAL Faguages: English Subfile. B

 continental shelf : diagenesis: United States; geochemistr;
 oceanography : bioturbation: rates; accumulation; organic carbon: effects; alkalinity; pH; reduction; sulfate; porewater; chemistry; in situ; Puget Sound; organic materials; •Washington: ·sediments; · sedimentation; decomposition Descriptors:

Section Headings: 07 (MARINE SECLOGY AND OCEANOGRAPHY)

THE CHMATION SERVICES, INC. STEED STEEDS

2

0

3

のなど

2

8

K

DIALOG File 89: GEOREF - 1785-1985/AUG (Copr. American Geological Institute)

763011 75-28785
The fate of a fine-grained dredge spoils deposit in a tidal channel of Puget Sound, Washington Nittrouer, Charles A.: Sternberg, Richard W.

Univ. Seattle, Dep. Oceanogr., Seattle, Wash., USA J. Sediment, Petrol., 45: 1, 160-170p., 1975 CODEN: JSEPAK Subfile: B Doc Type: SERIAL Bibliographic Level: ANALYTIC Languages: English

1) lus., charts, tables, sketch maps
Descriptors: *Washington; *sedimentation; sedimentary
petrology; processes; west; Olympia Harbor; Dana Passage;
Puget Sound; deposition; consolidation; currents; tides;

sediments: channels; deposits; Spoils

disposal: shallow: low energy: environmental geology: United

Section Headings: 24 (SURFICIAL GEOLOGY, OUATERNARY GEOLOGY)

多五日

ROSSI INCOMESCI MONOCOSSI ESCOCOSI INCOCCESCO DIVINIMA CONCESCO

DIALOG File 89: GEDREF - 1785-1986/AUG (Copr. American Geological Institute)

438706 67-00485-N Sedimentology of a gravel spit in southern Puget Sound [abs.]

Jenson, Lawrence E.; McKanna, Blaine
Jenson, Lawrence E.; McKanna, Blaine
Northwest Sci. v. 41, no. 1, p. 52-53, 1967
Subfile: N
Descriptors: *Sedimentation; *Washington; *Sediments :
Environment; Gravel; Sedimentary petrology; Estuary; Puget
Sound; Fox Island spit: Fabric analysis

अधिमाद्य

8

Ž

N.

8

J

B

N

25.5

240:49 59-01172-N
A study of local variability in marine sediments [Wash.]
Bader, Richard George
Pacific Sci. Cong., 8th, Univ. Philippines, 1953, Proc.
3, p. 721-732, illus., Quezon., 1958

Descriptors: *Sediments; *Washington; *Submarine Geology ; Petroiog, ; Puget Sound; marine sampling; sediment sampling; marine sediments; sampling

E CONTROL SERVICES, INC.

A **FIDIALCO** SEARCH FROM THE

OCEANIC ABSTRACTS DATABASE

	-	
For:	Address:	

If you have any questions, please call:

Topic of search:	Searcher
------------------	----------

Date:

The attached report is the result of a search of the DCEANIC ABSTRACTS database using the DIALOG Information Retrievel Service.

publications. Major subject areas covered by OCEANIC ABSTRACTS are oceanography, marine biology, marine pollution, ships and shipping, geology and geophysics, meteorgology, and governmental and legal aspects of Over 9,000 citations from approximately 2,000 domestic and international sources are added to the database each year. Records cite journals, books, technical reports, conference proceedings, and government and trade OCEANIC ABSTRACTS organizes and indexes technical liteneture published worldwide on merine-related subjects

SAMPLE RECORD

S

Š

1

key fields are shown in the following The positions of the sample record.

	79-01734
11	Seevoegs! als Indikatoren fuer zeitlich und oertlich
	begrenzte Meeresverschautzung im Gebiet von Heigeland
	(Deutsche Bucht). Sea birds as indicators of
	accidental marine pollution in the Helgoland area,
	Cernen Bight.
	1.62

	5	1220.		HENG.	: cepo			
	Instituts	Postfach		MEERESFORSCI	1978 C			
		goland,		TUT FUER	95-100.			
	Helgoland	/ogelwarte He	J. FRG	GER. INSTIT	4GEN 17(1).			
Vauk, G.	Inselstation	Vogelforschung Vogelwarte Helgoland, Postfach 1220.	0 2192 Helgoland	BREMERHAVEN.	VEROEFFENTLICHU	VIMBAC	11108. 7078.	Eng. abs.
₹	CS			ž	۸	8		

			or ibund		FIGH BI	£	pud sa	Methy.	Terring.	
			1978, 116 dead or mortbund	sea birds were collected at Helgoland beaches. Some 56	<u>6</u>	oil pollution of unknown origin and extension. The	ittivak	herring gulls, showed symptoms of polsoning. Methyl	Ę	
			116 Q	land bear	tivskes.	Xe pue u	ostly k	of po180	0	
			1978.	at He 190	and kit	wn origi	irds. m	ymptoms	ried in	
	2	AL PAPER	and Apr.	Dected	1) lemots	r cakro	d belton	S Demous	1 dent	(FE)
		- JOURN	Le J.	Were CO	stly gu	tion of	f 60 not	21.8.	could b	d dead.
Eng. abs.	Canguages: German	DOC TYPE: JOURNAL PAPER	Between Jen. and Apr.	a birds	rds, mo	חווסם ו	Jority o	rring g	rethion	gulls found dead. (AM)
					۵	5	Ē	Ž	٥	3

10 P

gulls found dead. (AM)	(AM)	į	:	
Descriptors:	8 - r ds :	0.0	ndicators:	German atont:
Federal Republic	e e	PLEBLY	Coast:	011 pollution;
Potsoning				
COLCACTOR . BEATLY SALES		2444	•	

	Scient	
	Cambridge	
THE PARTY OF THE COLD	(Copyright by Cambridge	(780+
2		

0

30

Ific Abstracts,

Key to Data Fields

Identifier	Journal Announcement	Course Neme	Lenguege	Publisher	Publication Year	1 SSN	Trestment Code	11410	
2	4	3	۲,	2	č	ZS	5	=	
Abstract	Author	1 SEX	Conference Location	CODEN	Corporate Source	Conference Title	Conference Year	Descriptor	Document Type
94	2	z	บ	8	S	C1	Ç	DE	10

Date present in record depends on output formet requested end type of record.

THE PARTY OF THE P

DIALOG File 28: OCEANIC ABSTRACTS - 64-86/APR (Copr. Cambridge Scientific Abstracts)

Th and super(210)Pb profiles, mixing and accumulation in Puget Sound sediments

Carpenter, R.; Peterson, M.L.; Soma,ajulu, B.L.K. Sch. Oceanogr., Univ. Washington, Seattle, WA 98191, USA

Meeting, American Geophysical Union Baltimo e. MO 31 May 1983 (VSV)

p 716. EOS TRANS. AM. GEDPHYS. UNION VOL. 64, NO 45.

SUMMARY LANGUAGE - ENGLISH: Summar, ont ..

Languages: ENGLISH

super(2)/yr and mixing coefficients of 0.5-170 cm super(2)/yr are calculated from super(210)Pb activity versus depth profiles in 25 Puget Sound sediment cores, assuming no mixing beneath the surface mixed layer (<15 cm). These accumulation rates are in rough agreement with rates estimated from limited data on riverine sediment discharge and from total thickness of sediments accumulated during the past 13,500 years. To better separate effects of sediment accumulation and mixing on the super(210)Pb profiles, activities of uranium and thorium isotopes and super(210)Pb were determined in eight cores from scale better than excess super(234)Th. super(238)U activities ranged 1.0-1.8 dpm/g, with no clear trends in distribution either horizontally or with depth in cores. Uncertainties of circa 30% can result in calculated excess super(234)Th if the Puget Sound. Results of the study are discussed. Pu actually measured at each horizon, super(228/232)Th activity sediment horizons containing excess super(234)Th, indicating loss to overlying waters of the more soluble super(228)Ratectope intermediate between super(232) and super(228)Th. Thus may trace mixing of these sediments over the super(210)Pb time super(238)U is assumed constant with depth and not ratios are slightly less than or equal to 1.0 in surface accumulation rates of 70-1200 several anoric basins. Sediment parent

sediment mixing: lead isotopes; cores; thorium unanium isotopes; radioactive tracers; INE, Puget Sed - seriation es. riptors

... deltich Response of an Ocean Bottom Seismometer; than the Lopez Island Vertical Transient Tests TO A M DINET Mar Son Inst Univ. California, Santa pp 53-67. :-• • • • •

and a procession of the model o coustadal imput are deletabled to predict the

vertical transfert test data showed that bearing pressure of cares or instruments to experience a snear modulus higher than THE SABIL

assessment, vertical motion, bottom sediments; Lopez [sland; Puget Sound, US West Coast, Washington Coast Derformance SA I SMOMETER'S: Descriptors ocean bottom,

Organo-sulfur compounds in sadiments of the Puget Sound Dasin

Environmental Lab., 7600 Sandpoint Wa, NE, Bldg. 32, Seattle, Bates, T. S. Canpenter, R. NOAA, Environmental Research Labs. Pacific WA 98115

GEOCHIMICA ET COSMOCHIMICA ACTA 43(8), 1209-1221, AUG 1979 Coden CACAK

155N 0016-7037

Languages ENGLISH

DOC TIDE JOURNAL PAPER TREATMENT CODES

(E.PERIMENTAL)

Sediment samples from a variety of different environments (INVESTIGATIVE/OBSERVATION)

detector was used to quantify individual OSC. Compositions of OSC mixtures were essentially constant throughout the study area. Dibenzothiophene (DBI), its alkylated homologs, and an unknown compound were the predominant OSC in most samples. Concentrations of total OSC and OEI had ranges of 4-60 and O.4-2 mudyg organic carbon, respectively. The flux of OSC to the Sediments at a station in central puget Sound W of Seattle was =140 ng/cm2/yr. The profile of total OSC concentration with depth showed 3 organic 5 compounds that are apparently created in situ in the vicinity of where H2S production of the aromatic OSC in the sediments is apparently atmospheric input from netural sources e.g., forest fires. (AM)
Descriptors: Sediments: Sulfur compounds; Puget Sound; compounds in sediments of the greater Puget Sound basin. A gas constant with depth. Although several anthropogenic sources of OSC were identified, there was no evidence that OSC from these sources were accumulating in the sediments. The major source were analyzed for organo-sulfur compounds (OSC) to provide the first characterization of the amounts and types of these chromatograph equipped with a Sispecific flame photometric begins. The concentrations of the aromatic OSC were relatively

Atmospheric pollutants; Chemical analysis; Organic compounds;

Identifiers: dibenzothiophere

MI ONMATION SERVICES, INC.

SE 6330 LES